



Scaglioni

COMPANY PROFILE



Scaglioni

Azienda produttrice leader nel settore di tende a trazione manuale e motorizzata.

L'esperienza raggiunta in oltre 30 anni di lavoro e l'impegno costante nell'evoluzione del mercato, hanno portato alla realizzazione di prodotti sempre molto competitivi ed innovativi che hanno fatto del marchio Scaglioni un sinonimo di qualità, design, tecnologia e affidabilità.

L'azienda condivide il suo vasto know-how e la rinomata esperienza con professionisti di tutto il mondo e soddisfa le loro esigenze, ispirati da innovazione ed esclusività, contribuendo attivamente a realizzare proposte architettoniche e d'arredamento d'avanguardia.

Il marchio SCAGLIONI è presente con i propri prodotti in molti paesi del mondo, dove ha affermato il suo prestigio contribuendo alla realizzazione di progetti sia in ambito residenziale che pubblico.

La "Qualità" è alla base delle scelte aziendali in ogni fase lavorativa: partendo dal costante investimento nella Ricerca & Sviluppo, che garantisce innovazione e tecnologia, passando attraverso agli approfonditi studi progettuali ed estetici di esperti designer e professionisti del settore, fino a giungere all'insostituibile maestria dei nostri artigiani.

Da sempre SCAGLIONI dedica particolare attenzione alla consulenza, offrendo un servizio completo e personalizzato, dal progetto iniziale alla realizzazione, posa e manutenzione, grazie ad una rete di partner selezionati. I clienti trovano in SCAGLIONI le competenze più adatte a ogni esigenza, anche la più innovativa ed estrema.

Una vasta gamma di tessuti, trame e colori, un'ampia disponibilità di prodotti a magazzino, la rapidità delle spedizioni, coadiuvate da una rete capillare di selezionati rivenditori, completano il successo e pongono la SCAGLIONI s.r.l. tra i leaders del mercato nazionale ed internazionale.

SCAGLIONI Srl is leading manufacturer of decorative curtain rods and manually & motorized blind systems.

The experience gained in over 30 years of work and the constant commitment in the evolution of the market, have led to the creation of more and more competitive and innovative products that have made our brand name synonymous with quality, design, technology and reliability.

SCAGLIONI shares its wide know-how and its renowned experience with professionals from all over the world, we satisfy their needs inspired by innovation and exclusivity, actively helping to achieve advanced proposals in both architectural and furniture fields.

SCAGLIONI's brand name is present with its products in many countries of the world where it has affirmed its undisputed prestige by contributing to the realization of projects in both residential and public fields.

"Quality" is the basis of all corporate's decisions in all phases of production: from the constant investment in the Research & Development study which guarantees innovation and technology, through the in-depth and aesthetical studies of expert designers and professionals, up to the incomparable mastery of our craftsmen.

SCAGLIONI has always dedicated great attention to consultation, offering a complete and customized service, from the initial project to the production and the final installation thanks to a selected list of partners. Customers always find in SCAGLIONI the most suitable solution to their needs even in the most innovative and amazing idea.

Wide range of fabrics, textures and colors, availability of products in stock, express shipping service supported by a network of selected retailers, distributors and wholesalers complete SCAGLIONI's success and put the company among the leaders of both domestic and international markets.





FERRO - IRON • INDICE ALFABETICO - ALPHABETICAL INDEX

	Misure Dimensions	Pagina n° Page n°		Misure Dimensions	Pagina n° Page n°
ABSEO	Ø 20	51	GLAUCO	Ø 30	34
ACASTE	Ø 20	80		Ø 20	76
ALTAIR	Ø 20	62	HIDALGO	Ø 20	65
ALUDRA	Ø 20	63	ICARO	Ø 30	36
ANTARES	Ø 18	88		Ø 20	78
APOLO	Ø 30	37	IRIDE	Ø 30	12
	Ø 20	79		Ø 20	42
AQUILA	Ø 30	23	ITACA	Ø 30	26
	Ø 20	67		Ø 20	70
ARAE	Ø 20	59		Ø 15	98
ATLANTE	Ø 30	28	LINDO	Ø 30	19
	Ø 20	64		Ø 20	49
ATREO	Ø 20	52	MAGEA	Ø 20	81
ATRIA	Ø 15	94	MEDEA	Ø 30	31
BULINO	Ø 30	24		Ø 20	73
	Ø 20	68	MINOSSE	Ø 30	35
CAIO	Ø 20	54		Ø 20	77
CANOPO	Ø 20	58	MIZAR	Ø 18	90
CASTALDA	Ø 30	18	NAOS	Ø 10	102
	Ø 20	48	NELISA	Ø 20	50
CASTORE	Ø 30	21	ORFEO	Ø 30	33
	Ø 20	57		Ø 20	75
CENTAURO	Ø 20	60	OTTANTE	Ø 30	22
CETO	Ø 30	30		Ø 20	66
	Ø 20	72		Ø 15	99
CLARISSA	Ø 30	20	PAN	Ø 18	91
	Ø 20	56	PASTORE	Ø 15	95
CLEIO	Ø 30	16	PHOBOS	Ø 18	86
	Ø 20	46	REGINA	Ø 30	32
DEIMOS	Ø 10	102		Ø 20	74
DELFINO	Ø 15	96	SAGITTARIO	Ø 30	25
DIOMEDE	Ø 20	55		Ø 20	69
DIONE	Ø 30	27	SARGAS	Ø 18	87
	Ø 20	71	SESTO	Ø 20	53
ERCOLE	Ø 15	97	SOLE	Ø 30	29
ESTIA	Ø 30	17		Ø 20	61
	Ø 20	47	TESEO	Ø 30	13
ETA	Ø 18	89		Ø 20	43
FLORA	Ø 30	15			
	Ø 20	45			
GAMMA	Ø 7	102			
GEA	Ø 30	14			
	Ø 20	44			

OTTONE - BRASS • ALPHABETICAL INDEX - INDICE ALFABETICO

	Misure Dimensions	Pagina n° Page n°
ASIA	Ø 20	215
	Ø 15	246
AMALTEA	Ø 20	204
ANDROMEDA	Ø 20	193
	Ø 15	243
ANTILOPE	Ø 15	247
APOFI	Ø 35	124
ARIEL	Ø 25	180
	Ø 35	137
	Ø 30	169
ARIE TE	Ø 20	221
	Ø 13	252
	Ø 35	140
AURIGA	Ø 30	172
	Ø 20	224
AURORA	Ø 25	178
	Ø 20	194
BACCO	Ø 13	252
BALENA	Ø 10	257
BOOTE	Ø 15	242
BILANCIA	Ø 20	196
	Ø 15	238
CALIPSO	Ø 30	159
	Ø 25	179
	Ø 20	199
CALLISTO	Ø 35 RIGATO	148
	Ø 25 RIGATO	186
	Ø 20 RIGATO	226
CANCRO	Ø 35	132
CARENA	Ø 13	252
CARONTE	Ø 20	206
CASSIOPEA	Ø 20	192
CEFE O	Ø 20	114
CERERE	Ø 20	201
	Ø 15	241
CHITONE	Ø 35	131
	Ø 30	165
CIBALE	Ø 20	231
CORDELIA	Ø 20	208
DISNOMIA	Ø 25	183
DORIDE	Ø 35	142

	Misure Dimensions	Pagina n° Page n°
ELARA	Ø 20	115
ELENA	Ø 25	185
	Ø 20	214
ERATO	Ø 35	127
ERMIONE	Ø 10	256
EUREKA	Ø 13	252
EURIALO	Ø 20	203
EUROPA	Ø 20	198
	Ø 35	126
FEBE	Ø 35	126
	Ø 20	191
GANIMEDE	Ø 20	191
GIANO	Ø 35	130
GIOVE	Ø 50	120
	Ø 35	136
	Ø 30	168
	Ø 20	220
IDA	Ø 35	141
	Ø 30	173
	Ø 20	225
IDAS	Ø 35	125
IMALIA	Ø 35 RIGATO	149
	Ø 25 RIGATO	187
	Ø 20 RIGATO	227
LARISSA	Ø 30	158
	Ø 20	200
	Ø 15	240
	Ø 13	250
LEDA	Ø 35	134
	Ø 30	166
	Ø 20	218
LIRA	Ø 25	184
LUNA	Ø 35 RIGATO	153
LUPO	Ø 10	259
MARTE	Ø 50	119
MERCURIO	Ø 35	128
	Ø 30	162
	Ø 20	212
	Ø 35 RIGATO	154
METIS	Ø 20	209
MIRANDA	Ø 20	210
NAIADE	Ø 15	244
	Ø 15	244

	Misure Dimensions	Pagina n° Page n°
NETTUNO	Ø 35	138
	Ø 30	170
	Ø 20	222
NOTTE	Ø 35 RIGATO	152
OFELIA	Ø 35	139
	Ø 30	171
	Ø 20	223
PALLADE	Ø 20	202
PANDORA	Ø 20	195
PEGASO	Ø 20	190
PLUTONE	Ø 25	181
PORZIA	Ø 20	216
PROMETEO	Ø 20	229
REA	Ø 20	230
SATURNO	Ø 50	121
SESTANTE	Ø 20	228
SINOPE	Ø 35 RIGATO	150
TEBE	Ø 35 RIGATO	155
TERRA	Ø 30	160
	Ø 20	205
TETI	Ø 35	133
	Ø 30	164
	Ø 20	217
TIASO	Ø 35 RIGATO	151
TITANIA	Ø 20	211
	Ø 15	245
TITANO	Ø 30	161
	Ø 20	207
URANO	Ø 35	129
	Ø 30	163
	Ø 20	213
VELE	Ø 10	258
VENERE	Ø 50	118
	Ø 35	135
	Ø 30	167
	Ø 25	182
	Ø 20	219
VESTA	Ø 20	197
	Ø 15	239
	Ø 13	251



FERRO • IRON

FERRO • IRON



Scaglioni

INDICE PER MODELLI • INDEX FOR MODELS

	Misure Dimensions	Pagina n° Page n°		Misure Dimensions	Pagina n° Page n°
	IRIDE Ø 30 Ø 20	12 42		CASTORE Ø 30 Ø 20	21 57
	TESEO Ø 30 Ø 20	13 43		OTTANTE Ø 30 Ø 20 Ø 15	22 66 99
	GEA Ø 30 Ø 20	14 44		AQUILA Ø 30 Ø 20	23 67
	FLORA Ø 30 Ø 20	15 45		BULINO Ø 30 Ø 20	24 68
	CLEIO Ø 30 Ø 20	16 46		SAGITTARIO Ø 30 Ø 20	25 69
	ESTIA Ø 30 Ø 20	17 47		ITACA Ø 30 Ø 20 Ø 15	26 70 98
	CASTALDA Ø 30 Ø 20	18 48		DIONE Ø 30 Ø 20	27 71
	LINDO Ø 30 Ø 20	19 49		ATLANTE Ø 30 Ø 20	28 64
	CLARISSA Ø 30 Ø 20	20 56		SOLE Ø 30 Ø 20	29 61
				CETO Ø 30 Ø 20	30 72

INDICE PER MODELLI • INDEX FOR MODELS

	Misure Dimensions	Pagina n° Page n°		Misure Dimensions	Pagina n° Page n°
	MEDEA Ø 30 Ø 20	31 73		SESTO Ø 20	53
	REGINA Ø 30 Ø 20	32 74		CAIO Ø 20	54
	ORFEO Ø 30 Ø 20	33 75		DIOMEDE Ø 20	55
	GLAUCO Ø 30 Ø 20	34 76		CANOPO Ø 20	58
	MINOSSE Ø 30 Ø 20	35 77		ARAE Ø 20	59
	ICARO Ø 30 Ø 20	36 78		CENTAURO Ø 20	60
	APOLO Ø 30 Ø 20	37 79		ALTAIR Ø 20	62
	NELISA Ø 20	50		ALUDRA Ø 20	63
	ABSEO Ø 20	51			
	ATREO Ø 20	52			

INDICE PER MODELLI • INDEX FOR MODELS

	Misure Dimensions	Pagina n° Page n°		Misure Dimensions	Pagina n° Page n°
	HIDALGO Ø 20	65		ATRIA Ø 15	94
	ACASTE Ø 20	80		PASTORE Ø 15	95
	MAGEA Ø 20	81		DELFINO Ø 15	96
	PHOBOS Ø 18	86		ERCOLE Ø 15	97
	SARGAS Ø 18	87		DEIMOS Ø 10	102
	ANTARES Ø 18	88		NAOS Ø 10	102
	ETA Ø 18	89		GAMMA Ø 7	102
	MIZAR Ø 18	90	Fermatenda e accessori Holdbacks and accessories 104		
	PAN Ø 18	91	Espositori per punti vendita Displays for stores 273		

[Ø 30]


Ø 30






Scaglioni



ART. 30I020

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43	146	154	162	170	179	187	220	237	254	278	57	39
		92-93-94												
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43	220	236	252	269	285	301	353	388	420	468	114	42
		92-93-94												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43	140	148	156	164	172	180	210	228	244	268	57	
		92-93-94												

COMPONENTI • COMPONENTS

ART. 3031020	FIN.	ART. 3031021	FIN.	ART. 3031016	FIN.	ART. 3032118	FIN.	ART. 3032119	FIN.
• Finale • Finial	19-40-41 42-43-92 93-94	• Finale • Finial	19-40-41 42-43-92 93-94	• Tappo per doppio profilo • Endcap for double profile	19-40-41 42-43-92 93-94	• Supporto accorciabile • Shortenable bracket	19-40-41 42-43-92 93-94	• Supporto accorciabile doppio • Shortenable double bracket	19-40-41 42-43-92 93-94
	30,28		35,68		8,76		18,82		22,93



19
• Avorio sfumato
oro
• Ivory, gold
shaded



40
• Bianco opaco
• Matt white



41
• Beige
• Beige



42
• Grigio antracite
• Anthracite grey



43
• Bianco opaco
sfumato argento
• Matt white,
silver shaded




92
• Bronzo
• Bronze



93
• Avorio
• Ivory



ART. 30I021

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43	157	165	173	181	189	197	231	248	264	288	57	44
		92-93-94												
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43	231	247	263	279	295	311	363	399	431	479	114	47
		92-93-94												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43	151	159	167	175	183	191	221	239	255	279	57	
		92-93-94												


ART. 3032008	FIN.		ART. 3035002	FIN.		ART. 3033001	FIN.	L max			
• Supporto soffitto	19-40-41	15,57	• Anello con guarnizione	19-40-41	2,49	• Profilo	19-40-41	5 mt	15,25		
• Ceiling bracket	42-43-92		• Ring with easy-glide insert	42-43-92		• Profile	42-43-92				
	93-94			93-94		€/mt	93-94				






94
• Avorio sfumato
rame
• Ivory, rust
shaded



ART. 30I022

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43	138	146	154	162	170	178	211	229	245	269	57	35
		92-93-94												
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43	212	228	244	260	276	292	344	379	411	459	114	38
		92-93-94												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43	131	139	147	155	163	171	201	219	235	259	57	
		92-93-94												

COMPONENTI • COMPONENTS

ART. 3031022	FIN.		ART. 3031023	FIN.		ART. 3031016	FIN.		ART. 3032118	FIN.		ART. 3032119	FIN.	
• Finale • Finial	19-40-41 42-43-92 93-94	25,95	• Finale • Finial	19-40-41 42-43-92 93-94	23,00	• Tappo per doppio profilo • Endcap for double profile	19-40-41 42-43-92 93-94	8,76	• Supporto accorciabile • Shortenable bracket	19-40-41 42-43-92 93-94	18,82	• Supporto accorciabile doppio • Shortenable double bracket	19-40-41 42-43-92 93-94	22,93
														

14

Finiture disponibili
Finishes available



19
• Avorio sfumato
oro
• Ivory, gold
shaded



40
• Bianco opaco
• Matt white



41
• Beige
• Beige



42
• Grigio antracite
• Anthracite grey



43
• Bianco opaco
sfumato argento
• Matt white,
silver shaded




92
• Bronzo
• Bronze



93
• Avorio
• Ivory



ART. 30I023

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43 92-93-94	132	140	148	156	164	172	205	223	239	263	57	31
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43 92-93-94	206	222	238	254	270	286	338	373	406	454	114	35
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43 92-93-94	125	133	141	149	157	165	196	213	229	253	57	


ART. 3032008

FIN.

• Supporto soffitto
• Ceiling bracket

19-40-41
42-43-92
93-94

15,57



ART. 3035002

FIN.

• Anello con guarnizione
• Ring with easy-glide insert

19-40-41
42-43-92
93-94

2,49



ART. 3033001

FIN.

• Profilo
• Profile
€/mt

19-40-41
42-43-92
93-94

L max
5 mt


15,25






• Spessore 1,2 mm
• Thickness 1,2 mm



ART. 30I207

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-17-18	142	150	158	166	174	182	223	241	257	281	57	37
		19-47-91-92-93												
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-17-18	150	158	166	174	182	190	236	253	269	293	57	41
		19-47-91-92-93												
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-17-18	236	252	268	284	300	316	384	419	451	499	114	50
		19-47-91-92-93												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-17-18	115	124	132	140	148	156	183	201	217	241	57	
		19-47-91-92-93												

COMPONENTI • COMPONENTS

ART. 3031007			FIN.			ART. 3031009			FIN.			ART. 3032001			FIN.			ART. 3032002			FIN.			ART. 3032003			FIN.																	
• Finale • Finial			09-10-11-17 18-19-47-91 92-93			20,33			• Finale e tappo per doppio profilo • Finial and endcap for double profile			09-10-11-13 14-15-16-17 18-19-47-91 92-93			11,04			• Supporto • Wall bracket			09-10-11-13 14-15-16-17 18-19-47-91 92-93			26,39			• Supporto • Wall bracket			09-10-11-13 14-15-16-17 18-19-47-91 92-93			30,50			• Supporto doppio • Double wall bracket			09-10-11-13 14-15-16-17 18-19-47-91 92-93			38,18		
																																												



09
• Nero opaco sfumato oro
• Matt black, gold shaded



10
• Nero opaco sfumato argento
• Matt black, silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato rame
• Black, copper hammered



14
• Blu martellato oro
• Blue, gold hammered




15
• Rosso porpora sfumato oro
• Red purple, gold shaded



16
• Verde veneziano sfumato oro
• Venetian green, gold shaded



ART. 30I209

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli Rings		12	14	16	18	20	22	26	30	34	40			
Supporti Brackets		2	2	2	2	2	2	3	3	3	3			
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16	124	132	140	148	156	164	205	222	238	262	57	28
		17-18-19-47-91-92-93												
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16	132	140	148	156	164	172	217	235	251	275	57	32
		17-18-19-47-91-92-93												
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16	217	234	250	266	282	298	365	400	432	480	114	41
		17-18-19-47-91-92-93												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16	97	105	113	121	129	137	165	182	198	222	57	
		17-18-19-47-91-92-93												

ART. 3032005	FIN.	ART. 3035002	FIN.	ART. 3033001	FIN.	L max		
• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	13,08	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	2,49	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt 15,25

17

• Nero opaco
• Matt black

18

• Nero opaco sfumato rame
• Matt black, copper shaded

19

• Avorio sfumato oro
• Ivory, gold shaded

47

• Nero spugnato oro-ruggine
• Black, gold-rust sponged

91

• Ruggine
• Rust

92


• Bronzo
• Bronze

93

• Avorio
• Ivory



ART. 30I001

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	148	156	164	172	181	188	229	247	263	287	57	40
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	157	164	172	181	189	197	242	260	275	300	57	44
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	242	258	274	290	306	322	390	425	457	505	114	54
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	122	130	138	146	154	162	189	207	223	247	57	

COMPONENTI • COMPONENTS

ART. 3031001	FIN.	ART. 3031011	FIN.	ART. 3031009	FIN.	ART. 3032001	FIN.	ART. 3032002	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93
23,36		23,79		11,04		26,39		30,50	



09
• Nero opaco sfumato oro
• Matt black, gold shaded



10
• Nero opaco sfumato argento
• Matt black, silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato rame
• Black, copper hammered



14
• Blu martellato oro
• Blue, gold hammered





15
• Rosso porpora sfumato oro
• Red purple, gold shaded



16
• Verde veneziano sfumato oro
• Venetian green, gold shaded



ART. 30I211

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3	Aumentare - Rise	Togliere - Deduct	
Finiture	Finishes													
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16	149	157	165	173	181	189	230	248	264	288	57	40
		17-18-19-47-91-92-93												
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16	157	165	173	182	189	198	242	260	276	300	57	44
		17-18-19-47-91-92-93												
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16	243	259	275	291	307	323	390	426	458	506	114	54
		17-18-19-47-91-92-93												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16	122	130	138	147	155	163	190	208	224	248	57	
		17-18-19-47-91-92-93												

ART. 3032003	FIN.	ART. 3032005	FIN.	ART. 3035002	FIN.	ART. 3033001	FIN.	L max	
• Supporto doppio • Double wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt	15,25

17
• Nero opaco
• Matt black

18
• Nero opaco sfumato rame
• Matt black, copper shaded


19
• Avorio sfumato oro
• Ivory, gold shaded

47
• Nero spugnato oro-ruggine
• Black, gold-rust sponged


91
• Ruggine
• Rust

92
• Bronzo
• Bronze

93
• Avorio
• Ivory



ART. 301070

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	164	172	180	188	196	204	237	255	271	295	57	48
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	238	254	270	286	302	318	370	405	437	485	114	52
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	157	165	173	181	189	197	227	245	261	285	57	

COMPONENTI • COMPONENTS

ART. 3031070	FIN.	ART. 3031027	FIN.	ART. 3031016	FIN.	ART. 3032118	FIN.	ART. 3032119	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93
	38,61		23,04		8,76		18,82		22,93



09
• Nero opaco
sfumato oro
• Matt black,
gold shaded



10
• Nero opaco
sfumato argento
• Matt black,
silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato
rame
• Black, copper
hammered



14
• Blu martellato
oro
• Blue, gold
hammered




15
• Rosso porpora
sfumato oro
• Red purple,
gold shaded



16
• Verde veneziano
sfumato oro
• Venetian green,
gold shaded



ART. 30I027

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	132	141	148	157	165	173	206	224	240	264	57	32
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	207	223	238	254	271	287	339	374	406	454	114	36
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	126	134	142	150	158	166	196	214	230	254	57	

ART. 3032008	FIN.	ART. 3035002	FIN.	ART. 3033001	FIN.	L max		
• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	15,57	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	2,49	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt 15,25
						• Spessore 1,2 mm • Thickness 1,2 mm		

17

• Nero opaco
• Matt black

18

• Nero opaco sfumato rame
• Matt black, copper shaded

19

• Avorio sfumato oro
• Ivory, gold shaded

47

• Nero spugnato oro-ruggine
• Black, gold-rust sponged

91

• Ruggine
• Rust

92


• Bronzo
• Bronze

93

• Avorio
• Ivory



ART. 301064

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	146	154	162	170	178	186	220	237	253	277	57	39
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	220	236	252	268	284	301	353	387	420	468	114	43
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	140	148	156	164	172	180	210	227	243	268	57	

COMPONENTI • COMPONENTS

ART. 3031064	FIN.		ART. 3031065	FIN.		ART. 3031016	FIN.		ART. 3032118	FIN.		ART. 3032119	FIN.	
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	29,85	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	48,56	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	8,76	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	18,82	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	22,93



09
• Nero opaco sfumato oro
• Matt black, gold shaded



10
• Nero opaco sfumato argento
• Matt black, silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato rame
• Black, copper hammered



14
• Blu martellato oro
• Blue, gold hammered




15
• Rosso porpora sfumato oro
• Red purple, gold shaded









16
• Verde veneziano sfumato oro
• Venetian green, gold shaded



ART. 301065


		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture		Finishes										Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	184	191	200	208	216	224	257	275	291	315	57	58
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	257	274	290	306	322	338	390	425	457	505	114	62
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	177	185	193	201	209	217	247	265	281	305	57	

ART. 3032008	FIN.	ART. 3035002	FIN.	ART. 3033001	FIN.	L max		
• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	15,57	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	2,49	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt 15,25
						• Spessore 1,2 mm • Thickness 1,2 mm		





ART. 301062

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	134	142	150	158	167	174	208	225	241	265	57	34
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	208	224	240	256	273	289	341	376	408	456	114	37
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	128	136	144	152	160	168	198	215	232	256	57	

COMPONENTI • COMPONENTS

ART. 3031062	FIN.	ART. 3031063	FIN.	ART. 3031016	FIN.	ART. 3032118	FIN.	ART. 3032119	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93



09
• Nero opaco
sfumato oro
• Matt black,
gold shaded



10
• Nero opaco
sfumato argento
• Matt black,
silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato
rame
• Black, copper
hammered



14
• Blu martellato
oro
• Blue, gold
hammered




15
• Rosso porpora
sfumato oro
• Red purple,
gold shaded



16
• Verde veneziano
sfumato oro
• Venetian green,
gold shaded



ART. 301063


		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	156	163	171	180	187	196	229	247	263	287	57	44
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	229	246	262	277	293	310	362	397	429	477	114	48
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	149	157	165	173	181	189	219	237	253	277	57	

ART. 3032008	FIN.		ART. 3035002	FIN.		ART. 3033001	FIN.	L max		
• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	15,57	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	2,49	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt	15,25	

17 • Nero opaco • Matt black	18 • Nero opaco sfumato rame • Matt black, copper shaded	19 • Avorio sfumato oro • Ivory, gold shaded	47 • Nero spugnato oro-ruggine • Black, gold-rust sponged	91 • Ruggine • Rust	92 • Bronzo • Bronze	93 • Avorio • Ivory
------------------------------------	--	--	---	---------------------------	----------------------------	---------------------------



ART. 30I061

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	124	132	141	148	156	164	198	215	231	255	57	28
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	198	214	230	247	262	278	330	366	398	446	114	31
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	118	126	134	142	150	158	188	206	222	246	57	

COMPONENTI • COMPONENTS

ART. 3031061	FIN.	ART. 3031060	FIN.	ART. 3031016	FIN.	ART. 3032118	FIN.	ART. 3032119	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93



09
• Nero opaco
sfumato oro
• Matt black,
gold shaded



10
• Nero opaco
sfumato argento
• Matt black,
silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato
rame
• Black, copper
hammered



14
• Blu martellato
oro
• Blue, gold
hammered




15
• Rosso porpora
sfumato oro
• Red purple,
gold shaded




16
• Verde veneziano
sfumato oro
• Venetian green,
gold shaded



ART. 30I060

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
		Anelli Rings	12	14	16	18	20	22	26	30	34			40
		Supporti Brackets	2	2	2	2	2	2	3	3	3			3
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	122	130	138	146	155	162	196	213	229	253	57	27
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	196	212	228	244	261	277	329	364	396	444	114	30
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	116	124	132	140	148	156	186	204	220	244	57	

ART. 3032008		FIN.	ART. 3035002		FIN.	ART. 3033001		FIN.	L max	
• Supporto soffitto	09-10-11-13	15,57	• Anello con guarnizione	09-10-11-13	2,49	• Profilo	09-10-11	5 mt	15,25	
• Ceiling bracket	14-15-16-17									
	18-19-47-91									
	92-93									
										
						• Spessore 1,2 mm • Thickness 1,2 mm				

17

• Nero opaco
• Matt black

18

• Nero opaco sfumato rame
• Matt black, copper shaded

19

• Avorio sfumato oro
• Ivory, gold shaded

47

• Nero spugnato oro-ruggine
• Black, gold-rust sponged

91


• Ruggine
• Rust

92


• Bronzo
• Bronze

93



• Avorio
• Ivory



ART. 301067

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	108	117	124	132	141	149	182	199	216	240	57	21
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	183	198	214	230	247	263	315	350	382	430	114	24
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	102	110	118	126	134	142	172	190	206	230	57	

COMPONENTI • COMPONENTS

ART. 3031067	FIN.	ART. 3031012	FIN.	ART. 3031016	FIN.	ART. 3032118	FIN.	ART. 3032119	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93
									



09
• Nero opaco sfumato oro
• Matt black, gold shaded



10
• Nero opaco sfumato argento
• Matt black, silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato rame
• Black, copper hammered




14
• Blu martellato oro
• Blue, gold hammered



15
• Rosso porpora sfumato oro
• Red purple, gold shaded








16
• Verde veneziano sfumato oro
• Venetian green, gold shaded



ART. 30I212

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture		Finishes										Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	115	123	131	139	147	155	189	206	222	246	57	24
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	189	205	221	237	253	269	321	356	389	437	114	28
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	109	117	125	133	141	149	179	196	212	237	57	

ART. 3032008		FIN.		ART. 3035002		FIN.		ART. 3033001		FIN.		L max							
• Supporto soffitto • Ceiling bracket		09-10-11-13 14-15-16-17 18-19-47-91 92-93		15,57		• Anello con guarnizione • Ring with easy-glide insert		09-10-11-13 14-15-16-17 18-19-47-91 92-93		2,49		• Profilo • Profile €/mt		09-10-11 13 14-15 16-17 18 19-47-91 92-93		5 mt		15,25	
																			
								• Spessore 1,2 mm • Tickness 1,2 mm											








ART. 30I120

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli	Roller	12	14	16	18	20	22	26	30	34	40				
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3				
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		19-40-41-42-43 92-93-94	150	157	163	169	175	181	217	232	245	263	25	46	10 / mt.
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43 92-93-94	159	165	171	177	183	189	230	245	257	276	25	51	10 / mt.
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43 92-93-94	233	245	258	270	282	295	352	382	407	444	50	59	
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43 92-93-94	124	130	136	142	148	155	177	192	205	223	25		10 / mt.


COMPONENTI • COMPONENTS

ART. 3031020		FIN.		ART. 3031021		FIN.		ART. 3031010		FIN.		ART. 3032001		FIN.		ART. 3032002		FIN.	
• Finale		19-40-41		• Finale		19-40-41		• Tappo per doppio profilo		19-40-41		• Supporto		19-40-41		• Supporto		19-40-41	
• Finial		42-43-92		• Finial		42-43-92		• Endcap for double profile		42-43-92		• Wall bracket		42-43-92		• Wall bracket		42-43-92	
		93-94				93-94				93-94				93-94				93-94	
30,28				35,68				11,04				26,39				30,50			
																			






ART. 301121

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli Roller		12	14	16	18	20	22	26	30	34	40				
Supporti Brackets		2	2	2	2	2	2	3	3	3	3				
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		19-40-41-42-43	161	167	174	180	186	192	228	243	255	274	25	52	10 / mt.
		92-93-94													
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43	169	176	182	188	194	200	240	255	268	286	25	56	10 / mt.
		92-93-94													
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43	244	256	269	281	293	306	363	393	418	455	50	65	
		92-93-94													
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43	135	141	147	153	159	165	188	203	216	234	25		10 / mt.
		92-93-94													

ART. 3032003 FIN.			ART. 3032006 FIN.			ART. 0055005		ART. 3033020 FIN.		L max	
• Supporto doppio	19-40-41	38,18	• Supporto soffitto	19-40-41	13,08	• Scorrevole	0,12	• Profilo	19-40-41	5 mt	27,57
• Double wall bracket	42-43-92		• Ceiling bracket	42-43-92		• Glide roller		• Profile €/mt	42-43-92		
	93-94			93-94					93-94		





ART. 30I122

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli	Roller	12	14	16	18	20	22	26	30	34	40				
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3				
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		19-40-41-42-43 92-93-94	142	148	154	160	166	173	209	224	236	255	25	42	10 / mt.
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43 92-93-94	150	156	162	168	175	181	221	236	248	267	25	46	10 / mt.
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43 92-93-94	224	237	249	261	274	286	343	374	398	435	50	55	
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43 92-93-94	115	121	127	134	140	146	169	184	196	215	25		10 / mt.

COMPONENTI • COMPONENTS

ART. 3031022	FIN.		ART. 3031023	FIN.		ART. 3031010	FIN.		ART. 3032001	FIN.		ART. 3032002	FIN.	
• Finale • Finial	19-40-41 42-43-92 93-94	25,95	• Finale • Finial	19-40-41 42-43-92 93-94	23,00	• Tappo per doppio profilo • Endcap for double profile	19-40-41 42-43-92 93-94	11,04	• Supporto • Wall bracket	19-40-41 42-43-92 93-94	26,39	• Supporto • Wall bracket	19-40-41 42-43-92 93-94	30,50



19
• Avorio sfumato
oro
• Ivory, gold
shaded



40
• Bianco opaco
• Matt white



41
• Beige
• Beige



42
• Grigio antracite
• Anthracite grey



43
• Bianco opaco
sfumato argento
• Matt white,
silver shaded




92
• Bronzo
• Bronze




93
• Avorio
• Ivory




ART. 301123

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli Roller		12	14	16	18	20	22	26	30	34	40				
Supporti Brackets		2	2	2	2	2	2	3	3	3	3				
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		19-40-41-42-43	136	142	148	154	161	167	203	218	230	249	25	39	10 / mt.
		92-93-94													
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43	144	150	156	163	169	175	215	230	242	261	25	43	10 / mt.
		92-93-94													
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43	218	231	243	255	268	280	338	368	392	430	50	52	
		92-93-94													
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43	109	115	122	128	134	140	163	178	190	209	25		10 / mt.
		92-93-94													

ART. 3032003	FIN.	
• Supporto doppio	19-40-41	38,18
• Double wall	42-43-92	
bracket	93-94	



ART. 3032006	FIN.	
• Supporto	19-40-41	13,08
soffitto	42-43-92	
• Ceiling	93-94	
bracket		



ART. 0055005	
• Scorrevole	0,12
• Glide roller	



ART. 3033020	FIN.	L max	
• Profilo	19-40-41	5 mt	27,57
• Profile	42-43-92		
€/mt	93-94		



94





- Avorio sfumato rame
- Ivory, rust shaded



ART. 30I208

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
		Scorrevoli Roller	12	14	16	18	20	22	26	30	34				40
		Supporti Brackets	2	2	2	2	2	2	3	3	3	3			
		Finiture Finishes											Aumentare - Rise	Togliere - Deduct	Aumentare - Rise
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-17-18	131	137	143	149	155	161	197	213	225	243	25	37	10 / mt.
		19-91-92-93													
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-17-18	140	145	152	158	164	169	210	225	237	256	25	41	10 / mt.
		19-91-92-93													
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-17-18	214	226	239	250	263	275	332	362	387	425	50	50	
		19-91-92-93													
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-17-18	105	111	116	123	129	136	157	173	185	203	25		10 / mt.
		19-91-92-93													

COMPONENTI • COMPONENTS

ART. 3031008			FIN.			ART. 3031010			FIN.			ART. 3032001			FIN.			ART. 3032002			FIN.			ART. 3032003			FIN.																	
• Finale • Finial			09-10-11-17 18-19-47-91 92-93			20,33			• Finale e tappo per doppio profilo • Finial and endcap for double profile			09-10-11-13 14-15-16-17 18-19-47-91 92-93			11,04			• Supporto • Wall bracket			09-10-11-13 14-15-16-17 18-19-47-91 92-93			26,39			• Supporto • Wall bracket			09-10-11-13 14-15-16-17 18-19-47-91 92-93			30,50			• Supporto doppio • Double wall bracket			09-10-11-13 14-15-16-17 18-19-47-91 92-93			38,18		
																																												



09
• Nero opaco
sfumato oro
• Matt black,
gold shaded



10
• Nero opaco
sfumato argento
• Matt black,
silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato
rame
• Black, copper
hammered



14
• Blu martellato
oro
• Blue, gold
hammered





15
• Rosso porpora
sfumato oro
• Red purple,
gold shaded




16
• Verde veneziano
sfumato oro
• Venetian green,
gold shaded



ART. 30I210

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli Roller		12	14	16	18	20	22	26	30	34	40				
Supporti Brackets		2	2	2	2	2	2	3	3	3	3				
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16	113	119	124	131	137	144	179	194	207	225	25	28	10 / mt.
		17-18-19-47-91-92-93													
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16	121	127	133	139	145	151	191	206	219	237	25	32	10 / mt.
		17-18-19-47-91-92-93													
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16	195	208	220	232	244	257	313	342	369	406	50	41	
		17-18-19-47-91-92-93													
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16	86	92	98	105	110	117	139	154	167	185	25		10 / mt.
		17-18-19-47-91-92-93													

ART. 3032005		FIN.		ART. 0055005		ART. 3033020		FIN.		L max								
• Supporto soffitto • Ceiling bracket		09-10-11-13 14-15-16-17 18-19-47-91 92-93		13,08		• Scorrevole • Glide roller		0,12		• Profilo • Profile		09-10-11 13 14-15 16-17 18 19-47-91 92-93		5 mt		27,57		
																		

17

• Nero opaco

• Matt black

18

• Nero opaco sfumato rame

• Matt black, copper shaded

19

• Avorio sfumato oro

• Ivory, gold shaded

47

• Nero spugnato oro-ruggine

• Black, gold-rust sponged

91

• Ruggine

• Rust

92

• Bronzo

• Bronze

93

• Avorio

• Ivory



ART. 30I002

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
		Scorrevoli Roller	12	14	16	18	20	22	26	30	34				40
		Supporti Brackets	2	2	2	2	2	2	3	3	3	3			
		Finiture Finishes											Aumentare - Rise	Togliere - Deduct	Aumentare - Rise
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16	137	143	149	156	162	168	204	219	231	250	25	40	10 / mt.
		17-18-19-47-91-92-93													
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16	145	151	158	164	170	176	216	231	244	262	25	44	10 / mt.
		17-18-19-47-91-92-93													
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16	220	232	244	257	269	281	339	369	394	431	50	54	
		17-18-19-47-91-92-93													
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16	110	117	123	129	135	141	164	179	191	210	25		10 / mt.
		17-18-19-47-91-92-93													

COMPONENTI • COMPONENTS

ART. 3031002	FIN.	ART. 3031011	FIN.	ART. 3031010	FIN.	ART. 3032001	FIN.	ART. 3032002	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93



09
• Nero opaco sfumato oro
• Matt black, gold shaded



10
• Nero opaco sfumato argento
• Matt black, silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato rame
• Black, copper hammered



14
• Blu martellato oro
• Blue, gold hammered



15
• Rosso porpora sfumato oro
• Red purple, gold shaded



16
• Verde veneziano sfumato oro
• Venetian green, gold shaded



ART. 30I311

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli	Roller	12	14	16	18	20	22	26	30	34	40				
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3				
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16	138	144	150	157	163	169	205	220	232	251	25	40	10 / mt.
		17-18-19-47-91-92-93													
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16	146	152	159	165	171	177	217	232	244	263	25	44	10 / mt.
		17-18-19-47-91-92-93													
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16	221	233	245	258	270	282	340	370	395	432	50	54	
		17-18-19-47-91-92-93													
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16	111	118	124	130	136	142	165	180	192	211	25		10 / mt.
		17-18-19-47-91-92-93													

ART. 3032003	FIN.	ART. 3032005	FIN.	ART. 0055005	ART. 3033020	FIN.	L max
• Supporto doppio • Double wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Scorrevole • Glide roller	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt 27,57

17
• Nero opaco
• Matt black

18
• Nero opaco sfumato rame
• Matt black, copper shaded

19
• Avorio sfumato oro
• Ivory, gold shaded








47
• Nero spugnato oro-ruggine
• Black, gold-rust sponged




91
• Ruggine
• Rust

92
• Bronzo
• Bronze

93
• Avorio
• Ivory

Ø 30 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
	3032108	09-10-11-13-14-15-16-17 18-19-47-91-92-93	35,37
• Supporto regolabile • Adjustable bracket			
	3032109	09-10-11-13-14-15-16-17 18-19-47-91-92-93	49,97
• Supporto regolabile • Adjustable bracket			
	3032110	09-10-11-13-14-15-16-17 18-19-47-91-92-93	33,31
• Supporto regolabile • Adjustable bracket			
	3032111	09-10-11-13-14-15-16-17 18-19-47-91-92-93	45,10
• Supporto regolabile • Adjustable bracket			
	3032112	09-10-11-13-14-15-16-17 18-19-47-91-92-93	64,02
• Supporto regolabile • Adjustable bracket			
	3032113	09-10-11-13-14-15-16-17 18-19-47-91-92-93	17,30
• Supporto fisso • Fix bracket			
	3032114	09-10-11-13-14-15-16-17 18-19-47-91-92-93	17,74
• Supporto fisso • Fix bracket			
	3032115	09-10-11-13-14-15-16-17 18-19-47-91-92-93	17,94
• Supporto fisso • Fix bracket			

	ART.	Finiture Finishes	
	3032116	09-10-11-13-14-15-16-17 18-19-47-91-92-93	32,67
• Supporto regolabile • Adjustable bracket			
	3032045	09-10-11-13-14-15-16-17 18-19-47-91-92-93	36,28
• Supporto accorciabile • Shortenable bracket			
	3032117	09-10-11-13-14-15-16-17 18-19-47-91-92-93	50,90
• Supporto accorciabile • Shortenable bracket			
	3032004	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	13,41
• Prolunga per supporto • Extension for bracket			
	3036001	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	9,41
• Rosetta a muro • Open mount socket			
	3035003	09-10-11-13-14-15-16-17 18-19-47-91-92-93	1,95
• Anello liscio con guarnizione • Plain ring with easy-glide insert and plastic hook			
	3034010	09-10-11-13 14-15-16-17 18-19-40-41 42-43-47-91 92-93-94	L max 3 mt 28,77
• Profilo alluminio con fori per corde €/mt • Aluminium profile with holes for corded pull system €/mt			

Finiture disponibili
Finishes available



- 09**
- Nero opaco sfumato oro
 - Matt black, gold shaded



- 10**
- Nero opaco sfumato argento
 - Matt black, silver shaded




- 11**
- Grigio micaceo
 - Micaceous grey



- 13**
- Nero martellato rame
 - Black, copper hammered



- 14**
- Blu martellato oro
 - Blue, gold hammered



- 15**
- Rosso porpora sfumato oro
 - Red purple, gold shaded



- 16**
- Verde veneziano sfumato oro
 - Venetian green, gold shaded



- 47**
- Nero spugnato oro-ruggine
 - Black, gold-rust sponged



- 91**
- Ruggine
 - Rust



- 92**
- Bronzo
 - Bronze









- 93**
- Avorio
 - Ivory



- 94**
- Avorio sfumato rame
 - Ivory, rust shaded

Ø 30 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
	3038102	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	19,14
		- Coppia incrocio - Double overlap for corded profile	
	3038104	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	4,87
		- Coppia incrocio piastrina metallica - Double overlap with metal plate	
	3038002		14,92
		- Giunzione - Connector	
	3038001		4,43
		- Giunzione plastica - Plastic connector	
	3048001		4,43
		- Giunzione plastica per profilo alluminio - Plastic connector for aluminium profile	
	3032120	09-10-11-13-14-15-16-17 18-19-47-91-92-93	34,00
		- Angolare accorciabile 90° 90° shortenable corner profile	
	3032121	09-10-11-13-14-15-16-17 18-19-47-91-92-93	17,00
		- Curva 90° 90° corner rod	
	3032122	09-10-11-13-14-15-16-17 18-19-47-91-92-93	17,00
		- Curva 45° 45° corner rod	

SCORRITENDA A CORDE CON ANELLI		PULL CORDED SYSTEM WITH RINGS					
Accessori inclusi - Profilo alluminio - Anelli ogni 0,1 mt - Fiocco - Incrocio		Accessories included - Aluminium profile - Rings every 0,1 mt - Cord weight - Double overlap					
		Larghezza cm - Width cm					
ART.		160	180	200	220	250	300
Finiture Finishes		3034003	3034004	3034005	3034006	3034007	3034008
09-10-11-13-14-15-16 17-18-19-40-41-42-43 47-91-92-93-94		123	130	138	147	161	178
							
SCORRITENDA A CORDE CON SCORREVOLI		PULL CORDED SYSTEM WITH GLIDERS					
Accessori inclusi - Profilo alluminio - Scorrevoli - Fiocco - Incrocio		Accessories included - Aluminium profile - Glider hooks - Cord weight - Overlap					
		Larghezza cm - Width cm					
ART.		160	180	200	220	250	300
Finiture Finishes		3034013	3034014	3034015	3034016	3034017	3034018
09-10-11-13-14-15-16 17-18-19-40-41-42-43 47-91-92-93-94		76	82	89	95	105	118
							



17

- Nero opaco
- Matt black



18

- Nero opaco sfumato rame
- Matt black, copper shaded



19

- Avorio sfumato oro
- Ivory, gold shaded



40

- Bianco opaco
- Matt white



41

- Beige
- Beige



42

- Grigio antracite
- Anthracite grey




43

- Bianco opaco sfumato argento
- Matt white, silver shaded

[Ø 20]


Ø 20



Scaglioni



ART. 201020

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43 92-93-94	106	111	116	122	145	150	159	171	181	196	43	28
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43 92-93-94	154	165	175	186	216	226	244	267	287	318	86	27
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43 92-93-94	89	94	100	105	120	125	134	145	155	171	43	

COMPONENTI • COMPONENTS

ART. 2031020	FIN.		ART. 2031021	FIN.		ART. 2031016	FIN.		ART. 2032118	FIN.		ART. 2032119	FIN.	
• Finale • Finial	19-40-41 42-43-92 93-94	19,47	• Finale • Finial	19-40-41 42-43-92 93-94	22,71	• Tappo per doppio profilo • Endcap for double profile	19-40-41 42-43-92 93-94	6,59	• Supporto accorciabile • Shortenable bracket	19-40-41 42-43-92 93-94	18,28	• Supporto accorciabile doppio • Shortenable double bracket	19-40-41 42-43-92 93-94	20,44

42

Finiture disponibili
Finishes available



19
• Avorio sfumato
oro
• Ivory, gold
shaded



40
• Bianco opaco
• Matt white



41
• Beige
• Beige



42
• Grigio antracite
• Anthracite grey




43
• Bianco opaco
sfumato argento
• Matt white,
silver shaded



92
• Bronzo
• Bronze





93
• Avorio
• Ivory



Ø 20

ART. 201021

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43 92-93-94	113	118	123	128	151	157	166	177	187	203	43	31
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43 92-93-94	161	171	181	192	222	233	251	273	294	325	86	30
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43 92-93-94	96	101	106	111	126	131	140	152	162	177	43	


ART. 2032008		FIN.		ART. 2035002		FIN.		ART. 2033001		FIN.		L max							
• Supporto soffitto • Ceiling bracket		19-40-41		9,84		• Anello con guarnizione • Ring with easy-glide insert		19-40-41		1,51		• Profilo • Profile €/mt		19-40-41		5 mt		10,49	
		42-43-92						42-43-92						42-43-92					
93-94								93-94											
																			
								• Spessore 1,2 mm • Tickness 1,2 mm											

94




- Avorio sfumato
rame
- Ivory, rust
shaded



ART. 201022

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43 92-93-94	98	103	108	113	136	141	151	162	172	187	43	24
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43 92-93-94	146	156	166	177	207	217	236	258	279	310	86	22
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43 92-93-94	81	86	91	96	111	116	125	137	147	162	43	

COMPONENTI • COMPONENTS

ART. 2031022	FIN.	ART. 2031023	FIN.	ART. 2031016	FIN.	ART. 2032118	FIN.	ART. 2032119	FIN.
• Finale • Finial	19-40-41 42-43-92 93-94	• Finale • Finial	19-40-41 42-43-92 93-94	• Tappo per doppio profilo • Endcap for double profile	19-40-41 42-43-92 93-94	• Supporto accorciabile • Shortenable bracket	19-40-41 42-43-92 93-94	• Supporto accorciabile doppio • Shortenable double bracket	19-40-41 42-43-92 93-94
	15,14		16,11		6,59		18,28		20,44

44

Finiture disponibili
Finishes available



19
• Avorio sfumato
oro
• Ivory, gold
shaded



40
• Bianco opaco
• Matt white



41
• Beige
• Beige



42
• Grigio antracite
• Anthracite grey



43
• Bianco opaco
sfumato argento
• Matt white,
silver shaded



92
• Bronzo
• Bronze





93
• Avorio
• Ivory



ART. 201023

Ø 20

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43	99	105	110	115	138	143	153	164	174	189	43	24
		92-93-94												
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43	148	158	168	178	209	219	238	260	281	311	86	23
		92-93-94												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43	83	88	93	98	113	118	127	139	149	164	43	
		92-93-94												

ART. 2032008FIN.19-40-4142-43-9293-949,84

• Supporto soffitto
• Ceiling bracket

ART. 2035002FIN.19-40-4142-43-9293-941,51

• Anello con guarnizione
• Ring with easy-glide insert

ART. 2033001FIN.19-40-4142-43-9293-94L max5 mt10,49

• Profilo
• Profile
€/mt

• Spessore 1,2 mm
• Thickness 1,2 mm

94

• Avorio sfumato rame
• Ivory, rust shaded



ART. 20I207

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	87	92	97	103	125	131	140	151	161	176	43	18
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	94	99	104	109	135	141	149	161	171	186	43	22
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	152	163	173	183	219	229	248	270	291	321	86	26
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	75	80	85	90	107	112	121	132	143	158	43	

COMPONENTI • COMPONENTS

ART. 2031007	FIN.	ART. 2031009	FIN.	ART. 2032001	FIN.	ART. 2032002	FIN.	ART. 2032003	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale e tappo per doppio profilo • Finial and endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto doppio • Double wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93



09
• Nero opaco
sfumato oro
• Matt black,
gold shaded



10
• Nero opaco
sfumato argento
• Matt black,
silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato
rame
• Black, copper
hammered



14
• Blu martellato
oro
• Blue, gold
hammered




15
• Rosso porpora
sfumato oro
• Red purple,
gold shaded



16
• Verde veneziano
sfumato oro
• Venetian green,
gold shaded



ART. 20I209


		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli Rings		12	14	16	18	20	22	26	30	34	40			
Supporti Brackets		2	2	2	2	3	3	3	3	3	3			
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16	86	91	96	102	124	130	138	150	160	175	43	18
		17-18-19-47-91-92-93												
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16	93	98	103	108	134	139	148	160	170	185	43	22
		17-18-19-47-91-92-93												
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16	151	161	172	182	218	228	247	269	290	320	86	26
		17-18-19-47-91-92-93												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16	74	79	84	89	106	111	120	131	141	157	43	
		17-18-19-47-91-92-93												

ART. 2032005	FIN.		ART. 2035002	FIN.		ART. 2033001	FIN.	L max		
• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	11,57	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	1,51	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt	10,49	

	17 • Nero opaco • Matt black		18 • Nero opaco sfumato rame • Matt black, copper shaded		19 • Avorio sfumato oro • Ivory, gold shaded		47 • Nero spugnato oro-ruggine • Black, gold-rust sponged		91 • Ruggine • Rust		92 • Bronzo • Bronze		93 • Avorio • Ivory
--	------------------------------------	--	--	--	--	--	---	--	---------------------------	--	----------------------------	--	---------------------------





ART. 20I001

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	105	109	115	120	143	148	157	169	178	194	43	27
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	111	116	121	127	152	158	167	178	188	203	43	30
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	170	180	190	200	236	247	265	288	308	339	86	35
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	92	97	102	107	124	129	138	150	160	175	43	


COMPONENTI • COMPONENTS

ART. 2031001	FIN.	ART. 2031011	FIN.	ART. 2031009	FIN.	ART. 2032001	FIN.	ART. 2032002	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 17-18-19-47 91-92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93





ART. 20I211

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-17-18	102	107	113	118	141	146	155	166	176	192	43	26
		19-47-91-92-93												
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-17-18	109	114	119	124	150	155	165	176	186	201	43	29
		19-47-91-92-93												
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-17-18	168	178	188	198	234	244	263	285	306	336	86	34
		19-47-91-92-93												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-17-18	90	95	100	105	122	127	136	148	158	173	43	
		19-47-91-92-93												

ART. 2032003	FIN.		ART. 2032005	FIN.		ART. 2035002	FIN.		ART. 2033001	FIN.	L max	
• Supporto doppio • Double wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	25,41	• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	11,57	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	1,51	• Profilo • Profile €/mt	09-10-11 13-17-18 19-91-92 93	5 mt	10,49

17 • Nero opaco • Matt black	18 • Nero opaco sfumato rame • Matt black, copper shaded	19 • Avorio sfumato oro • Ivory, gold shaded	47 • Nero spugnato oro-ruggine • Black, gold-rust sponged	91 • Ruggine • Rust	92 • Bronzo • Bronze	93 • Avorio • Ivory
------------------------------------	--	--	---	---------------------------	----------------------------	---------------------------



ART. 20I203



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400		
Anelli Rings		12	14	16	18	20	22	26	30	34	40	Aumentare - Rise	Togliere - Deduct
Supporti Brackets		2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes												
• SUPPORTI CORTI • SHORT BRACKETS	09-10-11-13-14-15-16	102	107	113	118	141	146	155	166	176	192	43	26
	17-18-19-47-91-92-93												
• SUPPORTI LUNGI • LONG BRACKETS	09-10-11-13-14-15-16	109	114	119	124	150	155	165	176	186	201	43	29
	17-18-19-47-91-92-93												
• SUPPORTI DOPPI • DOUBLE BRACKETS	09-10-11-13-14-15-16	168	178	188	198	234	244	263	285	306	336	86	34
	17-18-19-47-91-92-93												
• SUPPORTI A SOFFITTO • CEILING BRACKETS	09-10-11-13-14-15-16	90	95	100	105	122	127	136	148	158	173	43	
	17-18-19-47-91-92-93												

COMPONENTI • COMPONENTS

ART. 2031003	FIN.	ART. 2031047	FIN.	ART. 2031009	FIN.	ART. 2032001	FIN.	ART. 2032002	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93
17,85		11,57		9,63		17,73		20,98	



ART. 201047

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3	Aumentare - Rise	Togliere - Deduct	
Finiture	Finishes													
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-17-18	90	95	100	105	128	133	142	154	164	179	43	20
		19-47-91-92-93												
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-17-18	96	101	107	112	138	143	152	163	174	189	43	23
		19-47-91-92-93												
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-17-18	155	165	176	186	221	232	250	273	293	324	86	28
		19-47-91-92-93												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-17-18	77	83	88	93	110	115	124	135	145	161	43	
		19-47-91-92-93												

ART. 2032003	FIN.		ART. 2032005	FIN.		ART. 2035002	FIN.		ART. 2033001	FIN.	L max	
• Supporto doppio • Double wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	25,41	• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	11,57	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	1,51	• Profilo • Profile €/mt	09-10-11 13-17-18 19-91-92 93	5 mt	10,49
									• Spessore 1,2 mm • Thickness 1,2 mm			

	17 • Nero opaco • Matt black		18 • Nero opaco sfumato rame • Matt black, copper shaded		19 • Avorio sfumato oro • Ivory, gold shaded		47 • Nero spugnato oro-ruggine • Black, gold-rust sponged		91 • Ruggine • Rust		92 • Bronzo • Bronze		93 • Avorio • Ivory
--	------------------------------------	--	--	--	--	--	---	--	---------------------------	--	----------------------------	--	---------------------------

Ø 20



ART. 201033

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture Finishes												Aumentare - Rise	Togliere - Deduct
• SUPPORTI LUNGI • LONG BRACKETS	19-40-41-42-43	134	139	145	150	173	178	187	199	209	224	43	43
	92-93-94												
• SUPPORTI DOPPI • DOUBLE BRACKETS	19-40-41-42-43	182	193	203	213	244	254	272	295	316	346	86	39
	92-93-94												
• SUPPORTI A SOFFITTO • CEILING BRACKETS	19-40-41-42-43	117	123	128	133	148	153	162	173	184	199	43	
	92-93-94												

COMPONENTI • COMPONENTS

ART. 2031033	FIN.	ART. 2031032	FIN.	ART. 2031016	FIN.	ART. 2032118	FIN.	ART. 2032119	FIN.
• Finale • Finial	19-40-41 42-43-92 93-94	• Finale • Finial	19-40-41 42-43-92 93-94	• Tappo per doppio profilo • Endcap for double profile	19-40-41 42-43-92 93-94	• Supporto accorciabile • Shortenable bracket	19-40-41 42-43-92 93-94	• Supporto accorciabile doppio • Shortenable double bracket	19-40-41 42-43-92 93-94
33,50		34,60		6,59		18,28		20,44	

52

Finiture disponibili
Finishes available



19
• Avorio sfumato
oro
• Ivory, gold
shaded



40
• Bianco opaco
• Matt white



41
• Beige
• Beige



42
• Grigio antracite
• Anthracite grey



43
• Bianco opaco
sfumato argento
• Matt white,
silver shaded



92
• Bronzo
• Bronze




93
• Avorio
• Ivory



Ø 20

ART. 201032

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
		Anelli Rings	Supporti Brackets											
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43 92-93-94	136	142	147	152	175	180	190	201	211	226	43	43
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43 92-93-94	185	195	205	216	246	256	275	297	318	348	86	43
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43 92-93-94	120	125	130	135	150	155	164	175	186	201	43	

ART. 2032008

FIN.

- Supporto soffitto
- Ceiling bracket

19-40-41
42-43-92
93-94

9,84



ART. 2035002

FIN.

- Anello con guarnizione
- Ring with easy-glide insert

19-40-41
42-43-92
93-94

1,51



ART. 2033001

FIN.

L max

- Profilo
- Profile
- €/mt

19-40-41
42-43-92
93-94

5 mt

10,49



- Spessore 1,2 mm
- Thickness 1,2 mm



94
• Avorio sfumato rame
• Ivory, rust shaded


ART. 201030



• SUPPORTI LUNGH
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS






• SUPPORTI A SOFFITTO
• CEILING BRACKETS




		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
19-40-41-42-43 92-93-94		158	163	168	173	197	202	211	222	233	248	43	54
19-40-41-42-43 92-93-94		206	217	227	238	268	278	296	319	339	370	86	53
19-40-41-42-43 92-93-94		141	146	151	157	172	177	186	197	207	223	43	

COMPONENTI • COMPONENTS

ART. 2031030	FIN.	ART. 2031031	FIN.	ART. 2031016	FIN.	ART. 2032118	FIN.	ART. 2032119	FIN.
• Finale • Finial	19-40-41 42-43-92 93-94	• Finale • Finial	19-40-41 42-43-92 93-94	• Tappo per doppio profilo • Endcap for double profile	19-40-41 42-43-92 93-94	• Supporto accorciabile • Shortenable bracket	19-40-41 42-43-92 93-94	• Supporto accorciabile doppio • Shortenable double bracket	19-40-41 42-43-92 93-94
45,42		41,10		6,59		18,28		20,44	
									





ART. 201031

Ø 20

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43	149	155	160	165	188	193	203	214	224	239	43	49
		92-93-94												
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43	198	208	218	228	259	269	288	310	330	361	86	48
		92-93-94												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43	133	138	143	148	163	168	177	188	199	214	43	
		92-93-94												



ART. 2032008 FIN.

• Supporto soffitto

• Ceiling bracket

19-40-41

42-43-92

93-94

9,84

37

35

ART. 2035002 FIN.

• Anello con guarnizione

• Ring with easy-glide insert

19-40-41

42-43-92

93-94

1,51

38

28

ART. 2033001 FIN.

• Profilo

• Profile

€/mt

19-40-41

42-43-92

93-94

L max

5 mt


10,49

• Spessore 1,2 mm

• Thickness 1,2 mm




ART. 201070

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3	Aumentare - Rise	Togliere - Deduct	
Finiture	Finishes													
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	131	136	141	146	169	175	184	195	205	221	43	41
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	179	189	200	210	240	251	269	292	312	343	86	40
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	114	119	124	129	144	149	158	170	180	195	43	

COMPONENTI • COMPONENTS

ART. 2031070	FIN.	ART. 2031027	FIN.	ART. 2031016	FIN.	ART. 2032118	FIN.	ART. 2032119	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93
31,47		16,12		6,59		18,28		20,44	

	09 • Nero opaco sfumato oro • Matt black, gold shaded		10 • Nero opaco sfumato argento • Matt black, silver shaded		11 • Grigio micaceo • Micaceous grey		13 • Nero martellato rame • Black, copper hammered		14 • Blu martellato oro • Blue, gold hammered		15 • Rosso porpora sfumato oro • Red purple, gold shaded		16 • Verde veneziano sfumato oro • Venetian green, gold shaded
--	---	--	---	--	--	--	--	--	---	--	--	--	--



ART. 201027

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
		Anelli Rings	12	14	16	18	20	22	26	30	34			40
		Supporti Brackets	2	2	2	2	3	3	3	3	3			3
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	101	105	110	116	139	144	154	164	175	190	43	25
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	148	159	169	179	210	220	238	261	281	312	86	25
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	83	88	93	98	113	119	128	139	149	165	43	

ART. 2032008	FIN.		ART. 2035002	FIN.		ART. 2033001	FIN.	L max		
• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	9,84	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	1,51	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt	10,49	
						• Spessore 1,2 mm • Thickness 1,2 mm				

17

• Nero opaco
• Matt black

18

• Nero opaco sfumato rame
• Matt black, copper shaded

19

• Avorio sfumato oro
• Ivory, gold shaded

47

• Nero spugnato oro-ruggine
• Black, gold-rust sponged

91

• Ruggine
• Rust

92


• Bronzo
• Bronze

93

• Avorio
• Ivory



ART. 201073

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	121	126	131	136	160	165	174	185	196	211	43	36
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	169	180	189	200	230	241	259	282	303	333	86	35
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	104	109	114	119	134	139	149	160	170	185	43	

COMPONENTI • COMPONENTS

ART. 2031073	FIN.	ART. 2031069	FIN.	ART. 2031016	FIN.	ART. 2032118	FIN.	ART. 2032119	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93



09
• Nero opaco sfumato oro
• Matt black, gold shaded



10
• Nero opaco sfumato argento
• Matt black, silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato rame
• Black, copper hammered



14
• Blu martellato oro
• Blue, gold hammered



15
• Rosso porpora sfumato oro
• Red purple, gold shaded




16
• Verde veneziano sfumato oro
• Venetian green, gold shaded



ART. 201069

Ø 20

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
		Anelli Rings	12	14	16	18	20	22	26	30	34			40
		Supporti Brackets	2	2	2	2	3	3	3	3	3			3
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	148	153	158	163	187	192	201	212	223	238	43	50
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	196	207	216	227	257	268	287	309	330	360	86	49
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	131	136	141	146	161	166	176	187	197	212	43	

ART. 2032008 FIN.
• Supporto soffitto
• Ceiling bracket

9,84



ART. 2035002 FIN.
• Anello con guarnizione
• Ring with easy-glide insert

1,51



ART. 2033001 FIN. L max
• Profilo
• Profile
• €/mt

09-10-11
13 14-15
16-17 18
19-47-91
92-93



• Spessore 1,2 mm
• Thickness 1,2 mm

17
• Nero opaco
• Matt black

18
• Nero opaco sfumato rame
• Matt black, copper shaded


19
• Avorio sfumato oro
• Ivory, gold shaded

47
• Nero spugnato oro-ruggine
• Black, gold-rust sponged



91
• Ruggine
• Rust

92
• Bronzo
• Bronze

93
• Avorio
• Ivory



ART. 201072

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	100	105	110	115	138	144	152	164	174	189	43	25
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	148	158	169	178	209	220	238	261	281	311	86	24
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	82	88	93	98	113	118	127	138	149	164	43	

COMPONENTI • COMPONENTS

ART. 2031072	FIN.	ART. 2031012	FIN.	ART. 2031016	FIN.	ART. 2032118	FIN.	ART. 2032119	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93

Finiture disponibili
Finishes available



09
• Nero opaco sfumato oro
• Matt black, gold shaded



10
• Nero opaco sfumato argento
• Matt black, silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato rame
• Black, copper hammered



14
• Blu martellato oro
• Blue, gold hammered




15
• Rosso porpora sfumato oro
• Red purple, gold shaded



16
• Verde veneziano sfumato oro
• Venetian green, gold shaded



ART. 20I012

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture		Finishes										Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	91	96	102	107	130	135	144	156	166	182	43	21
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	140	150	160	170	201	211	229	252	273	304	86	24
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	74	79	84	90	105	110	119	130	140	156	43	

ART. 2032008	FIN.		ART. 2035002	FIN.		ART. 2033001	FIN.	L max		
• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	9,84	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	1,51	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt	10,49	
										
						• Spessore 1,2 mm • Thickness 1,2 mm				

17

• Nero opaco
• Matt black

18

• Nero opaco sfumato rame
• Matt black, copper shaded

19

• Avorio sfumato oro
• Ivory, gold shaded

47

• Nero spugnato oro-ruggine
• Black, gold-rust sponged

91

• Ruggine
• Rust

92


• Bronzo
• Bronze

93

• Avorio
• Ivory



ART. 201068

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	95	101	106	111	134	140	149	160	170	186	43	23
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	144	154	164	174	205	215	234	256	277	308	86	22
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	79	84	89	94	109	114	123	134	145	160	43	

COMPONENTI • COMPONENTS

ART. 2031068	FIN.	ART. 2031071	FIN.	ART. 2031016	FIN.	ART. 2032118	FIN.	ART. 2032119	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93



09
• Nero opaco
sfumato oro
• Matt black,
gold shaded



10
• Nero opaco
sfumato argento
• Matt black,
silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato
rame
• Black, copper
hammered



14
• Blu martellato
oro
• Blue, gold
hammered




15
• Rosso porpora
sfumato oro
• Red purple,
gold shaded



16
• Verde veneziano
sfumato oro
• Venetian green,
gold shaded



ART. 201071

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture		Finishes										Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16	92	97	103	108	131	136	145	157	167	183	43	22
		17-18-19-47-91-92-93												
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16	141	151	161	171	202	212	230	253	274	305	86	21
		17-18-19-47-91-92-93												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16	75	80	86	91	106	111	120	131	141	157	43	
		17-18-19-47-91-92-93												

ART. 2032008	FIN.		ART. 2035002	FIN.		ART. 2033001	FIN.	L max		
• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	9,84	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	1,51	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt	10,49	

17

• Nero opaco
• Matt black

18

• Nero opaco sfumato rame
• Matt black, copper shaded

19

• Avorio sfumato oro
• Ivory, gold shaded

47

• Nero spugnato oro-ruggine
• Black, gold-rust sponged

91

• Ruggine
• Rust

92


• Bronzo
• Bronze

93

• Avorio
• Ivory



ART. 201067

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	83	88	93	98	121	127	136	147	158	173	43	17
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	131	142	151	162	192	203	221	243	264	295	86	16
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	66	71	76	81	96	101	110	122	132	147	43	

COMPONENTI • COMPONENTS

ART. 2031067	FIN.	ART. 2031024	FIN.	ART. 2031016	FIN.	ART. 2032118	FIN.	ART. 2032119	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93



09
• Nero opaco
sfumato oro
• Matt black,
gold shaded



10
• Nero opaco
sfumato argento
• Matt black,
silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato
rame
• Black, copper
hammered



14
• Blu martellato
oro
• Blue, gold
hammered



15
• Rosso porpora
sfumato oro
• Red purple,
gold shaded





16
• Verde veneziano
sfumato oro
• Venetian green,
gold shaded







ART. 201024

Ø 20

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	91	96	101	106	129	134	144	155	165	181	43	21
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	139	149	159	170	200	211	229	252	272	303	86	19
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	74	79	84	89	104	109	118	130	140	155	43	

ART. 2032008	FIN.		ART. 2035002	FIN.		ART. 2033001	FIN.	L max		
• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	9,84	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	1,51	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt	10,49	



Ø 20



ART. 201064

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture		Finishes										Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	129	134	139	144	167	173	182	193	203	218	43	40
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	177	187	198	208	238	249	267	290	310	341	86	39
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	112	117	122	127	142	147	156	168	178	193	43	

COMPONENTI • COMPONENTS

ART. 2031064	FIN.	ART. 2031065	FIN.	ART. 2031016	FIN.	ART. 2032118	FIN.	ART. 2032119	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93
	30,39		43,91		6,59		18,28		20,44



09
• Nero opaco sfumato oro
• Matt black, gold shaded



10
• Nero opaco sfumato argento
• Matt black, silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato rame
• Black, copper hammered



14
• Blu martellato oro
• Blue, gold hammered



15
• Rosso porpora sfumato oro
• Red purple, gold shaded



16
• Verde veneziano sfumato oro
• Venetian green, gold shaded



ART. 201065

Ø 20

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
		Anelli Rings	12	14	16	18	20	22	26	30	34			40
		Supporti Brackets	2	2	2	2	3	3	3	3	3			3
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16	156	161	166	171	194	200	209	220	230	246	43	53
		17-18-19-47-91-92-93												
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16	204	214	225	235	265	276	294	317	337	368	86	52
		17-18-19-47-91-92-93												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16	139	144	149	154	169	174	183	195	205	220	43	
		17-18-19-47-91-92-93												

ART. 2032008	FIN.		ART. 2035002	FIN.		ART. 2033001	FIN.	L max		
• Supporto soffitto	09-10-11-13	9,84	• Anello con guarnizione	09-10-11-13	1,51	• Profilo	09-10-11	5 mt	10,49	
• Ceiling bracket	14-15-16-17		• Ring with easy-glide insert	14-15-16-17		• Profile	13 14-15			
	18-19-47-91			18-19-47-91		€/mt	16-17 18			
	92-93			92-93			19-47-91			
							92-93			
						• Spessore 1,2 mm				
						• Thickness 1,2 mm				

17

• Nero opaco

• Matt black

18

• Nero opaco sfumato rame

• Matt black, copper shaded

19

• Avorio sfumato oro

• Ivory, gold shaded

47

• Nero spugnato oro-ruggine

• Black, gold-rust sponged

91

• Ruggine

• Rust

92

• Bronzo

• Bronze


93

• Avorio

• Ivory



ART. 201062

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	112	117	122	128	150	156	165	176	186	202	43	31
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	160	170	181	191	221	232	250	273	293	324	86	30
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	95	100	105	110	125	130	139	151	161	176	43	

COMPONENTI • COMPONENTS

ART. 2031062	FIN.	ART. 2031063	FIN.	ART. 2031016	FIN.	ART. 2032118	FIN.	ART. 2032119	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93



09
• Nero opaco
sfumato oro
• Matt black,
gold shaded



10
• Nero opaco
sfumato argento
• Matt black,
silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato
rame
• Black, copper
hammered



14
• Blu martellato
oro
• Blue, gold
hammered




15
• Rosso porpora
sfumato oro
• Red purple,
gold shaded



16
• Verde veneziano
sfumato oro
• Venetian green,
gold shaded



ART. 201063

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture		Finishes										Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	119	124	130	134	158	163	172	184	194	209	43	35
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	168	177	188	198	229	239	257	280	301	331	86	34
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	102	107	112	118	132	138	147	158	168	184	43	

ART. 2032008	FIN.		ART. 2035002	FIN.		ART. 2033001	FIN.	L max		
• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	9,84	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	1,51	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt	10,49	
						• Spessore 1,2 mm • Thickness 1,2 mm				

17

• Nero opaco
• Matt black

18

• Nero opaco sfumato rame
• Matt black, copper shaded

19

• Avorio sfumato oro
• Ivory, gold shaded

47

• Nero spugnato oro-ruggine
• Black, gold-rust sponged

91

• Ruggine
• Rust

92

• Bronzo
• Bronze



93

• Avorio
• Ivory

Ø 20



ART. 201061

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	103	108	114	118	142	147	156	168	177	193	43	26
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	151	161	172	182	212	223	241	264	284	315	86	26
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	86	91	96	101	116	121	131	142	152	167	43	

COMPONENTI • COMPONENTS

ART. 2031061	FIN.	ART. 2031060	FIN.	ART. 2031016	FIN.	ART. 2032118	FIN.	ART. 2032119	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93

Finiture disponibili
Finishes available



09
• Nero opaco sfumato oro
• Matt black, gold shaded



10
• Nero opaco sfumato argento
• Matt black, silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato rame
• Black, copper hammered



14
• Blu martellato oro
• Blue, gold hammered



15
• Rosso porpora sfumato oro
• Red purple, gold shaded





16
• Verde veneziano sfumato oro
• Venetian green, gold shaded








ART. 201060

Ø 20

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture		Finishes												
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	93	98	104	108	132	137	146	158	168	183	43	22
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	142	152	162	172	203	213	231	254	275	305	86	21
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	76	81	86	92	106	112	121	132	142	158	43	

ART. 2032008	FIN.		ART. 2035002	FIN.		ART. 2033001	FIN.	L max		
• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	9,84	• Anello con guarnizione • Ring with easy-glide insert	09-10-11-13 14-15-16-17 18-19-47-91 92-93	1,51	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt	10,49	





ART. 201120

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
		Scorrevoli Roller	Supporti Brackets	2	2	2	2	3	3	3	3				3
Finiture Finishes													Aumentare - Rise	Togliere - Deduct	Aumentare - Rise
• SUPPORTI CORTI • SHORT BRACKETS		19-40-41-42-43 92-93-94	98	102	106	110	132	136	142	151	159	171	25	27	10 / mt.
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43 92-93-94	105	109	113	116	141	145	152	161	169	181	25	30	10 / mt.
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43 92-93-94	156	164	172	205	213	221	234	253	269	292	50	36	
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43 92-93-94	83	86	90	94	108	112	118	128	136	148	25		10 / mt.

COMPONENTI • COMPONENTS

ART. 2031020	FIN.	ART. 2031021	FIN.	ART. 2031010	FIN.	ART. 2032001	FIN.	ART. 2032002	FIN.
• Finale • Finial	19-40-41 42-43-92 93-94	• Finale • Finial	19-40-41 42-43-92 93-94	• Tappo per doppio profilo • Endcap for double profile	19-40-41 42-43-92 93-94	• Supporto • Wall bracket	19-40-41 42-43-92 93-94	• Supporto • Wall bracket	19-40-41 42-43-92 93-94



19
• Avorio sfumato
oro
• Ivory, gold
shaded



40
• Bianco opaco
• Matt white



41
• Beige
• Beige



42
• Grigio antracite
• Anthracite grey




43
• Bianco opaco
sfumato argento
• Matt white,
silver shaded





92
• Bronzo
• Bronze



93
• Avorio
• Ivory




ART. 201121

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli Roller		12	14	16	18	20	22	26	30	34	40				
Supporti Brackets		2	2	2	2	3	3	3	3	3	3				
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		19-40-41-42-43	105	109	113	116	138	142	148	158	166	178	25	30	10 / mt.
		92-93-94													
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43	111	115	119	123	148	152	158	168	176	187	25	33	10 / mt.
		92-93-94													
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43	163	171	179	187	220	228	240	259	275	299	50	39	
		92-93-94													
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43	89	93	97	101	115	119	125	134	142	154	25		10 / mt.
		92-93-94													

ART. 2032003	FIN.	
• Supporto doppio	19-40-41	25,40
• Double wall bracket	42-43-92	
	93-94	



ART. 2032006	FIN.	
• Supporto soffitto	19-40-41	9,94
• Ceiling bracket	42-43-92	
	93-94	



ART. 0055005	
• Scorrevole	0,12
• Glide roller	



ART. 2033020	FIN.	L max	
• Profilo	19-40-41	5 mt	16,55
• Profile	42-43-92		
€/mt	93-94		



94
• Avorio sfumato
rame
• Ivory, rust
shaded



ART. 201122

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli	Roller	12	14	16	18	20	22	26	30	34	40				
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3				
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		19-40-41-42-43 92-93-94	89	93	97	101	123	127	133	143	151	163	25	23	10 / mt.
• SUPPORTI LUNGH • LONG BRACKETS		19-40-41-42-43 92-93-94	96	100	104	108	133	137	143	153	160	172	25	26	10 / mt.
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43 92-93-94	148	156	164	172	205	213	225	244	260	284	50	31	
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43 92-93-94	74	78	82	86	100	104	110	119	127	139	25		10 / mt.

COMPONENTI • COMPONENTS

ART. 2031022	FIN.		ART. 2031023	FIN.		ART. 2031010	FIN.		ART. 2032001	FIN.		ART. 2032002	FIN.	
• Finale • Finial	19-40-41 42-43-92 93-94	15,14	• Finale • Finial	19-40-41 42-43-92 93-94	16,11	• Tappo per doppio profilo • Endcap for double profile	19-40-41 42-43-92 93-94	9,63	• Supporto • Wall bracket	19-40-41 42-43-92 93-94	17,74	• Supporto • Wall bracket	19-40-41 42-43-92 93-94	21,00



19
• Avorio sfumato
oro
• Ivory, gold
shaded



40
• Bianco opaco
• Matt white



41
• Beige
• Beige



42
• Grigio antracite
• Anthracite grey



43
• Bianco opaco
sfumato argento
• Matt white,
silver shaded



92
• Bronzo
• Bronze




93
• Avorio
• Ivory




Ø 20


ART. 201123

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli	Roller	12	14	16	18	20	22	26	30	34	40				
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3				
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		19-40-41-42-43	91	95	99	103	125	129	135	145	153	164	25	23	10 / mt.
		92-93-94													
• SUPPORTI LUNGI • LONG BRACKETS		19-40-41-42-43	98	102	106	110	135	139	145	154	162	174	25	26	10 / mt.
		92-93-94													
• SUPPORTI DOPPI • DOUBLE BRACKETS		19-40-41-42-43	150	158	165	173	207	215	227	246	258	286	50	31	
		92-93-94													
• SUPPORTI A SOFFITTO • CEILING BRACKETS		19-40-41-42-43	76	80	84	88	102	105	112	121	129	141	25		10 / mt.
		92-93-94													

ART. 2032003	FIN.	
• Supporto doppio	19-40-41	25,40
• Double wall bracket	42-43-92	
	93-94	



ART. 2032006	FIN.	
• Supporto soffitto	19-40-41	9,94
• Ceiling bracket	42-43-92	
	93-94	



ART. 0055005	
• Scorrevole	0,12
• Glide roller	



ART. 2033020	FIN.	L max	
• Profilo	19-40-41	5 mt	16,55
• Profile	42-43-92		
€/mt	93-94		





ART. 20I208

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli Roller		12	14	16	18	20	22	26	30	34	40				
Supporti Brackets		2	2	2	2	3	3	3	3	3	3				
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	80	84	88	92	114	118	124	134	142	154	25	18	10 / mt.
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	87	91	95	99	123	128	134	143	151	163	25	22	10 / mt.
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	139	146	155	162	196	204	216	235	251	275	50	26	
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	68	72	76	80	95	99	105	115	123	135	25		10 / mt.

COMPONENTI • COMPONENTS

ART. 2031008	FIN.	ART. 2031010	FIN.	ART. 2032001	FIN.	ART. 2032002	FIN.	ART. 2032003	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale e tappo per doppio profilo • Finial and endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto doppio • Double wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93
10,16		9,63		17,74		21,00		25,40	



09
• Nero opaco
sfumato oro
• Matt black,
gold shaded



10
• Nero opaco
sfumato argento
• Matt black,
silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato
rame
• Black, copper
hammered



14
• Blu martellato
oro
• Blue, gold
hammered



15
• Rosso porpora
sfumato oro
• Red purple,
gold shaded



16
• Verde veneziano
sfumato oro
• Venetian green,
gold shaded



ART. 20I210

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)
		120	140	160	180	200	220	250	300	340	400			
Scorrevoli	Roller	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	Aumentare - Rise
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16	79	83	87	91	113	117	123	132	141	25	18	10 / mt.
		17-18-19-47-91-92-93												
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16	86	90	93	97	122	127	133	142	150	25	22	10 / mt.
		17-18-19-47-91-92-93												
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16	137	145	154	161	195	203	215	234	250	50	26	
		17-18-19-47-91-92-93												
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16	67	71	75	79	94	98	104	114	122	25		10 / mt.
		17-18-19-47-91-92-93												

ART. 2032005

FIN.

- Supporto soffitto
- Ceiling bracket

09-10-11-13
14-15-16-17
18-19-47-91
92-93

11,57



ART. 0055005

- Scorrevole
- Glide roller

0,12



ART. 2033020

FIN.






L max

- Profilo
- Profile
- €/mt

09-10-11
13 14-15
16-17 18
19-47-91
92-93

5 mt

16,55





ART. 20I002

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli	Roller	12	14	16	18	20	22	26	30	34	40				
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3				
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	97	102	105	109	131	135	142	151	159	171	25	27	10 / mt.
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	104	108	112	116	141	145	151	161	169	181	25	30	10 / mt.
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	156	164	172	180	213	221	234	253	269	292	50	35	
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	85	89	93	97	113	117	123	132	140	152	25		10 / mt.

COMPONENTI • COMPONENTS

ART. 2031002	FIN.	ART. 2031013	FIN.	ART. 2031010	FIN.	ART. 2032001	FIN.	ART. 2032002	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 17 18-19-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93



09
• Nero opaco sfumato oro
• Matt black, gold shaded



10
• Nero opaco sfumato argento
• Matt black, silver shaded




11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato rame
• Black, copper hammered



14
• Blu martellato oro
• Blue, gold hammered




15
• Rosso porpora sfumato oro
• Red purple, gold shaded



16
• Verde veneziano sfumato oro
• Venetian green, gold shaded



ART. 20I311

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli Roller		12	14	16	18	20	22	26	30	34	40				
Supporti Brackets		2	2	2	2	3	3	3	3	3	3				
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-17	95	100	103	107	129	133	140	149	157	168	25	26	10 / mt.
		18-19-91-92-93													
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-17	102	106	110	114	139	143	149	159	167	179	25	29	10 / mt.
		18-19-91-92-93													
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-17	154	162	170	178	211	219	232	251	267	290	50	34	
		18-19-91-92-93													
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-17	83	87	91	95	111	115	121	130	138	150	25		10 / mt.
		18-19-91-92-93													

ART. 2032003	FIN.		ART. 2032005	FIN.		ART. 0055005		ART. 2033020	FIN.	L max	
• Supporto doppio • Double wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	25,40	• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	11,57	• Scorrevole • Glide roller	0,12	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt	16,55




 17 • Nero opaco • Matt black	 18 • Nero opaco sfumato rame • Matt black, copper shaded	 19 • Avorio sfumato oro • Ivory, gold shaded	 47 • Nero spugnato oro-ruggine • Black, gold-rust sponged	 91 • Ruggine • Rust	 92 • Bronzo • Bronze	 93 • Avorio • Ivory
--	--	--	---	-------------------------------	--------------------------------	-------------------------------



ART. 20I204


		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
Scorrevoli	Roller	12	14	16	18	20	22	26	30	34	40				
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3				
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	Aumentare - Rise	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	95	100	103	107	129	133	140	149	157	168	25	26	10 / mt.
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	102	106	110	114	139	143	149	159	167	179	25	29	10 / mt.
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	154	162	170	178	211	219	232	251	267	290	50	34	
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	83	87	91	95	111	115	121	130	138	150	25		10 / mt.

COMPONENTI • COMPONENTS

ART. 2031004	FIN.		ART. 2031047	FIN.		ART. 2031010	FIN.		ART. 2032001	FIN.		ART. 2032002	FIN.	
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	17,85	• Finale • Finial	09-10-11-13 17-18-19-47 91-92-93	11,57	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	9,63	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	17,74	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	21,00
														



ART. 201147









		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)	
		120	140	160	180	200	220	250	300	340	400				
		Scorrevoli Roller	12	14	16	18	20	22	26	30	34				40
		Supporti Brackets	2	2	2	2	3	3	3	3	3				3
		Finiture Finishes											Aumentare - Rise	Togliere - Deduct	Aumentare - Rise
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-17-18	83	88	91	95	117	121	128	137	145	157	25	20	10 / mt.
		19-47-91-92-93													
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-17-18	90	94	98	102	127	131	137	147	155	167	25	23	10 / mt.
		19-47-91-92-93													
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-17-18	142	150	158	166	199	207	220	239	255	278	50	28	
		19-47-91-92-93													
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-17-18	71	75	79	83	99	103	109	118	126	138	25		10 / mt.
		19-47-91-92-93													





ART. 2032003	FIN.		ART. 2032005	FIN.		ART. 0055005		ART. 2033020	FIN.	L max	
• Supporto doppio • Double wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	25,40	• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	11,57	• Scorrevole • Glide roller	0,12	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt	16,55

	17 • Nero opaco • Matt black		18 • Nero opaco sfumato rame • Matt black, copper shaded		19 • Avorio sfumato oro • Ivory, gold shaded		47 • Nero spugnato oro-ruggine • Black, gold-rust sponged		91 • Ruggine • Rust		92 • Bronzo • Bronze		93 • Avorio • Ivory
--	------------------------------------	--	--	--	--	--	---	--	---------------------------	--	----------------------------	--	---------------------------


Ø 20 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

Ø 20


	ART.	Finiture Finishes	
	2032108	09-10-11-13-14-15-16-17 18-19-47-91-92-93	35,37
• Supporto regolabile • Adjustable bracket			
	2032109	09-10-11-13-14-15-16-17 18-19-47-91-92-93	49,97
• Supporto regolabile • Adjustable bracket			
	2032110	09-10-11-13-14-15-16-17 18-19-47-91-92-93	33,31
• Supporto regolabile • Adjustable bracket			
	2032111	09-10-11-13-14-15-16-17 18-19-47-91-92-93	45,10
• Supporto regolabile • Adjustable bracket			
	2032112	09-10-11-13-14-15-16-17 18-19-47-91-92-93	64,02
• Supporto regolabile • Adjustable bracket			
	2032113	09-10-11-13-14-15-16-17 18-19-47-91-92-93	17,30
• Supporto fisso • Fix bracket			
	2032114	09-10-11-13-14-15-16-17 18-19-47-91-92-93	17,52
• Supporto fisso • Fix bracket			
	2032115	09-10-11-13-14-15-16-17 18-19-47-91-92-93	17,74
• Supporto fisso • Fix bracket			
	2032116	09-10-11-13-14-15-16-17 18-19-47-91-92-93	34,28
• Supporto regolabile • Adjustable bracket			

	ART.	Finiture Finishes	
	2032007	09-10-11-13-14-15-16-17 18-19-47-91-92-93	28,66
• Supporto accorciabile • Shortenable bracket			
	2032117	09-10-11-13-14-15-16-17 18-19-47-91-92-93	38,39
• Supporto accorciabile doppio • Shortenable double bracket			
	2032300	09-10-11-13-14-15-16-17 18-19-47-91-92-93	15,00
• Cannetta Ø 15 - 300 mm • Steam Ø 15 - 300 mm			
	2032500	09-10-11-13-14-15-16-17 18-19-47-91-92-93	25,00
• Cannetta Ø 15 - 500 mm • Steam Ø 15 - 500 mm			
	2032004	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	12,00
• Prolunga per supporto • Extension for bracket			
	2036001	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	9,41
• Rosetta a muro • Open mount socket			
	2032120	09-10-11-13-14-15-16-17 18-19-47-91-92-93	30,39
• Angolare accorciabile 90° • 90° shortenable corner profile			
	2032121	09-10-11-13-14-15-16-17 18-19-47-91-92-93	15,00
• Curva 90° • 90° corner rod			
	2032122	09-10-11-13-14-15-16-17 18-19-47-91-92-93	15,00
• Curva 45° • 45° corner rod			

Finiture disponibili
Finishes available



- 09**
- Nero opaco sfumato oro
 - Matt black, gold shaded



- 10**
- Nero opaco sfumato argento
 - Matt black, silver shaded




- 11**
- Grigio micaceo
 - Micaceous grey



- 13**
- Nero martellato rame
 - Black, copper hammered



- 14**
- Blu martellato oro
 - Blue, gold hammered



- 15**
- Rosso porpora sfumato oro
 - Red purple, gold shaded



- 16**
- Verde veneziano sfumato oro
 - Venetian green, gold shaded



- 47**
- Nero spugnato oro-ruggine
 - Black, gold-rust sponged



- 91**
- Ruggine
 - Rust



- 92**
- Bronzo
 - Bronze







- 93**
- Avorio
 - Ivory



- 94**
- Avorio sfumato rame
 - Ivory, rust shaded

Ø 20 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes		
	2034010	09-10-11-13-14-15 16-17-18-19-40-41 42-43-47-91-92-93 94	L max 3 mt	17,74
		• Profilo alluminio verniciato con fori per corde • Powder coated aluminium profile with holes for corded pull system €/mt		
	2038102	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94		13,74
		• Coppia incrocio • Double overlap for corded profile		
	3038104	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94		4,87
		• Coppia incrocio piastrina metallica • Double overlap with metal plate		
	2038002			13,30
		• Giunzione • Connector		
	2038001			4,43
		• Giunzione plastica • Plastic connector		
	2048001			4,43
		• Giunzione plastica per profilo alluminio • Plastic connector for aluminium profile		
	2038350	09-10-11-13-14-15-16-17 18-19-47-91-92-93		2,92
		• Distanziale per supporto a soffitto • Ceiling bracket spacer		
	2035003	09-10-11-13-14-15-16-17 18-19-47-91-92-93		1,41
		• Anello liscio con guarnizione • Plain ring with easy-glide insert and plastic hook		

SCORRITENDA A CORDE CON ANELLI

PULL CORDED SYSTEM WITH RINGS

- Accessori inclusi**
- Profilo alluminio
 - Anelli ogni 0,1 mt
 - Fiocco
 - Incrocio

- Accessories included**
- Aluminium profile
 - Rings every 0,1 mt
 - Cord weight
 - Double overlap

	Larghezza cm - Width cm							
	120	140	160	180	200	220	250	300
ART.	2034001	2034002	2034003	2034004	2034005	2034006	2034007	2034008
Finiture Finishes								
09-10-11-13-14-15-16 17-18-19-40-41-42-43 47-91-92-93-94	76	81	86	91	96	102	109	121



SCORRITENDA A CORDE CON SCORREVOLI

PULL CORDED SYSTEM WITH GLIDERS


- Accessori inclusi**
- Profilo alluminio verniciato
 - Scorrevoli
 - Fiocco
 - Incrocio

- Accessories included**
- Powder coated aluminium profile
 - Glider hooks
 - Cord weight
 - Overlap

	Larghezza cm - Width cm							
	120	140	160	180	200	220	250	300
ART.	2034011	2034012	2034013	2034014	2034015	2034016	2034017	2034018
Finiture Finishes								
09-10-11-13-14-15-16 17-18-19-40-41-42-43 47-91-92-93-94	49	53	56	61	65	68	76	84



- 17
- Nero opaco
 - Matt black



- 18
- Nero opaco sfumato rame
 - Matt black, copper shaded



- 19
- Avorio sfumato oro
 - Ivory, gold shaded



- 40
- Bianco opaco
 - Matt white



- 41
- Beige
 - Beige



- 42
- Grigio antracite
 - Anthracite grey



- 43
- Bianco opaco sfumato argento
 - Matt white, silver shaded

[Ø 18]



Ø 18

Scaglioni

Ø 18



ART. 181079


- SUPPORTI CORTI
- SHORT BRACKETS



- SUPPORTI LUNGH
- LONG BRACKETS



- SUPPORTI DOPPI
- DOUBLE BRACKETS






- SUPPORTI A SOFFITTO
- CEILING BRACKETS



		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400	
Anelli	Rings	12	14	16	18	20	22	26	30	34	40	
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
28		331	343	354	365	419	430	449	476	499	533	103
28		331	343	354	365	419	430	449	476	499	533	103
28		532	555	578	600	682	704	741	796	558	910	142
28		318	329	341	352	399	410	429	456	479	513	

COMPONENTI • COMPONENTS



ART. 1831079	FIN.		ART. 1831076	FIN.		ART. 1831074	FIN.		ART. 1832123	FIN.		ART. 1832122	FIN.	
• Finale ferro battuto a mano • Handmade wrought iron finial	28	89,44	• Finale ferro battuto a mano • Handmade wrought iron finial	28	113,66	• Tappo per doppio profilo ferro battuto • Endcap for wrought iron double profile	28	49,64	• Supporto ferro battuto a mano • Short handmade wrought iron bracket	28	41,96	• Supporto ferro battuto a mano • Short handmade wrought iron bracket	28	41,96
														





Ø 18

ART. 181076

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		28	380	391	402	414	467	479	497	524	547	581	128
• SUPPORTI LUNGI • LONG BRACKETS		28	380	391	402	414	467	479	497	524	547	581	128
• SUPPORTI DOPPI • DOUBLE BRACKETS		28	580	603	626	707	730	753	790	844	890	958	167
• SUPPORTI A SOFFITTO • CEILING BRACKETS		28	366	378	389	401	447	459	477	504	527	561	

ART. 1832124

FIN.

28

58,51

• Supporto ferro battuto a mano doppio

• Double handmade wrought iron bracket

120

60

85

25

ART. 1832125

FIN.

28

35,36

• Supporto soffitto ferro battuto a mano

• Handmade wrought iron ceiling bracket

70

85

25

ART. 1835003

FIN.

28

1,51

• Anello con guarnizione

• Ring with easy-glide insert

40

28

ART. 1833001

FIN.

28

L max

4 mt

43,00


• Profilo ferro battuto

• Handmade wrought iron profile






€/mt




ART. 181077

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		28	395	406	418	429	483	494	512	540	562	597	136
• SUPPORTI LUNGI • LONG BRACKETS		28	395	406	418	429	483	494	512	540	562	597	136
• SUPPORTI DOPPI • DOUBLE BRACKETS		28	596	619	641	723	745	768	805	859	905	973	175
• SUPPORTI A SOFFITTO • CEILING BRACKETS		28	382	393	405	416	463	474	493	520	543	577	

COMPONENTI • COMPONENTS



ART. 1831077	FIN.	ART. 1831075	FIN.	ART. 1831074	FIN.	ART. 1832123	FIN.	ART. 1832122	FIN.
• Finale ferro battuto a mano • Handmade wrought iron finial	28 121,34	• Finale ferro battuto a mano • Handmade wrought iron finial	28 112,58	• Tappo per doppio profilo ferro battuto • Endcap for wrought iron double profile	28 49,64	• Supporto ferro battuto a mano • Short handmade wrought iron bracket	28 41,96	• Supporto ferro battuto a mano • Short handmade wrought iron bracket	28 41,96
									





Ø 18

ART. 181075

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
Anelli	Rings	120	140	160	180	200	220	250	300	340	400		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		28	377	389	400	412	465	476	495	522	545	579	127
• SUPPORTI LUNGI • LONG BRACKETS		28	377	389	400	412	465	476	495	522	545	579	127
• SUPPORTI DOPPI • DOUBLE BRACKETS		28	578	601	624	647	728	751	788	842	887	956	166
• SUPPORTI A SOFFITTO • CEILING BRACKETS		28	364	376	387	398	445	457	475	502	525	559	



ART. 1832124 FIN. 28 58,51

- Supporto ferro battuto a mano doppio
- Double handmade wrought iron bracket

ART. 1832125 FIN. 28 35,36

- Supporto soffitto ferro battuto a mano
- Handmade wrought iron ceiling bracket

ART. 1835003 FIN. 28 1,51

- Anello con guarnizione
- Ring with easy-glide insert

ART. 1833001 FIN. L max

- Profilo ferro battuto
- Handmade wrought iron profile


€/mt

Ø 18



ART. 181078


- SUPPORTI CORTI
- SHORT BRACKETS



- SUPPORTI LUNGI
- LONG BRACKETS



- SUPPORTI DOPPI
- DOUBLE BRACKETS



- SUPPORTI A SOFFITTO
- CEILING BRACKETS



		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340	400	
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
28		373	384	396	407	461	472	490	518	540	575	125
28		373	384	396	407	461	472	490	518	540	575	125
28		574	597	619	701	723	746	783	837	883	951	164
28		360	371	383	394	441	452	471	498	521	555	


COMPONENTI • COMPONENTS

ART. 1831078	FIN.		ART. 1831074	FIN.		ART. 1832123	FIN.		ART. 1832122	FIN.		ART. 1832124	FIN.	
• Finale ferro battuto a mano • Handmade wrought iron finial	28	121,34	• Finale e tappo per doppio profilo ferro battuto a mano • Finial and endcap for handmade wrought iron double profile	28	49,64	• Supporto ferro battuto a mano • Short handmade wrought iron bracket	28	41,96	• Supporto ferro battuto a mano • Short handmade wrought iron bracket	28	41,96	• Supporto ferro battuto a mano doppio • Double handmade wrought iron bracket	28	58,51

Finiture disponibili
Finishes available



- 28
- Naturale cerato a mano
- Handmade waxed




ART. 181074

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		28	252	263	274	286	339	351	369	396	419	453	65
• SUPPORTI LUNGI • LONG BRACKETS		28	252	263	274	286	339	351	369	396	419	453	65
• SUPPORTI DOPPI • DOUBLE BRACKETS		28	452	475	498	521	602	625	662	716	751	830	102
• SUPPORTI A SOFFITTO • CEILING BRACKETS		28	238	250	261	273	319	331	349	376	399	433	

ART. 1832125

FIN.

- Supporto soffitto ferro battuto a mano
- Handmade wrought iron ceiling bracket



ART. 1835003

FIN.

- Anello con guarnizione
- Ring with easy-glide insert



ART. 1833001





FIN.

L max

- Profilo ferro battuto
- Handmade wrought iron profile



Ø 18 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
 42 45	1836001	28	27,58
	- Rosetta muro ferro - Wrought iron open mount socket		
 125 45 50	1839001	28	39,80
	- Gancio ferro - Wrought iron tieback hook		
 115 80 20 70	1839002	28	47,69
	- Fermatenda corto ferro - Wrought iron short tieback		
 180 80 20 70	1839003	28	49,86
	- Fermatenda lungo ferro - Wrought iron long tieback		
 150	1837010	28	17,74
	- Frusta ferro - Wrought iron curtain draw stick		



[Ø 15]




Ø 15

Scaglioni








ART. 151012

		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300 *		
		Anelli Rings	Supporti Brackets								
Finiture Finishes											
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	87	92	96	101	126	130	138	148	Togliere - Deduct 21
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	141	150	159	196	204	213	229	249	28
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	63	67	72	76	89	94	102	111	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS



ART. 1531012	FIN.	ART. 1531014	FIN.	ART. 1531016	FIN.	ART. 1532006	FIN.	ART. 1532011	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93
									









ART. 151014

Ø 15

		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300 *		
		Anelli Rings	12	14	16	18	20	22	26		30
		Supporti Brackets	2	2	2	2	3	3	3		3
		Finiture Finishes								Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	86	91	95	99	125	129	137	147	21
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	140	149	158	166	203	212	228	247	27
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	62	66	71	75	88	92	100	110	


* 2 pezzi giuntati. 2 split with one connector.

ART. 1532008	FIN.		ART. 1535002	FIN.		ART. 1533001	FIN.	L max	
• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	8,65	• Anello • Ring	09-10-11-13 14-15-16-17 18-19-47-91 92-93	1,19	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt	10,17









ART. 151013

		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300 *		
		Anelli Rings	Supporti Brackets								
		Finiture Finishes								Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	84	88	93	97	122	127	135	144	20
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	138	146	155	192	201	210	225	245	26
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	59	64	68	73	86	90	98	108	

* 2 pezzi giuntati. 2 split with one connector.


COMPONENTI • COMPONENTS

ART. 1531013	FIN.	ART. 1531016	FIN.	ART. 1532006	FIN.	ART. 1532011	FIN.	ART. 1532008	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile • Shortenable bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto accorciabile doppio • Shortenable double bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto soffitto • Ceiling bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93
	7,78		6,59		20,87		27,90		8,65



ART. 151016

Ø 15

		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300 *		
Anelli Rings		12	14	16	18	20	22	26	30		
Supporti Brackets		2	2	2	2	3	3	3	3		
Finiture Finishes										Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	81	86	90	95	120	124	132	142	19
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	135	144	153	162	198	207	223	242	25
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16 17-18-19-47-91-92-93	57	61	66	70	83	88	95	105	

* 2 pezzi giuntati. 2 split with one connector.

ART. 1535002	FIN.		ART. 1533001	FIN.	L max	
• Anello • Ring	09-10-11-13 14-15-16-17 18-19-47-91 92-93	1,19	• Profilo • Profile €/mt	09-10-11 13 14-15 16-17 18 19-47-91 92-93	5 mt 10,17	
						
			• Spessore 1,2 mm • Thickness 1,2 mm			

17
• Nero opaco
• Matt black

18
• Nero opaco
sfumato rame
• Matt black,
copper shaded

19
• Avorio sfumato
oro
• Ivory, gold
shaded

47
• Nero spugnato
oro-ruggine
• Black, gold-rust
sponged

91
• Ruggine
• Rust

92
• Bronzo
• Bronze

93
• Avorio
• Ivory



ART. 151061

		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300 *	
Anelli	Rings	12	14	16	18	20	22	26	30	
Supporti	Brackets	2	2	2	2	3	3	3	3	
Finiture	Finishes									Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	09-10-11-13-14-15-16	92	96	101	105	126	130	138	148	24
	17-18-19-47-91-92-93									
• SUPPORTI LUNGI • LONG BRACKETS	09-10-11-13-14-15-16	99	103	108	112	136	140	148	158	28
	17-18-19-47-91-92-93									
• SUPPORTI DOPPI • DOUBLE BRACKETS	09-10-11-13-14-15-16	147	156	165	198	206	215	231	251	31
	17-18-19-47-91-92-93									
• SUPPORTI A SOFFITTO • CEILING BRACKETS	09-10-11-13-14-15-16	77	82	86	91	104	108	116	126	
	17-18-19-47-91-92-93									

* 2 pezzi giuntati. 2 split with one connector.



COMPONENTI • COMPONENTS

ART. 1531061	FIN.	ART. 1531064	FIN.	ART. 1531016	FIN.	ART. 1532001	FIN.	ART. 1532002	FIN.
• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Finale • Finial	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Tappo per doppio profilo • Endcap for double profile	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93	• Supporto • Wall bracket	09-10-11-13 14-15-16-17 18-19-47-91 92-93





Ø 15

ART. 151064

		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300 *		
Anelli	Rings	12	14	16	18	20	22	26	30		
Supporti	Brackets	2	2	2	2	3	3	3	3		
Finiture	Finishes									Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		09-10-11-13-14-15-16	104	109	113	118	138	143	150	160	30
		17-18-19-47-91-92-93									
• SUPPORTI LUNGI • LONG BRACKETS		09-10-11-13-14-15-16	111	116	120	124	148	153	160	170	33
		17-18-19-47-91-92-93									
• SUPPORTI DOPPI • DOUBLE BRACKETS		09-10-11-13-14-15-16	160	169	177	186	219	228	243	263	37
		17-18-19-47-91-92-93									
• SUPPORTI A SOFFITTO • CEILING BRACKETS		09-10-11-13-14-15-16	90	94	99	103	116	121	128	138	
		17-18-19-47-91-92-93									

* 2 pezzi giuntati. 2 split with one connector.

ART. 1532003		FIN.		ART. 1532008		FIN.		ART. 1535002		FIN.		ART. 1533001		FIN.		L max			
• Supporto doppio • Double wall bracket		09-10-11-13 14-15-16-17 18-19-47-91 92-93		• Supporto soffitto • Ceiling bracket		09-10-11-13 14-15-16-17 18-19-47-91 92-93		• Anello • Ring		09-10-11-13 14-15-16-17 18-19-47-91 92-93		• Profilo • Profile €/mt		09-10-11 13 14-15 16-17 18 19-47-91 92-93		5 mt		10,17	
																			
												• Spessore 1,2 mm • Thickness 1,2 mm							

17

• Nero opaco
• Matt black

18

• Nero opaco
sfumato rame
• Matt black,
copper shaded

19

• Avorio sfumato
oro
• Ivory, gold
shaded

47

• Nero spugnato
oro-ruggine
• Black, gold-rust
sponged

91

• Ruggine
• Rust





92

• Bronzo
• Bronze

93

• Avorio
• Ivory

Ø 15 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
	1532005	09-10-11-13-14-15-16-17 18-19-47-91-92-93	8,65
	• Supporto soffitto • Ceiling bracket		
	1536001	09-10-11-13-14-15-16-17 18-19-47-91-92-93	8,33
	• Rosetta a muro aperta • Open mount socket		
	1532004	09-10-11-13-14-15-16-17 18-19-47-91-92-93	12,00
	• Prolunga per supporto • Extension for bracket		
	1538002		12,98
	• Giunzione • Connector		
	1538001		4,43
	• Giunzione plastica • Plastic profile connector		

Finiture disponibili
Finishes available



09
• Nero opaco sfumato oro
• Matt black, gold shaded



10
• Nero opaco sfumato argento
• Matt black, silver shaded



11
• Grigio micaceo
• Micaceous grey



13
• Nero martellato rame
• Black, copper hammered




14
• Blu martellato oro
• Blue, gold hammered



15
• Rosso porpora sfumato oro
• Red purple, gold shaded



16
• Verde veneziano sfumato oro
• Venetian green, gold shaded



17
• Nero opaco
• Matt black



18
• Nero opaco sfumato rame
• Matt black, copper shaded



19
• Avorio sfumato oro
• Ivory, gold shaded



47
• Nero spugnato oro-ruggine
• Black, gold-rust sponged



91
• Ruggine
• Rust



92
• Bronzo
• Bronze



93
• Avorio
• Ivory

[Ø 10 - 7]



Ø 10 - 7

Scaglioni

DEIMOS ART. 10I091

- Astina completa di due supporti terminali e anelli
- Fix profile with 2 bracket-finials and rings every 50 mm

Finiture	Finishes	Larghezza cm - Width cm				
		40	60	80	100	120
09-10-11-13-14-15-16-17-18-19-47-91-92-93		16,76	21,74	27,25	32,55	38,39

Ø 10 mm



NAOS ART. 10I099

- Asta estensibile senza anelli
- Extensible profile with: 2 finials, 2 clutch holders, without rings

Finiture	Finishes	Larghezza cm - Width cm				
		40→60	60→80	80→100	100→120	120→140
09-10-11-13-14-15-16-17-18-19-47-91-92-93		15,03	17,63	20,33	24,01	27,69

Ø 10 mm



GAMMA ART. 07I050



- Bris-bris estensibile
- Extensible profile with 2 finials, 2 hooks

Finiture	Finishes	Larghezza cm - Width cm			
		30→50	40→60	50→70	60→80
09-10-11-13-14-15-16-17-18-19-47-91-92-93		6,92	7,68	9,30	10,06


Ø 7 mm



Ø 10 - 7 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
	1032121	09-10-11-13-14-15-16-17-18-19-47-91-92-93	9,84
• Supporto • Bracket			
	1032068	09-10-11-13-14-15-16-17-18-19-47-91-92-93	4,97
• Supporto fisso • Fix bracket			
	1032066	09-10-11-13-14-15-16-17-18-19-47-91-92-93	2,92
• Terminale supporto per asta • Bracket finial for profile			
	1031080	09-10-11-13-14-15-16-17-18-19-47-91-92-93	1,84
• Finale • Finial			
	1036001	09-10-11-13-14-15-16-17-18-19-47-91-92-93	4,54
• Rosetta a muro • Open mount socket			
	1033001	09-10-11-13-14-15-16-17-18-19-47-91-92-93	L max 2,5 mt 4,00
• Profilo spessore 1,2 mm - €/mt • Profile, thickness 1,2 mm - €/mt Ø 10 mm			
	1035002	09-10-11-13-14-15-16-17-18-19-47-91-92-93	1,08
• Anello • Ring			

Finiture disponibili Finishes available



- 09
- Nero opaco sfumato oro
 - Matt black, gold shaded



- 10
- Nero opaco sfumato argento
 - Matt black, silver shaded




- 11
- Grigio micaceo
 - Micaceous grey



- 13
- Nero martellato rame
 - Black, copper hammered



- 14
- Blu martellato oro
 - Blue, gold hammered



- 15
- Rosso porpora sfumato oro
 - Red purple, gold shaded



- 16
- Verde veneziano sfumato oro
 - Venetian green, gold shaded



- 17
- Nero opaco
 - Matt black



- 18
- Nero opaco sfumato rame
 - Matt black, copper shaded



- 19
- Avorio sfumato oro
 - Ivory, gold shaded



- 47
- Nero spugnato oro-ruggine
 - Black, gold-rust sponged



- 91
- Ruggine
 - Rust



- 92
- Bronzo
 - Bronze







- 93
- Avorio
 - Ivory





FERMATENDA E ACCESSORI
HOLDBACKS AND ACCESSORIES



Scaglioni

FERMATENDA • HOLDBACKS


	ART.	Finiture Finishes	
	2039069	09-10-11-13-14-15-16-17 18-19-47-91-92-93	24,33
		- Raccoglitora rosa - Rose holdback	
	2039070	09-10-11-13-14-15-16-17 18-19-47-91-92-93	19,90
		- Raccoglitora fiore - Daisy holdback	
	7039007	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	14,92
		- Fermatenda corda - Decorated tieback	
	7039005	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	13,95
		- Fermatenda corda - Decorated tieback	
	2639003	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	13,30
		- Fermatenda - Tieback	
	2639001	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	11,79
		- Fermatenda - Tieback	
	2039074	09-10-11-13-14-15-16-17 18-19-47-91-92-93	15,47
		- Fermatenda fiore - Daisy tieback	
	2039073	09-10-11-13-14-15-16-17 18-19-47-91-92-93	14,60
		- Fermatenda fiore - Daisy tieback	

	ART.	Finiture Finishes	
	2039072	09-10-11-13-14-15-16-17 18-19-47-91-92-93	20,44
		- Fermatenda rosa - Rose tieback	
	2039071	09-10-11-13-14-15-16-17 18-19-47-91-92-93	19,68
		- Fermatenda rosa - Rose tieback	
	2039063	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	1,51
		- Gancio - Tieback hook	
	3039065	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	2,05
		- Gancio - Tieback hook	
	2039400	09-10-11-13-14-15-16-17 18-19-47-91-92-93	27,36
		- Fermatenda magnetico "Almond" magnetic holdback	
	2039401	09-10-11-13-14-15-16-17 18-19-47-91-92-93	27,36
		- Fermatenda magnetico "Lozenge" magnetic holdback	
	2039402	09-10-11-13-14-15-16-17 18-19-47-91-92-93	27,36
		- Fermatenda magnetico "Arrow" magnetic holdback	

Finiture disponibili Finishes available



- 09**
- Nero opaco sfumato oro
 - Matt black, gold shaded



- 10**
- Nero opaco sfumato argento
 - Matt black, silver shaded




- 11**
- Grigio micaceo
 - Micaceous grey



- 13**
- Nero martellato rame
 - Black, copper hammered



- 14**
- Blu martellato oro
 - Blue, gold hammered



- 15**
- Rosso porpora sfumato oro
 - Red purple, gold shaded



- 16**
- Verde veneziano sfumato oro
 - Venetian green, gold shaded



- 47**
- Nero spugnato oro-ruggine
 - Black, gold-rust sponged



- 91**
- Ruggine
 - Rust



- 92**
- Bronzo
 - Bronze






- 93**
- Avorio
 - Ivory



- 94**
- Avorio sfumato rame
 - Ivory, rust shaded

ACCESSORI • ACCESSORIES

	ART.	Finiture Finishes		ART.	
	1037002	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	19,03		0055010 0,32
	• Frusta • Curtain draw stick ø 10 mm - 1,50 mt			• Fermo con piastrina in metallo • End stop with metal plate	
	1037001	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	18,06		0055011 1,00
	• Frusta • Curtain draw stick ø 10 mm - 1,25 mt			• Fermo in metallo • Metal end stop	
	1037009	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	14,60		0055001 0,33
	• Frusta • Curtain draw stick ø 10 mm - 1,50 mt			• Scorrevole con rotella • Glide roller with wheel	
	1037008	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	13,74		0055100 3,46 / mt
	• Frusta • Curtain draw stick ø 10 mm - 1,25 mt			• Fettuccia per onda scatola da 50 mt • Ribbon for wave box 50 mt	
	0037103	09-10-11-13-14-15-16-17 18-19-40-41-42-43-47-91 92-93-94	19,79		1018900 0,20
	• Fiocco • Cord weight gr 150			• Supporto in plastica per astine Ø 10 mm • Screw for extensible rod Ø 10 mm	
	0055080		10,00		
	• Corda con scorrevoli tondi girevoli, passo 80 mm - €/mt • Cord with round, pivoting gliders, spacing 80 mm - €/mt				
	0055060		10,00		
	• Corda con scorrevoli tondi girevoli, passo 60 mm - €/mt • Cord with round, pivoting gliders, spacing 60 mm - €/mt				
	0055030		0,50		
	• Aletta per Wave • End hook for wave system				



17
• Nero opaco
• Matt black



18
• Nero opaco
sfumato rame
• Matt black,
copper shaded



19
• Avorio sfumato
oro
• Ivory, gold
shaded



40
• Bianco opaco
• Matt white



41
• Beige
• Beige



42
• Grigio antracite
• Anthracite grey



43
• Bianco opaco
sfumato argento
• Matt white,
silver shaded



OTTONE • BRASS

OTTONE • BRASS



Scaglioni


INDICE PER MODELLI • INDEX FOR MODELS

	Misure Dimensions	Pagina n° Page n°		Misure Dimensions	Pagina n° Page n°
	CEFE0 Ø 20	114		MERCURIO Ø 35 Ø 30 Ø 20	128 162 212
	ELARA Ø 20	115		URANO Ø 35 Ø 30 Ø 20	129 163 213
	VENERE Ø 50 Ø 35 Ø 30 Ø 25 Ø 20	118 135 167 182 219		GIANO Ø 35	130
	MARTE Ø 50	119		CHITONE Ø 35 Ø 30	131 165
	GIOVE Ø 50 Ø 35 Ø 30 Ø 20	120 136 168 220		CANCRO Ø 35	132
	SATURNO Ø 50	121		TETI Ø 35 Ø 30 Ø 20	133 164 217
	APOFI Ø 35	124		LEDA Ø 35 Ø 30 Ø 20	134 166 218
	IDAS Ø 35	125		ARIETE Ø 35 Ø 30 Ø 20	137 169 221
	FEBE Ø 35	126		NETTUNO Ø 35 Ø 30 Ø 20	138 170 222
	ERATO Ø 35	127		OFELIA Ø 35 Ø 30 Ø 20	139 171 223

INDICE PER MODELLI • INDEX FOR MODELS

	Misure Dimensions	Pagina n° Page n°		Misure Dimensions	Pagina n° Page n°
	AURIGA Ø 35 Ø 30 Ø 20	140 172 224		LUNA Ø 35 RIGATO	153
	IDA Ø 35 Ø 30 Ø 20	141 173 225		METIS Ø 35 RIGATO	154
	DORIDE Ø 35	142		TEBE Ø 35 RIGATO	155
				LARISSA Ø 30 Ø 20 Ø 15 Ø 13	158 200 240 250
	CALLISTO Ø 35 RIGATO Ø 25 RIGATO Ø 20 RIGATO	148 186 226		CALIPSO Ø 30 Ø 25 Ø 20	159 179 199
	IMALIA Ø 35 RIGATO Ø 25 RIGATO Ø 20 RIGATO	149 187 227		TERRA Ø 30 Ø 20	160 205
	SINOPE Ø 35 RIGATO	150		TITANO Ø 30 Ø 20	161 207
	TIASO Ø 35 RIGATO	151		AURORA Ø 25 Ø 20	178 194
	NOTTE Ø 35 RIGATO	152		ARIEL Ø 25	180
				PLUTONE Ø 25	181

INDICE PER MODELLI • INDEX FOR MODELS

	Misure Dimensions	Pagina n° Page n°		Misure Dimensions	Pagina n° Page n°
	DISNOMIA Ø 25	183		EUROPA Ø 20	198
	LIRA Ø 25	184		CERERE Ø 20 Ø 15	201 241
	ELENA Ø 25 Ø 20	185 214		PALLADE Ø 20	202
	PEGASO Ø 20	190		EURIALO Ø 20	203
	GANIMEDE Ø 20	191		AMALTEA Ø 20	204
	CASSIOPEA Ø 20	192		CARONTE Ø 20	206
	ANDROMEDA Ø 20 Ø 15	193 243		CORDELIA Ø 20	208
	PANDORA Ø 20	195		MIRANDA Ø 20	209
	BILANCIA Ø 20 Ø 15	196 238		NAIADE Ø 20 Ø 15	210 244
	VESTA Ø 20 Ø 15 Ø 13	197 239 251		TITANIA Ø 20 Ø 15	211 245

INDICE PER MODELLI • INDEX FOR MODELS


	Misure Dimensions	Pagina n° Page n°		Misure Dimensions	Pagina n° Page n°
	ASIA Ø 20 Ø 15	215 246		BACCO Ø 13	252
	PORZIA Ø 20	216		CARENA Ø 13	252
	SESTANTE Ø 20	228		ERMIONE Ø 10	256
	PROMETEO Ø 20	229		BALENA Ø 10	257
	REA Ø 20	230		VELE Ø 10	258
	CIBALE Ø 20	231		LUPO Ø 10	259
	BOOTE Ø 15	242	Astine e bris-bris Fix and extensible cafe rods Ø 10 - 8 - 7		260
	ANTILOPE Ø 15	247	Accessori per scale Accessories for stairs, hotels & contract		265
	EUREKA Ø 13	252	Fermatenda e accessori Holdbacks and accessories		269
	ASTREA Ø 13	252	Espositori per punti vendita Displays for stores		274

[$\varnothing$ 20]

$\varnothing$ 20



Scaglioni



ART. 22M054


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS






• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250 *	300 *	340 *	400 *	
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36	543	582	621	659	698	736	900	986	1.063	1.180	137
	39	568	607	647	687	727	767	937	1.025	1.105	1.225	146
	20-22	597	639	681	724	766	808	985	1.078	1.163	1.289	155
• SUPPORTI LUNGI • LONG BRACKETS	01-36	567	605	643	682	721	760	934	1.021	1.099	1.215	149
	39	589	628	668	708	748	788	969	1.058	1.138	1.258	157
	20-22	622	663	705	747	790	832	1.022	1.115	1.199	1.326	167
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36	866	944	1.022	1.099	1.177	1.255	1.507	1.678	1.833	2.066	167
	39	907	986	1.066	1.146	1.226	1.306	1.567	1.746	1.905	2.145	178
	20-22	955	1.038	1.123	1.207	1.291	1.376	1.649	1.836	2.005	2.257	189
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36	387	426	465	504	542	581	667	753	830	946	
	39	405	445	485	525	565	605	693	782	862	982	
	20-22	427	469	511	554	596	638	730	824	908	1.035	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2211054			ART. 2211053			ART. 2212060			ART. 2212061			ART. 2212062		
FIN.			FIN.			FIN.			FIN.			FIN.		
• Finale	01-36	60,67	• Finale e tappo	01-36	25,20	• Supporto	01-36	94,31	• Supporto	01-36	105,99	• Supporto	01-36	114,74
• Finial	39	65,11	per doppio profilo	39	29,20	• Wall bracket	39	98,42	• Wall bracket	39	109,23	doppio	39	119,19
	20-22	69,32	• Finial and endcap for double profile	20-22	31,36		20-22	102,64		20-22	114,74	• Double wall bracket	20-22	123,62
														

Finiture disponibili
Finishes available



01
• Ottone lucido
verniciato
• Varnished
polished brass



20
• Ottone cromato
• Chromed brass




22
• Ottone nichel
satinato
• Nickel matt
brass



36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass



ART. 22M053

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250 *	300 *	340 *	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	472	510	549	588	627	666	828	915	993	1.109	103
		39	495	535	575	615	655	695	864	954	1.033	1.153	110
		20-22	521	563	606	648	690	732	910	1.003	1.087	1.213	117
• SUPPORTI LUNGI • LONG BRACKETS		01-36	495	534	573	611	650	689	864	950	1.027	1.143	114
		39	517	557	597	637	677	717	897	986	1.065	1.185	121
		20-22	545	587	629	672	714	756	945	1.039	1.124	1.250	129
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	796	873	951	1.029	1.105	1.183	1.435	1.608	1.763	1.995	131
		39	835	915	995	1.075	1.155	1.235	1.496	1.673	1.833	2.073	143
		20-22	878	963	1.047	1.131	1.216	1.300	1.572	1.761	1.928	2.181	151
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	316	355	394	433	471	510	596	682	759	876	
		39	333	373	413	453	493	533	621	710	790	910	
		20-22	351	393	436	478	520	562	654	748	832	959	


* 2 pezzi giuntati. 2 split with one connector.

ART. 2212063

FIN.

- Supporto soffitto
- Ceiling bracket

01-36	16,55
39	17,20
20-22	17,73




ART. 2215005

FIN.

- Anello con guarnizione
- Ring with easy-glide insert

01-36	10,82
39	11,04
20-22	11,68



ART. 2213001

FIN.

L max


- Profilo 20x20
- Profile 20x20

€/mt

01-36	3 mt	85,54
39	3 mt	89,44
20-22	3 mt	93,76



- Spessore 1 mm
- Thickness 1 mm



ART.	Finiture Finishes	
2216001	01-36	17,09
	39	17,52
	02-22	17,52

- Rosetta a muro aperta
- Open mount socket



- 01**
- Ottone lucido verniciato
 - Varnished polished brass



- 20**
- Ottone cromato
 - Chromed brass



- 22**
- Ottone nichel satinato
 - Nickel matt brass




- 36**
- Ottone satinato opaco
 - Matt flat brass



- 39**
- Ottone bronzo graffiato
 - Scratched bronze brass

Ø 50



Scaglioni



ART. 50M035

- SUPPORTI LUNGI
- LONG BRACKETS



- SUPPORTI DOPPI
- DOUBLE BRACKETS




		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *	
Anelli	Rings	12	14	16	18	20	22	26	30	34	40	
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
01-36		612	661	709	758	807	855	1.011	1.119	1.218	1.364	134
39		665	716	766	817	866	917	1.088	1.198	1.299	1.450	155
01-36		1.006	1.104	1.202	1.299	1.396	1.495	1.766	1.982	2.178	2.471	159
39		1.083	1.183	1.284	1.384	1.485	1.585	1.880	2.101	2.303	2.604	185


* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS


ART. 5011035	FIN.	
• Finale	01-36	90,63
• Finial	39	101,01




ART. 5011001	FIN.	
• Finale	01-36	83,71
• Finial	39	98,09




ART. 5011016	FIN.	
• Tappo per doppio profilo	01-36	21,30
• Endcap for double profile	39	24,22



ART. 5012018	FIN.	
• Supporto accorciabile	01-36	68,46
• Shortenable bracket	39	80,36



ART. 5012020	FIN.	
• Supporto accorciabile doppio	01-36	97,77
• Shortenable double bracket	39	113,66




01
• Ottone lucido
verniciato
• Varnished
polished brass



36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 50M001

- SUPPORTI LUNGH
LONG BRACKETS




- SUPPORTI DOPPI
DOUBLE BRACKETS



		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *	
Anelli	Rings	12	14	16	18	20	22	26	30	34	40	
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3	Togliere - Deduct
Finiture	Finishes											
01-36		598	647	695	744	793	842	998	1.106	1.204	1.350	
39		660	709	760	810	861	911	1.082	1.193	1.293	1.444	127
												151
01-36		992	1.090	1.187	1.285	1.383	1.481	1.753	1.969	2.164	2.457	152
39		1.076	1.177	1.277	1.378	1.478	1.579	1.874	2.096	2.297	2.599	183

* 2 pezzi giuntati. 2 split with one connector.

ART. 5015003	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36	13,95
	39	15,04



ART. 5013001	FIN.	L max	
• Profilo • Profile €/mt	01-36	3,4 mt	101,23
	39	3,4 mt	104,68



- Spessore 1 mm
- Thickness 1 mm




ART. 50M018

- SUPPORTI LUNGH
• LONG BRACKETS



- SUPPORTI DOPPI
• DOUBLE BRACKETS



		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *	
Anelli	Rings	12	14	16	18	20	22	26	30	34	40	
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
01-36		2.701	2.749	2.799	2.848	2.896	2.945	3.101	3.209	3.306	3.453	1.178
39		2.733	2.784	2.834	2.884	2.934	2.985	3.156	3.266	3.367	3.518	1.188
01-36		3.095	3.193	3.290	3.388	3.486	3.583	3.856	4.072	4.268	4.561	1.204
39		3.150	3.251	3.352	3.452	3.553	3.653	3.949	4.169	4.370	4.673	1.220

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 5011018	FIN.	ART. 5011003	FIN.	ART. 5011016	FIN.	ART. 5012018	FIN.	ART. 5012020	FIN.
• Finale Swarovski • Swarovski finial	01-36-39 1.134	• Finale • Finial	01-36 77,87 39 92,15	• Tappo per doppio profilo • Endcap for double profile	01-36 21,30 39 24,22	• Supporto accorciabile • Shortenable bracket	01-36 68,46 39 80,36	• Supporto accorciabile doppio • Shortenable double bracket	01-36 97,77 39 113,66

120

Finiture disponibili
Finishes available




- 01 • Ottone lucido verniciato
• Varnished polished brass



- 36 • Ottone satinato opaco
• Matt flat brass



- 39 • Ottone bronzo graffiato
• Scratched bronze brass



ART. 50M003

- SUPPORTI LUNGH
- LONG BRACKETS



- SUPPORTI DOPPI
- DOUBLE BRACKETS



		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *	
Anelli	Rings	12	14	16	18	20	22	26	30	34	40	
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
01-36		586	635	684	733	782	831	986	1.094	1.192	1.339	121
39		648	698	748	798	849	899	1.070	1.181	1.282	1.432	146
01-36		981	1.078	1.176	1.274	1.371	1.469	1.741	1.958	2.153	2.445	147
39		1.064	1.165	1.265	1.366	1.467	1.567	1.862	2.084	2.285	2.587	176

* 2 pezzi giuntati. 2 split with one connector.

ART. 5015003

FIN.


- Anello con guarnizione
- Ring with easy-glide insert

01-36

13,95

39

15,04



ART. 5013001

FIN.

L max

- Profilo
- Profile
- €/mt

01-36

3,4 mt

101,23

39





3,4 mt

104,68




- Spessore 1 mm
- Thickness 1 mm

Ø 50 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
	5012027	01-36	109,23
		39	127,08
• Mensola fissa cesellata a mano • Fix hand-chiselled bracket			
	5012028	01-36	135,08
		39	156,49
• Mensola fissa doppia cesellata a mano • Double fix hand-chiselled bracket			
	5016001	01-36	25,20
		39	26,71
• Rosetta a muro aperta • Open mount socket			
	5018001		11,03
• Giunzione • Connector			



- 01
- Ottone lucido verniciato
 - Varnished polished brass




- 36
- Ottone satinato opaco
 - Matt flat brass




- 39
- Ottone bronzo graffiato
 - Scratched bronze brass

[Ø 35]



Ø 35

Scaglioni



ART. 35M011

- SUPPORTI CORTI
- SHORT BRACKETS



- SUPPORTI A SOFFITTO
- CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3	Aumentare - Rise	Togliere - Deduct
Finiture	Finishes												
01-36-37		250	267	286	303	321	339	412	453	489	543	116	56
39		275	294	314	334	354	373	453	499	538	597	116	62
22		342	368	394	420	446	472	571	631	681	759	131	75
01-36-37		221	238	256	274	292	310	369	409	445	499	116	
39		249	268	288	308	328	348	414	459	499	559	116	
22		304	330	355	381	407	433	513	573	625	702	131	


* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3511011	FIN.		ART. 3511016	FIN.		ART. 3512002	FIN.		ART. 3512025	FIN.		ART. 3515001	FIN.	
• Finale	01-36-37	28,22	• Finale	01-36-37	13,30	• Supporto	01-36-37	42,71	• Supporto soffitto	01-36-37	28,22	• Anello con	01-36-37	3,78
• Finial	39	32,01	• Finial	39	14,92	• Bracket	39	45,53	• Ceiling bracket	39	32,55	guarnizione	39	4,33
	22	37,53		22	18,49		22	55,48		22	36,45	• Ring with	22	5,19
												easy-glide insert		



- 01 • Ottone lucido verniciato
- Varnished polished brass



- 22 • Ottone nichel satinato
- Nickel matt brass



- 36 • Ottone satinato opaco
- Matt flat brass



- 37 • Ottone satinato lucido
- Matt bright brass



- 39 • Ottone bronzo graffiato
- Scratched bronze brass




ART. 35M016

• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36-37		220	238	255	274	291	309	383	423	459	513	116	41
39		240	261	280	300	319	340	419	464	504	563	116	44
22		304	330	356	382	407	433	532	592	643	721	131	55
01-36-37		191	209	226	244	262	280	339	380	415	469	116	
39		214	234	254	274	294	313	380	425	465	524	116	
22		266	291	317	343	369	395	475	535	587	664	131	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3513001	FIN.	L max	
• Profilo	01-36	3,4 mt	51,48
• Profile	37		
€/mt	39	3,4 mt	55,81
	22	3,4 mt	77,44



- Spessore 0,75 mm
- Thickness 0,75 mm



ART. 35M039

• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS




		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3	Aumentare - Rise	Togliere - Deduct
Finiture	Finishes												
01-36-37		244	262	280	297	316	333	407	448	483	536	116	53
39		263	282	302	322	342	361	441	487	526	585	116	55
22		321	347	373	399	424	450	549	609	661	739	131	64
01-36-37		215	233	251	268	287	304	363	404	439	492	116	
39		234	252	270	287	306	323	382	423	458	511	116	
22		292	310	328	345	364	381	440	481	516	569	131	


* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS


ART. 3511039	FIN.	
• Finale. Specificare colore legno: faggio, ciliegio, noce, padouk	01-36-37	25,41
	39	25,96
	22	27,14




ART. 3511038	FIN.	
• Finale	01-36-37	30,18
	39	33,85
	22	36,55



ART. 3512002	FIN.	
• Supporto	01-36-37	42,71
	39	45,53
	22	55,48



ART. 3512025	FIN.	
• Supporto soffitto	01-36-37	28,22
	39	32,55
	22	36,45




Finiture disponibili
Finishes available





ART. 35M038

• SUPPORTI CORTI
• SHORT BRACKETS




• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36-37		253	271	289	307	324	343	416	457	493	546	116	58
39		278	298	318	337	357	377	456	502	542	601	116	64
22		340	366	392	417	443	469	569	628	680	757	131	74
01-36-37		224	242	260	278	296	314	372	413	449	503	116	
39		252	272	292	312	332	351	418	463	503	562	116	
22		302	328	353	379	405	431	511	571	623	700	131	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3515001	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36-37	3,78
	39	4,33
	22	5,19



ART. 3513001	FIN.	L max	
• Profilo • Profile €/mt	01-36	3,4 mt	51,48
	37		
	39	3,4 mt	55,81
	22	3,4 mt	77,44



- Spessore 0,75 mm
- Thickness 0,75 mm

60
• Faggio colore
naturale
• Beech wood

62
• Ciliegio
naturale
• Cherry wood

63
• Noce
naturale
• Walnut

64
• Padouk
naturale
• Padouk






ART. 35M027

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	257	276	293	311	329	347	424	465	501	554	116	59
		29-39	284	305	324	344	364	384	467	513	553	612	116	67
		22	337	363	389	415	441	467	566	625	677	754	131	72
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	261	279	296	315	332	350	428	469	505	559	116	62
		29-39	291	311	331	350	370	390	477	522	562	621	116	70
		22	341	367	393	419	444	470	570	629	681	759	131	74
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	441	477	513	548	584	620	753	835	906	1.013	231	83
		29-39	490	530	570	609	649	689	835	925	1.004	1.123	231	94
		22	588	640	692	743	795	847	1.019	1.138	1.240	1.396	255	101
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	221	239	257	275	292	310	369	410	446	499	116	
		29-39	251	271	290	310	330	350	416	462	501	561	116	
		22	302	328	354	380	405	431	512	571	623	701	131	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3511027		FIN.		ART. 3511047		FIN.		ART. 3511016		FIN.		ART. 3512017		FIN.		ART. 3512018		FIN.	
• Finale	01-36-37	28,44	• Finale	01-36-37	21,85	• Tappo per doppio profilo	01-36-37	13,30	• Supporto accorciabile	01-36-37	46,40	• Supporto accorciabile	01-36-37	48,02	• Supporto accorciabile	01-36-37	48,02		
• Finial	29-39	33,10	• Finial	29-39	24,01	• Endcap for double profile	29-39	14,92	• Shortenable bracket	29-39	49,64	• Shortenable bracket	29-39	52,77	• Shortenable bracket	29-39	52,77		
	22	36,67		02-22	25,10		02-04-22	18,49		02-22	54,30		02-22	56,02		02-22	56,02		
				04	28,34					04	59,05		04	60,67		04	60,67		
																			




01
• Ottone lucido
verniciato
• Varnished
polished brass



02
• Ottone nichel
nero
• Black nickel
brass



04
• Ottone
argentato
• Silver-plated
brass



22
• Ottone nichel
satinato
• Nickel matt
brass




29
• Ottone bronzato
antico
• Antique bronze
brass




36
• Ottone satinato
opaco
• Matt flat
brass



37
• Ottone satinato
lucido
• Matt bright
brass




ART. 35M047

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	244	262	280	297	316	333	411	451	487	541	116	53
		29-39	267	287	306	327	346	366	450	494	534	594	116	57
		02-22	315	341	367	393	417	443	542	601	653	731	131	61
		04	337	364	392	419	446	473	578	640	694	775	131	66
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	248	265	283	301	319	336	415	456	492	545	116	55
		29-39	273	293	313	332	353	372	459	504	544	603	116	61
		02-22	318	344	370	396	422	448	547	607	659	736	131	63
		04	341	368	395	422	449	476	583	645	700	781	131	68
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	428	464	500	535	571	607	740	821	892	1.000	231	77
		29-39	473	512	552	590	631	671	817	906	986	1.105	231	84
		02-22	566	616	668	720	772	824	995	1.114	1.218	1.372	255	90
		04	601	655	709	764	818	873	1.056	1.180	1.288	1.450	255	96
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	208	226	243	261	279	297	356	397	432	486	116	
		29-39	233	252	272	292	312	332	398	443	483	543	116	
		02-22	279	305	331	356	382	408	489	548	600	677	131	
		04	314	342	369	396	423	450	543	605	660	741	131	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3512049	FIN.	
• Supporto accorciabile doppio	01-36-37	71,48
	29-39	77,97
	02-22	83,50
	04	91,39
• Shortenable double bracket		



ART. 3512025	FIN.	
• Supporto soffitto	01-36-37	28,22
	29-39	32,55
	02-22	36,45
	04	47,48
• Ceiling bracket		



ART. 3515003	FIN.	
• Anello con guarnizione	01-36-37	3,78
	29-39	4,33
	02-04-22	5,19
• Ring with easy-glide insert		



ART. 3513001	FIN.	L max	
• Profilo	01-36	3,4 mt	51,48
	37		
	29-39	3-3,4 mt	55,81
	02-22	3-3,4 mt	77,44
• Profile €/mt	04	2,5 mt	83,38



- Spessore 0,75 mm
- Thickness 0,75 mm




- 39
- Ottone bronzo graffiato
- Scratched bronze brass



ART. 35M031


- SUPPORTI CORTI
- SHORT BRACKETS



- SUPPORTI LUNGI
- LONG BRACKETS



- SUPPORTI DOPPI
- DOUBLE BRACKETS



- SUPPORTI A SOFFITTO
- CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340	400 *		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01		388	406	424	441	460	477	555	595	631	685	116	125
01		392	409	427	444	463	480	559	600	636	689	116	127
01		572	608	643	679	715	751	884	965	1.036	1.144	231	149
01		352	369	387	405	423	441	500	541	576	630	116	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3511031	FIN.	
• Finale cesellato a mano	01	93,76
• Hand chiselled finial		

ART. 3511046	FIN.	
• Finale	01	25,20
• Finial	02	29,63
	04	32,77

ART. 3511016	FIN.	
• Tappo per doppio profilo	01	13,30
• Endcap for double profile	02-04	18,49

ART. 3512017	FIN.	
• Supporto accorciabile	01	46,40
• Shortenable bracket	02	54,30
	04	59,05

ART. 3512018	FIN.	
• Supporto accorciabile	01	48,02
• Shortenable bracket	02	56,02
	04	60,67

Finiture disponibili
Finishes available



- 01 • Ottone lucido verniciato
- Varnished polished brass



- 02 • Ottone nichel nero
- Black nickel brass



- 04 • Ottone argentato
- Silver-plated brass



ART. 35M046

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket		
				120	140	160	180	200	220	250	300			340 *	400 *
		Anelli	Rings	12	14	16	18	20	22	26	30			34	40
		Supporti	Brackets	2	2	2	2	2	2	3	3			3	3
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct		
• SUPPORTI CORTI • SHORT BRACKETS		01		251	269	287	305	322	341	417	459	494	547	116	56
		02		323	349	375	401	427	453	552	611	663	740	131	65
		04		346	373	400	427	454	482	586	649	703	784	131	70
• SUPPORTI LUNGI • LONG BRACKETS		01		254	273	290	308	326	344	422	463	499	553	116	58
		02		327	353	379	404	430	456	556	615	667	745	131	67
		04		349	376	403	430	457	486	592	654	708	790	131	72
• SUPPORTI DOPPI • DOUBLE BRACKETS		01		435	470	506	542	578	613	746	828	900	1.007	231	80
		02		574	626	678	729	781	833	1.005	1.124	1.226	1.382	255	94
		04		611	665	719	773	827	881	1.064	1.189	1.297	1.460	255	101
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01		214	232	250	268	286	304	363	403	439	493	116	
		02		288	314	340	365	391	417	498	557	609	686	131	
		04		323	350	377	405	432	459	552	614	668	750	131	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3512049	FIN.		ART. 3512025	FIN.		ART. 3515003	FIN.		ART. 3513001	FIN.	L max	
• Supporto accorciabile doppio • Shortenable double bracket	01	71,48	• Supporto soffitto • Ceiling bracket	01	28,22	• Anello con guarnizione • Ring with easy-glide insert	01	3,78	• Profilo • Profile €/mt	01	3,4 mt	51,48
	02	83,50		02	36,45		02-04	5,19		02	3 mt	77,44
	04	91,39		04	47,48					04	2,5 mt	83,38
									• Spessore 0,75 mm • Thickness 0,75 mm			



ART. 35M045

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	254	264	269	308	326	344	421	461	497	551	115	58
		29-39	279	291	297	339	359	379	462	507	547	607	115	64
		02	327	353	379	405	431	457	555	614	666	744	111	67
		04	350	377	404	431	458	485	590	653	707	788	115	72
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	257	275	293	311	329	347	425	466	502	556	115	60
		29-39	286	306	325	345	365	385	472	517	557	616	115	68
		02	331	356	382	408	434	460	560	619	671	749	111	69
		04	353	380	407	435	462	489	595	658	712	793	115	74
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	438	474	510	545	581	617	750	831	903	1.010	231	82
		29-39	485	525	564	604	643	683	829	920	999	1.118	231	92
		02	578	630	681	733	785	836	1.008	1.127	1.230	1.386	222	96
		04	614	668	722	776	831	885	1.068	1.192	1.301	1.463	231	102
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	218	236	254	271	289	307	366	407	443	496	115	
		29-39	245	265	285	305	325	344	411	456	496	555	115	
		02	291	317	343	369	395	421	501	561	612	690	111	
		04	327	354	381	408	435	462	555	618	672	753	115	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3511045	FIN.		ART. 3511034	FIN.		ART. 3511016	FIN.		ART. 3512017	FIN.		ART. 3512018	FIN.	
• Finale	01-36-37	27,04	• Finale	01	20,87	• Tappo per doppio profilo	01-36-37	13,30	• Supporto accorciabile	01-36-37	46,40	• Supporto accorciabile	01-36-37	48,02
• Finial	29-39	30,61	• Finial	02	24,12	• Endcap for double profile	29-39	14,92	• Shortenable bracket	29-39	49,64	• Shortenable bracket	29-39	52,77
	02	31,69		04	27,26		02-04	18,49		02	54,30		02	56,02
	04	34,83								04	59,05		04	60,67




01
• Ottone lucido
verniciato
• Varnished
polished brass



02
• Ottone nichel
nero
• Black nickel
brass



04
• Ottone
argentato
• Silver-plated
brass



22
• Ottone nichel
satinato
• Nickel matt
brass




29
• Ottone bronzato
anticato
• Antique bronze
brass



36
• Ottone satinato
opaco
• Matt flat
brass



37
• Ottone satinato
lucido
• Matt bright
brass



ART. 35M034


• SUPPORTI CORTI
• SHORT BRACKETS




• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01		242	252	257	295	313	331	408	449	485	538	115	51
		312	338	364	390	416	441	540	599	651	729	111	59
		335	362	389	416	443	470	575	638	692	773	115	64
02		245	263	281	299	317	334	413	454	490	543	115	54
		315	341	367	393	419	445	545	604	656	734	111	61
		338	365	392	419	446	473	580	642	696	778	115	67
04		426	462	497	533	569	605	737	819	891	998	231	75
		563	614	666	718	770	821	993	1.112	1.215	1.370	222	88
		599	653	707	761	815	870	1.052	1.177	1.286	1.448	231	95
01		205	223	241	259	277	295	354	395	430	484	115	
		276	302	328	354	380	406	486	546	597	675	111	
		312	339	366	393	420	447	540	603	657	738	115	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3512049 FIN.

• Supporto accorciabile doppio

• Shortenable double bracket

01-36-37	71,48
29-39	77,97
02	83,50
04	91,39

ART. 3512025 FIN.

• Supporto soffitto

• Ceiling bracket

01-36-37	28,22
29-39	32,55
02	36,45
04	47,48

ART. 3515003 FIN.

• Anello con guarnizione

• Ring with easy-glide insert

01-36-37	3,78
29-39	4,33
02-04	5,19

ART. 3513001 FIN.


• Profilo

• Profile

01-36	3,4 mt	51,48
37		
29-39	3-3,4 mt	55,81
02	3 mt	77,44
04	2,5 mt	83,38

• Spessore 0,75 mm

• Thickness 0,75 mm



39
• Ottone bronzo graffiato
• Scratched bronze brass



ART. 35M023

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36-37	315	325	330	369	386	404	481	522	558	612	115	88
	29-39	337	357	377	397	417	437	520	565	605	665	115	93
	02-22	385	411	437	463	489	514	613	672	724	802	111	96
	04	402	429	456	483	510	537	642	704	758	840	115	98
• SUPPORTI LUNGH • LONG BRACKETS	01-36-37	318	336	354	372	390	408	486	527	563	616	115	90
	29-39	344	363	383	403	423	443	530	575	614	674	115	96
	02-22	389	414	440	466	492	518	618	677	729	807	111	97
	04	405	432	459	486	513	540	647	709	763	844	115	100
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36-37	499	535	570	606	642	678	810	892	964	1071	231	112
	29-39	543	582	622	662	701	741	887	978	1057	1176	231	120
	02-22	636	687	739	791	843	894	1066	1185	1288	1444	222	125
	04	666	720	774	828	882	936	1119	1244	1352	1515	231	128
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36-37	279	296	314	332	350	368	427	468	503	557	115	
	29-39	303	323	343	363	383	402	469	514	554	613	115	
	02-22	349	375	401	427	453	479	559	619	670	748	111	
	04	379	406	433	460	487	514	607	670	724	805	115	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3511023	FIN.	ART. 3511035	FIN.	ART. 3511016	FIN.	ART. 3512017	FIN.
• Finale vetro. Specificare colore vetro: rosa, azzurro	01-36-37 57,42	• Finale	01-36-37 27,04	• Tappo per doppio profilo	01-36-37 13,30	• Supporto accorciabile	01-36-37 46,40
• Glass finial. Glass colour to be specified when ordering: pink, light blue	29-39 59,59	• Finial	29-39 30,93	• Endcap for double profile	29-39 14,92	• Shortenable bracket	29-39 49,64
	02-04-22 60,67		02-22 34,28		02-04-22 18,49		02-22 54,30
			04 37,53				04 59,05




01
• Ottone lucido
verniciato
• Varnished
polished brass



02
• Ottone nichel
nero
• Black nickel
brass



04
• Ottone
argentato
• Silver-plated
brass



22
• Ottone nichel
satinato
• Nickel matt
brass




29
• Ottone bronzato
antico
• Antique bronze
brass



36
• Ottone satinato
opaco
• Matt flat
brass



37
• Ottone satinato
lucido
• Matt bright
brass



ART. 35M035


• **SUPPORTI CORTI**
• **SHORT BRACKETS**




• **SUPPORTI LUNGI**
• **LONG BRACKETS**



• **SUPPORTI DOPPI**
• **DOUBLE BRACKETS**




• **SUPPORTI A SOFFITTO**
• **CEILING BRACKETS**




		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36-37	254	264	269	308	326	344	421	461	497	551	115	58
	29-39	280	300	320	340	359	379	463	508	548	607	115	64
	02-22	332	358	384	410	436	462	560	619	671	749	111	69
	04	355	383	410	437	464	491	596	658	712	793	115	75
• SUPPORTI LUNGI • LONG BRACKETS	01-36-37	257	275	293	311	329	347	425	466	502	556	115	60
	29-39	286	306	326	346	366	385	472	518	557	617	115	68
	02-22	336	362	388	413	439	465	565	625	676	754	111	71
	04	359	386	413	440	467	494	600	663	717	798	115	76
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36-37	438	474	510	545	581	617	750	831	903	1010	231	82
	29-39	486	525	565	604	644	684	830	920	1000	1118	231	92
	02-22	583	635	686	738	790	842	1013	1132	1236	1391	222	98
	04	619	674	728	782	836	890	1073	1198	1306	1468	231	104
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36-37	218	236	254	271	289	307	366	407	443	496	115	
	29-39	246	266	286	305	325	345	412	457	496	556	115	
	02-22	297	323	348	374	400	426	506	566	618	695	111	
	04	332	359	386	414	441	468	561	623	677	759	115	

* 2 pezzi giuntati. 2 split with one connector.


ART. 3512018	FIN.	
• Supporto accorciabile • Shortenable bracket	01-36-37	48,02
	29-39	52,77
	02-22	56,02
	04	60,67



ART. 3512049	FIN.	
• Supporto accorciabile doppio • Shortenable double bracket	01-36-37	71,48
	29-39	77,97
	02-22	83,50
	04	91,39



ART. 3512025	FIN.	
• Supporto soffitto • Ceiling bracket	01-36-37	28,22
	29-39	32,55
	02-22	36,45
	04	47,48



ART. 3515003	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36-37	3,78
	29-39	4,33
	02-04-22	5,19



ART. 3513001	FIN.	L max	
• Profilo • Profile €/mt	01-36	3,4 mt	51,48
	37		
	29-39	3-3,4 mt	55,81
	02-22	3-3,4 mt	77,44
	04	2,5 mt	83,38



- Spessore 0,75 mm
- Thickness 0,75 mm



39
• Ottone bronzo graffiato
• Scratched bronze brass



ART. 35M018


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGH
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS





• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340	400 *		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36-37	618	636	653	672	689	707	784	825	861	914	116	240
	29-39	640	660	680	700	719	740	823	868	907	967	116	244
	02-22	688	714	740	766	792	818	916	976	1.027	1.104	131	248
	04	705	732	759	786	813	840	945	1.007	1.061	1.142	131	250
• SUPPORTI LUNGH • LONG BRACKETS	01-36-37	621	639	656	675	692	711	788	830	865	919	116	241
	29-39	647	666	686	706	726	745	833	877	917	977	116	248
	02-22	691	717	743	769	795	821	920	980	1.032	1.110	131	249
	04	708	735	762	790	817	844	950	1.012	1.066	1.147	131	251
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36-37	801	837	873	908	944	980	1.113	1.195	1.266	1.374	231	263
	29-39	846	886	925	965	1.004	1.044	1.190	1.280	1.359	1.478	231	271
	02-22	939	991	1.043	1.093	1.145	1.197	1.369	1.488	1.591	1.747	255	276
	04	969	1.023	1.077	1.131	1.185	1.239	1.422	1.548	1.656	1.818	255	280
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36-37	581	599	617	635	653	670	729	770	806	859	116	
	29-39	606	626	646	666	685	705	772	817	857	916	116	
	02-22	652	678	704	730	756	782	862	922	973	1.051	131	
	04	682	709	736	763	790	817	910	973	1.027	1.108	131	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3511018			FIN.			ART. 3511022			FIN.			ART. 3511016			FIN.			ART. 3512017			FIN.			ART. 3512018			FIN.																	
• Finale Swarovski • Swarovski finial			01-36-37			208,51			• Finale porcellana bianca • White porcelain finial			01-36-37			41,31			• Tappo per doppio profilo • Endcap for double profile			01-36-37			13,30			• Supporto accorciabile • Shortenable bracket			01-36-37			46,40			• Supporto accorciabile • Shortenable bracket			01-36-37			48,02		
			29-39			210,79						29-39			43,04						29-39			14,92						29-39			49,64						29-39			52,77		
			02-04-22			211,87						02-04-22			44,13						02-04-22			18,49						02-22			54,30						02-22			56,02		
																																												






ART. 35M022

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	283	301	319	337	354	372	449	490	526	579	116	72
		29-39	305	325	344	364	384	404	488	533	572	632	116	77
		02-22	353	378	404	430	456	482	580	640	691	769	131	80
		04	369	396	423	450	477	504	609	672	726	807	131	82
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	286	304	322	340	358	376	454	495	531	584	116	74
		29-39	311	331	351	371	390	410	497	542	582	641	116	80
		02-22	356	382	408	434	459	485	585	645	697	774	131	81
		04	372	399	427	454	481	508	614	677	731	812	131	83
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	467	503	538	574	610	646	778	860	931	1.038	231	96
		29-39	510	550	590	629	669	708	855	945	1.024	1.143	231	104
		02-22	603	655	707	758	810	862	1.033	1.152	1.256	1.411	255	108
		04	633	687	741	796	850	904	1.087	1.212	1.320	1.482	255	112
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	247	265	282	300	318	336	395	436	471	525	116	
		29-39	271	290	310	330	350	370	436	482	521	581	116	
		02-22	317	343	369	394	420	446	527	586	638	715	131	
		04	346	373	400	427	454	481	575	637	691	772	131	


* 2 pezzi giuntati. 2 split with one connector.

ART. 3512049			FIN.			ART. 3512025			FIN.			ART. 3515003			FIN.			ART. 3513001			FIN.			L max		
• Supporto accorciabile doppio	01-36-37		71,48			• Supporto soffitto	01-36-37		28,22			• Anello con guarnizione	01-36-37		3,78			• Profilo	01-36		3,4 mt		51,48			
	29-39		77,97				29-39		32,55				29-39		4,33				37							
	02-22		83,50				02-22		36,45				02-04-22		5,19				29-39		3-3,4 mt		55,81			
	04		91,39				04		47,48										02-22		3-3,4 mt		77,44			
• Shortenable double bracket						• Ceiling bracket													04		2,5 mt		83,38			
																										





ART. 35M017

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	310	329	346	364	382	400	477	518	554	608	116	87
		29-39	335	356	375	395	415	435	518	563	603	663	116	92
		02-22	384	410	435	461	487	513	611	671	722	800	131	95
		04	400	427	454	481	508	535	640	703	757	838	131	97
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	314	332	349	368	385	403	482	522	559	612	116	89
		29-39	342	362	382	401	421	441	528	573	613	672	116	95
		02-22	387	413	439	465	490	516	616	676	728	805	131	96
		04	403	430	457	485	512	539	646	707	761	842	131	99
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	495	531	567	602	638	674	806	888	959	1.066	231	110
		29-39	541	581	621	660	700	740	886	976	1.054	1.173	231	119
		02-22	634	686	738	790	841	893	1.064	1.183	1.287	1.442	255	124
		04	664	718	772	826	880	934	1.117	1.243	1.351	1.513	255	128
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	274	292	310	328	346	364	422	463	499	553	116	
		29-39	302	321	341	361	381	401	467	512	552	612	116	
		02-22	348	374	400	425	451	477	558	617	669	746	131	
		04	377	404	431	458	485	512	606	668	722	803	131	

* 2 pezzi giuntati. 2 split with one connector.


COMPONENTI • COMPONENTS

ART. 3511017			FIN.			ART. 3511019			FIN.			ART. 3511016			FIN.			ART. 3512017			FIN.		
• Finale porcellana craquelé. Specificare colore craquelé: marrone, blu			01-36-37			• Finale marmo. Specificare colore marmo: nero, bianco			01-36-37			• Tappo per doppio profilo			01-36-37			• Supporto accorciabile			01-36-37		
• Craquelé porcelain finial. Colour of the porcelain to be specified when ordering: brown, light blue			29-39			• Marble finial. Colour of marble to be specified when ordering: black, white			29-39			• Endcap for double profile			29-39			• Shortenable bracket			29-39		
			02-04-22						02-04-22						02-04-22			04			04		





ART. 35M019

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	382	399	417	435	453	470	548	588	624	678	116	122
		29-39	402	422	441	462	481	501	585	629	669	729	116	125
		02-22	454	480	506	532	558	584	681	741	793	871	131	131
		04	470	497	525	552	579	607	711	773	827	908	131	133
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	385	402	421	438	456	474	553	594	629	682	116	123
		29-39	408	428	448	467	488	507	594	639	679	739	116	129
		02-22	457	483	509	535	561	587	687	746	798	876	131	132
		04	474	501	528	555	582	610	716	779	833	914	131	134
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	566	601	637	673	708	744	877	958	1.030	1.138	231	145
		29-39	608	647	687	726	766	806	952	1.041	1.122	1.240	231	152
		02-22	705	757	808	860	912	964	1.134	1.253	1.357	1.513	255	159
		04	735	790	844	898	952	1.006	1.189	1.313	1.421	1.584	255	163
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	345	363	381	399	417	434	493	534	570	623	116	
		29-39	368	388	407	427	447	467	533	579	618	678	116	
		02-22	419	444	470	496	522	548	628	688	740	817	131	
		04	448	475	502	529	556	583	676	739	793	874	131	

* 2 pezzi giuntati. 2 split with one connector.


ART. 3512018	FIN.		ART. 3512049	FIN.		ART. 3512025	FIN.		ART. 3515003	FIN.		ART. 3513001	FIN.	L max	
• Supporto accorciabile • Shortenable bracket	01-36-37	48,02	• Supporto accorciabile doppio • Shortenable double bracket	01-36-37	71,48	• Supporto soffitto • Ceiling bracket	01-36-37	28,22	• Anello con guarnizione • Ring with easy-glide insert	01-36-37	3,78	• Profilo • Profile €/mt	01-36	3,4 mt	51,48
	29-39	52,77		29-39	77,97		29-39	32,55		29-39	4,33		37		
	02-22	56,02		02-22	83,50		02-22	36,45		02-04-22	5,19		29-39	3-3,4 mt	55,81
	04	60,67		04	91,39		04	47,48					02-22	3-3,4 mt	77,44

39
• Ottone bronzo graffiato
• Scratched bronze brass



ART. 35M020


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340	400 *		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36-37	382	399	417	435	453	470	548	588	624	678	116	122
	29-39	402	422	441	462	481	501	585	629	669	729	116	125
	02-22	454	480	506	532	558	584	681	741	793	871	131	131
	04	470	497	525	552	579	607	711	773	827	908	131	133
• SUPPORTI LUNGI • LONG BRACKETS	01-36-37	385	402	421	438	456	474	553	594	629	682	116	123
	29-39	408	428	448	467	488	507	594	639	679	739	116	129
	02-22	457	483	509	535	561	587	687	746	798	876	131	132
	04	474	501	528	555	582	610	716	779	833	914	131	134
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36-37	566	601	637	673	708	744	877	958	1.030	1.138	231	145
	29-39	608	647	687	726	766	806	952	1.041	1.122	1.240	231	152
	02-22	705	757	808	860	912	964	1.134	1.253	1.357	1.513	255	159
	04	735	790	844	898	952	1.006	1.189	1.313	1.421	1.584	255	163
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36-37	345	363	381	399	417	434	493	534	570	623	116	
	29-39	368	388	407	427	447	467	533	579	618	678	116	
	02-22	419	444	470	496	522	548	628	688	740	817	131	
	04	448	475	502	529	556	583	676	739	793	874	131	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3511020	FIN.	ART. 3511021	FIN.	ART. 3511016	FIN.	ART. 3512017	FIN.	ART. 3512018	FIN.
• Finale porcellana dipinta a mano	01-36-37	• Finale porcellana stampata	01-36-37	• Tappo per doppio profilo	01-36-37	• Supporto accorciabile	01-36-37	• Supporto accorciabile	01-36-37
• Hand-painted porcelain finial	29-39	• Printed porcelain finial	29-39	• Endcap for double profile	29-39	• Shortenable bracket	29-39	• Shortenable bracket	29-39
	02-04-22		02-04-22		02-04-22		02-22		02-22
	90,52		52,99		13,30		46,40		48,02
	91,60		54,08		14,92		49,64		52,77
	94,95		56,34		18,49		54,30		56,02
							59,05		60,67

140

Finiture disponibili
Finishes available


01 • Ottone lucido verniciato • Varnished polished brass	02 • Ottone nichel nero • Black nickel brass	04 • Ottone argentato • Silver-plated brass	22 • Ottone nichel satinato • Nickel matt brass	29 • Ottone bronzato antico • Antique bronze brass	36 • Ottone satinato opaco • Matt flat brass	37 • Ottone satinato lucido • Matt bright brass
--	--	---	---	--	--	---




ART. 35M021

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	306	324	342	360	377	396	473	514	549	603	116	74
		29-39	327	347	367	386	406	426	509	555	595	654	116	88
		02-22	377	403	428	454	480	506	605	664	716	794	131	92
		04	394	421	448	475	502	529	634	696	751	832	131	94
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	309	328	345	363	381	399	478	518	555	608	116	87
		29-39	333	353	373	393	412	433	519	565	603	663	116	91
		02-22	381	407	433	459	483	509	610	669	721	798	131	93
		04	397	424	451	478	505	532	639	701	755	836	131	96
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	491	527	562	598	634	669	801	884	955	1.062	231	108
		29-39	532	572	611	651	691	730	876	967	1.046	1.165	231	115
		02-22	627	679	731	783	835	887	1.058	1.177	1.280	1.435	255	121
		04	658	712	766	820	874	928	1.111	1.236	1.344	1.507	255	124
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	270	288	306	324	341	359	418	459	495	548	116	
		29-39	293	313	332	352	372	392	458	504	543	603	116	
		02-22	341	367	393	419	445	471	551	611	662	740	131	
		04	370	398	425	452	479	506	599	661	716	797	131	


* 2 pezzi giuntati. 2 split with one connector.

ART. 3512049			FIN.		
• Supporto accorciabile doppio • Shortenable double bracket	01-36-37	71,48			
	29-39	77,97			
	02-22	83,50			
	04	91,39			
					

ART. 3512025			FIN.		
• Supporto soffitto • Ceiling bracket	01-36-37	28,22			
	29-39	32,55			
	02-22	36,45			
	04	47,48			
					

ART. 3515003			FIN.		
• Anello con guarnizione • Ring with easy-glide insert	01-36-37	3,78			
	29-39	4,33			
	02-04-22	5,19			
					

ART. 3513001			FIN.			L max	
• Profilo • Profile €/mt	01-36	3,4 mt	51,48				
	37						
	29-39	3-3,4 mt	55,81				
	02-22	3-3,4 mt	77,44				
	04	2,5 mt	83,38				
							
• Spessore 0,75 mm • Thickness 0,75 mm							



ART. 35M028

• SUPPORTI LUNGI
• LONG BRACKETS







• SUPPORTI DOPPI
• DOUBLE BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36		360	377	395	413	431	449	577	618	654	707	116	110
	39	401	421	441	461	481	501	643	688	727	787	116	125
01-36		530	566	601	637	673	708	885	967	1.039	1.146	231	128
	39	602	642	681	721	761	800	1.002	1.093	1.172	1.291	231	150

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS									
ART. 3511027		ART. 3511016		ART. 3512027		ART. 3512028		ART. 3515003	
FIN.		FIN.		FIN.		FIN.		FIN.	
01-36	28,44	01-36	13,30	01-36	97,55	01-36	116,48	01-36	3,78
39	33,10	39	14,92	39	107,93	39	133,89	39	4,33
- Finale - Finial 		- Tappo per doppio profilo - Endcap for double profile 		- Supporto fisso cesellato a mano - Fix hand-chiselled bracket 		- Supporto fisso doppio cesellato a mano - Double fix hand-chiselled bracket 		- Anello con guarnizione - Ring with easy-glide insert 	
								- Profilo - Profile €/mt 	
								- Spessore 0,75 mm - Thickness 0,75 mm	

Finiture disponibili
Finishes available



01
• Ottone lucido
verniciato
• Varnished
polished brass


















36
• Ottone satinato
opaco
• Matt flat
brass




39
• Ottone bronzo
graffiato
• Scratched bronze
brass

Ø 35 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
	3511026	01	28,44
	• Finale • Finial		
	3511028	01	26,60
	• Finale • Finial		
	3511029	01	27,90
	• Finale • Finial		
	3511030	01	28,23
	• Finale • Finial		
	3511033	01	85,01
	• Finale • Finial		
	3512032	01-36-37 39 02-22 04	97,34 105,45 111,72 117,23
	• Supporto accorciabile multiangolo • Adjustable universal corner bracket		
	3512033	01 02-22 04	63,16 75,81 82,19
	• Supporto accorciabile con placca • Shortenable bracket with plate		
	3512040	01 02 04	60,67 72,68 80,57
	• Supporto accorciabile • Shortenable bracket		
	3512036	01-36-37 39 02-22 04	36,66 47,48 49,21 54,08
	• Supporto accorciabile • Shortenable bracket		

	ART.	Finiture Finishes	
	3512037	01-36-37 39 02-22 04	38,07 48,56 51,05 55,81
	• Supporto accorciabile • Shortenable bracket		
	3512044	01 02-22 04	36,45 46,50 51,37
	• Supporto accorciabile • Shortenable bracket		
	3512045	01 02-22 04	37,85 48,13 52,99
	• Supporto accorciabile • Shortenable bracket		
	3512026	01	29,85
	• Supporto fisso • Fix bracket		
	3512025	01-36-37 39 02-22 04	28,23 32,55 36,45 47,48
	• Supporto fisso • Fix bracket		
	3512035	01	93,98
	• Angolare accorciabile • 90° shortenable elbow		
	3512034	01 02 04	59,59 67,70 73,22
	• Supporto accorciabile con placca • Shortenable bracket with plate		
	3512041	01 02 04	53,21 66,30 71,05
	• Supporto accorciabile • Shortenable bracket		
	3512009	01 02 04	39,47 51,05 55,81
	• Supporto accorciabile • Shortenable bracket		






Ø 35 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
 250 60	3512010	01	45,53
		02	52,56
		04	57,43
		• Supporto accorciabile • Shortenable bracket	
 175 55	3512042	01	33,96
		02	46,18
		04	50,94
		• Supporto accorciabile • Shortenable bracket	
 245 55	3512043	01	35,37
		02	47,80
		04	52,56
		• Supporto accorciabile • Shortenable bracket	
 175 55	3512006	01	31,47
		02	43,37
		04	48,13
		• Supporto accorciabile • Shortenable bracket	
 245 55	3512007	01	32,88
		02	45,10
		04	49,75
		• Supporto accorciabile • Shortenable bracket	
 235 110 75	3512046	01	84,25
		02	103,72
		04	115,83
		• Supporto accorciabile • Shortenable bracket	
 235 110 75	3512047	01	77,87
		02	98,20
		04	110,31
		• Supporto accorciabile doppio • Shortenable double bracket	
 180 100 60	3512048	01-36-37	68,46
		39	76,25
		02-22	80,25
		04	88,25
		• Supporto accorciabile doppio • Shortenable double bracket	
 250 100 60	3512049	01-36-37	71,49
		39	77,98
		02-22	83,49
		04	91,39
		• Supporto accorciabile doppio • Shortenable double bracket	

	ART.	Finiture Finishes	
 180 100 60	3512050	01	62,08
		02	73,97
		04	81,87
		• Supporto accorciabile doppio • Shortenable double bracket	
 250 100 60	3512051	01	65,11
		02	77,22
		04	85,01
		• Supporto accorciabile doppio • Shortenable double bracket	
 170 90 60	3512052	01-36-37	58,73
		39	66,40
		02-22	70,73
		04	78,63
		• Supporto accorciabile doppio • Shortenable double bracket	
 240 90 60	3512053	01-36-37	62,08
		39	69,54
		02-22	73,97
		04	81,87
		• Supporto accorciabile doppio • Shortenable double bracket	
 170 90 60	3512054	01	54,83
		02	66,84
		04	74,73
		• Supporto accorciabile doppio • Shortenable double bracket	
 240 90 60	3512055	01	59,59
		02	71,49
		04	79,49
		• Supporto accorciabile doppio • Shortenable double bracket	
 85 50	3518210	01	28,77
		• Attacco per doppio bastone per angolare • Double profile corner connector	
 30 65	3516002	01-36-37	14,38
		39	15,47
		02-22	16,55
		04	17,74
		• Rosetta a muro con supporto aperto in plastica • Mount socket with open plastic insert	
 30 40	3516001	01-36-37	14,92
		39	16,01
		02-22	18,82
		04	20,98
		• Rosetta a muro aperta • Open mount socket	

39
• Ottone bronzo
graffiato
• Scratched bronze
brass

	ART.	Finiture Finishes	
	2018200	01	6,92
		02	9,19
		04	10,82
		• Attacco per binario in alluminio • Connector for aluminium track	
	1518200	01-36-37	6,60
		39	6,92
		02-22	7,79
		04	8,87
		• Attacco per binario in alluminio • Connector for aluminium track	
	3514010	01-36-37	L max 3,4 mt 92,36
		29-39	L max 3-3,4 mt 95,82
		02-22	L max 3-3,4 mt 114,42
		04	L max 2,5 mt 122,32
		• Profilo con binario €/mt • Profile with track €/mt	
	3518102	01-36-37	25,31
		39	27,47
		02-22	30,93
		04	30,93
		• Coppia incrocio • Double overlap	
	3518101	01-36-37	25,31
		39	27,47
		22	30,93
		• Coppia incrocio • Double overlap	
	3518002	14,38	
		• Giunzione • Connector	
	3518001	4,43	
		• Giunzione plastica per profilo con binario • Plastic connector for profile with track	

SCORRITENDA A CORDE CON ANELLI TONDI

PULL CORDED SYSTEM WITH ROUND RINGS


Accessori inclusi

- Profilo
- Anelli ogni 0,1 mt
- Fiocco
- Incrocio

Accessories included

- Profile
- Rings every 0,1 mt
- Overlap
- Cord weight

	Larghezza cm - Width cm						
	160	180	200	220	250	300	340
ART.	3514003	3514004	3514005	3514006	3514007	3514008	3514009
Finiture Finishes							
01-36-37	260	278	295	314	344	385	421
39	275	294	315	334	368	413	453
02-22	319	345	371	397	441	501	553
04	333	360	387	414	469		



SCORRITENDA A CORDE CON ANELLI PIATTI

PULL CORDED SYSTEM WITH FLAT RINGS

Accessori inclusi

- Profilo
- Anelli ogni 0,1 mt
- Fiocco
- Incrocio

Accessories included

- Profile
- Rings every 0,1 mt
- Overlap
- Cord weight

	Larghezza cm - Width cm						
	160	180	200	220	250	300	340
ART.	3514013	3514014	3514015	3514016	3514017	3514018	3514019
Finiture Finishes							
01-36-37	260	278	295	314	344	385	421
39	275	294	315	334	368	413	453
22	319	345	371	397	441	501	553



Finiture disponibili
Finishes available




- 01 • Ottone lucido verniciato
• Varnished polished brass



- 02 • Ottone nichel nero
• Black nickel brass



- 04 • Ottone argentato
• Silver-plated brass



- 22 • Ottone nichel satinato
• Nickel matt brass



- 29 • Ottone bronzato anticato
• Antique bronze brass



- 36 • Ottone satinato opaco
• Matt flat brass




- 37 • Ottone satinato lucido
• Matt bright brass



- 39 • Ottone bronzo graffiato
• Scratched bronze brass

[Ø 35 RIGATO]





Scaglioni


Ø 35 RIGATO

**ART. 36M032**[illegible]

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3611032	FIN.		ART. 3611025	FIN.		ART. 3511016	FIN.		ART. 3612025	FIN.		ART. 3612024	FIN.	
• Finale	01-36	85,01	• Finale	01-36	22,71	• Tappo per doppio profilo	01-36	13,30	• Supporto accorciabile	01-36	60,67	• Supporto accorciabile	01-36	84,14
• Finial	39	88,25	• Finial	02-39	26,50	• Endcap for double profile	39	14,92	• Shortenable bracket	39	65,54	• Shortenable doppio	39	98,20
				04	29,85		02-04	18,49		02	72,68	• Shortenable double bracket	02	103,72
										04	80,58		04	115,83
														




ART. 36M025

Ø 35 RIGATO


		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		01-36	280	300	318	336	356	374	467	510	548	605	111	69
		39	308	329	349	370	390	411	512	558	599	661	117	77
		02	356	382	408	434	460	487	603	663	716	794	144	82
		04	385	413	440	467	494	522	649	712	767	848	145	93
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	467	505	542	580	618	655	804	890	966	1.078	223	91
		39	527	568	609	650	691	732	900	994	1.076	1.199	233	108
		02	611	664	716	768	821	873	1.065	1.185	1.290	1.447	288	116
		04	656	712	766	821	875	930	1.138	1.264	1.374	1.538	292	129
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	215	234	253	272	291	309	370	413	451	507	111	
		39	242	262	283	304	324	345	412	459	501	562	117	
		02	283	309	335	362	388	414	495	555	607	685	144	
		04	319	346	374	401	428	456	549	612	667	749	145	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3512025	FIN.	
• Supporto soffitto • Ceiling bracket	01-36	28,22
	39	32,55
	02	36,45
	04	47,48



ART. 3615004	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36	3,78
	39	4,33
	02-04	5,19



ART. 3613001	FIN.	L max	
• Profilo • Profile €/mt	01-36	3,4 mt	56,34
	39	3,4 mt	59,48
	02	3 mt	78,73
	04	2,5 mt	84,68



- Spessore 1 mm
- Thickness 1 mm




ART. 36M018

• SUPPORTI LUNGH
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS




		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture Finishes												Aumentare - Rise	Togliere - Deduct
• SUPPORTI LUNGH • LONG BRACKETS	01-36	652	671	690	708	727	746	839	882	920	977	111	255
	39	676	696	717	738	758	779	880	927	968	1.030	117	261
	02	727	753	779	805	831	857	974	1.034	1.087	1.165	144	268
	04	749	777	804	832	859	886	1.012	1.076	1.130	1.212	145	275
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36	838	876	914	952	990	1.027	1.176	1.262	1.337	1.450	223	277
	39	894	936	977	1.018	1.059	1.100	1.269	1.363	1.445	1.568	233	293
	02	982	1.035	1.087	1.139	1.191	1.244	1.436	1.556	1.661	1.818	288	301
	04	1.021	1.075	1.130	1.184	1.239	1.293	1.502	1.629	1.738	1.901	290	310
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36	587	606	625	643	662	681	741	785	822	879	111	
	39	611	631	652	672	693	713	781	828	869	931	117	
	02	654	680	706	732	758	785	865	925	978	1.056	144	
	04	683	710	738	765	792	820	913	976	1.031	1.113	145	


* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS


ART. 3611018	FIN.	
• Finale Swarovski	01-36	208,51
• Swarovski finial	39	210,79
	02-04	211,87




ART. 3611023	FIN.	
• Finale vetro. Specificare colore vetro: rosa, azzurro	01-36	57,42
• Glass finial. Glass colour to be specified when ordering: pink, light blue	39	58,51
	02-04	60,67



ART. 3511016	FIN.	
• Tappo per doppio profilo	01-36	13,30
• Endcap for double profile	39	14,92
	02-04	18,49



ART. 3612025	FIN.	
• Supporto accorciabile	01-36	60,67
• Shortenable bracket	39	65,54
	02	72,68
	04	80,58



01
• Ottone lucido
verniciato
• Varnished
polished brass



02
• Ottone nichel
nero
• Black nickel
brass




04
• Ottone
argentato
• Silver-plated
brass



36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 36M023

Ø 35 RIGATO

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
		Anelli Rings	12	14	16	18	20	22	26	30	34			40
		Supporti Brackets	2	2	2	2	2	2	3	3	3			3
Finiture Finishes												Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		01-36	349	369	387	407	425	444	536	580	618	674	111	104
		39	372	393	413	434	454	475	575	622	663	725	117	108
		02	424	450	476	503	529	555	672	732	784	862	144	117
		04	447	475	502	529	556	584	711	773	828	910	145	123
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	536	574	612	649	687	725	873	959	1.035	1.147	223	127
		39	590	632	673	714	755	796	965	1.059	1.141	1.264	233	141
		02	680	732	784	837	889	941	1.133	1.253	1.358	1.515	288	149
		04	718	773	827	882	937	992	1.199	1.326	1.435	1.600	290	159
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	285	304	322	341	360	379	439	482	520	577	111	
		39	306	327	347	368	388	409	476	524	565	626	117	
		02	351	378	404	430	456	482	563	623	675	754	144	
		04	381	408	435	463	490	517	611	674	729	811	145	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3612024	FIN.	
• Supporto accorciabile doppio	01-36	84,14
	39	98,20
	02	103,72
	04	115,83
• Shortenable double bracket		




ART. 3512025	FIN.	
• Supporto soffitto	01-36	28,22
	39	32,55
	02	36,45
	04	47,48
• Ceiling bracket		



ART. 3615004	FIN.	
• Anello con guarnizione	01-36	3,78
	39	4,33
	02-04	5,19
• Ring with easy-glide insert		



ART. 3613001	FIN.	L max	
• Profilo	01-36	3,4 mt	56,34
	39	3,4 mt	59,48
	02	3 mt	78,73
	04	2,5 mt	84,68
• Profile €/mt			








ART. 36M019

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI LUNGI • LONG BRACKETS		01-36	416	435	453	473	491	510	602	646	741	111	136
		39	438	459	479	500	520	541	641	689	792	117	142
		02	492	519	545	571	597	623	740	800	852	144	151
		04	516	543	570	597	625	652	779	841	897	145	158
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	602	640	678	716	753	791	939	1.025	1.101	223	159
		39	656	698	739	780	821	862	1.031	1.125	1.207	233	174
		02	748	800	853	905	957	1.010	1.203	1.323	1.426	288	184
		04	787	841	897	951	1.006	1.060	1.269	1.394	1.503	290	194
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	351	370	389	407	426	445	505	549	586	111	
		39	372	393	413	434	454	475	543	590	631	117	
		02	420	446	472	498	525	551	632	692	744	144	
		04	449	477	504	531	559	586	679	743	797	145	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3611019	FIN.		ART. 3611017	FIN.		ART. 3511016	FIN.		ART. 3612025	FIN.	
- Finale marmo. Specificare colore marmo: nero, bianco - Marble finial. Colour of marble to be specified when ordering: black, white 	01-36	90,52	- Finale porcellana craquelé. Specificare colore craquelé: marrone, blu - Craquelé porcelain finial. Colour of the porcelain to be specified when ordering: brown, light blue 	01-36	55,16	- Tappo per doppio profilo - Endcap for double profile 	01-36	13,30	- Supporto accorciabile - Shortenable bracket 	01-36	60,67
	39	91,60		39	58,51		39	14,92		39	65,54
	02-04	94,95		02-04	59,59		02-04	18,49		02	72,68
									04	80,58	



01
• Ottone lucido verniciato
• Varnished polished brass



02
• Ottone nichel nero
• Black nickel brass




04
• Ottone argentato
• Silver-plated brass



36
• Ottone satinato opaco
• Matt flat brass



39
• Ottone bronzo graffiato
• Scratched bronze brass




ART. 36M017

Ø 35 RIGATO

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI LUNGI • LONG BRACKETS	01-36	345	364	383	401	421	439	532	575	613	669	111	102
	39	372	393	413	434	454	475	575	622	663	725	117	108
	02	422	448	474	501	527	553	669	730	782	860	144	116
	04	444	473	500	527	554	582	708	771	826	907	145	122
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36	532	570	607	645	682	720	868	955	1.031	1.143	223	123
	39	590	632	673	714	755	796	965	1.059	1.141	1.264	233	141
	02	678	730	782	835	887	939	1.131	1.251	1.356	1.513	288	148
	04	716	771	825	880	934	990	1.197	1.324	1.433	1.597	290	158
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36	280	299	318	337	356	374	435	478	516	572	111	
	39	306	327	347	368	388	409	476	524	565	626	117	
	02	349	375	402	428	454	480	561	621	673	752	144	
	04	379	406	433	460	488	515	609	672	726	808	145	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3612024	FIN.	
• Supporto accorciabile doppio	01-36	84,14
	39	98,20
	02	103,72
	04	115,83
• Shortenable double bracket		



ART. 3512025	FIN.	
• Supporto soffitto	01-36	28,22
	39	32,55
	02	36,45
	04	47,48
• Ceiling bracket		




ART. 3615004	FIN.	
• Anello con guarnizione	01-36	3,78
	39	4,33
	02-04	5,19
• Ring with easy-glide insert		




ART. 3613001	FIN.	L max	
• Profilo	01-36	3,4 mt	56,34
	39	3,4 mt	59,48
	02	3 mt	78,73
	04	2,5 mt	84,68
• Profile €/mt			



- Spessore 1 mm
- Thickness 1 mm

**ART. 36M020**

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		01-36	416	435	453	473	491	510	602	646	684	741	111	136
		39	438	459	479	500	520	541	641	689	730	792	117	142
		02	492	519	545	571	597	623	740	800	852	931	144	151
		04	516	543	570	597	625	652	779	841	897	979	145	158
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	602	640	678	716	753	791	939	1.025	1.101	1.215	223	159
		39	656	698	739	780	821	862	1.031	1.125	1.207	1.330	233	174
		02	748	800	853	905	957	1.010	1.203	1.323	1.426	1.583	288	184
		04	787	841	897	951	1.006	1.060	1.269	1.394	1.503	1.668	292	194
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	351	370	389	407	426	445	505	549	586	643	111	
		39	372	393	413	434	454	475	543	590	631	692	117	
		02	420	446	472	498	525	551	632	692	744	822	144	
		04	449	477	504	531	559	586	679	743	797	879	145	

* 2 pezzi giuntati. 2 split with one connector.


COMPONENTI • COMPONENTS

ART. 3611020	FIN.		ART. 3611021	FIN.		ART. 3511016	FIN.		ART. 3612025	FIN.		ART. 3612024	FIN.	
• Finale porcellana dipinta a mano	01-36	90,52	• Finale porcellana stampata	01-36	52,99	• Tappo per doppio profilo	01-36	13,30	• Supporto accorciabile	01-36	60,67	• Supporto accorciabile	01-36	84,14
	39	91,60		39	54,08		39	14,92		39	65,54		39	98,20
• Hand-painted porcelain finial	02-04	94,95	• Printed porcelain finial	02-04	56,34	• Endcap for double profile	02-04	18,49	• Shortenable bracket	02	72,68	• Shortenable double bracket	02	103,72
										04	80,58		04	115,83
														




ART. 36M021

Ø 35 RIGATO


		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		01-36	341	360	379	397	416	435	528	571	609	665	111	99
		39	363	384	404	425	446	466	567	613	654	716	117	104
		02	415	441	467	494	520	546	663	724	775	853	144	112
		04	438	466	493	520	547	575	702	765	820	901	145	120
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	528	566	602	640	678	716	864	951	1.026	1.139	223	121
		39	582	623	664	705	746	787	955	1.049	1.131	1.255	233	136
		02	672	724	775	828	880	932	1.125	1.245	1.350	1.507	288	145
		04	709	765	819	874	928	983	1.191	1.317	1.426	1.591	292	155
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	276	295	314	332	351	370	430	474	511	568	111	
		39	297	318	338	359	379	400	468	515	556	617	117	
		02	343	369	395	421	447	473	554	614	667	745	144	
		04	372	399	427	454	481	509	602	665	720	802	145	

* 2 pezzi giuntati. 2 split with one connector.


ART. 3512025	FIN.	
• Supporto soffitto • Ceiling bracket	01-36	28,22
	39	32,55
	02	36,45
	04	47,48



ART. 3615004	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36	3,78
	39	4,33
	02-04	5,19







ART. 3613001	FIN.	L max	
• Profilo • Profile €/mt	01-36	3,4 mt	56,34
	39	3,4 mt	59,48
	02	3 mt	78,73
	04	2,5 mt	84,68



- Spessore 1 mm
- Thickness 1 mm

Ø 35 RIGATO ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
 105 70	3611022	01-36	41,31
		39	41,96
		02	44,13
		04	44,13
• Finale porcellana bianca • White porcelain finial			
 240 300	3512027	01-36	97,55
		39	107,93
• Mensola fissa cesellata a mano • Fix hand-chiselled bracket			
 140 100 300	3512028	01-36	115,83
		39	133,89
• Mensola fissa doppia cesellata a mano • Double fix hand-chiselled bracket			
 30 65	3516002	01-36	14,38
		39	15,47
		02	16,55
		04	17,74
• Rosetta a muro con supporto aperto in plastica • Mount socket with open plastic insert			
	3614010	01-36	L max 3,4 mt 94,96
		39	L max 3,4 mt 100,00
		02	L max 3 mt 132,38
		04	L max 2,5 mt 132,38
• Profilo rigato con binario €/mt • Grooved profile with track €/mt			
 100 100	3618104	01-36	25,31
		39	27,47
		02	30,93
		04	30,93
• Coppia incrocio • Double overlap			
 100	3518001		4,43
	• Giunzione plastica per profilo con binario • Plastic connector for profile with track		
 90	3618002		14,06
	• Giunzione per profilo rigato • Connector for grooved profile		

SCORRITENDA A CORDE CON ANELLI

PULL CORDED SYSTEM WITH RINGS


Accessori inclusi

- Profilo rigato
- Anelli ogni 0,1 mt
- Fiocco
- Incrocio

Accessories included

- Grooved brass profile
- Rings every 0,1 mt
- Cord weight
- Overlap

	Larghezza cm - Width cm						
	160	180	200	220	250	300	340
ART.	3614003	3614004	3614005	3614006	3614007	3614008	3614009
Finiture Finishes							
01-36	263	281	301	319	351	395	433
39	282	303	323	344	380	426	467
02	354	380	406	433	477	536	
04	364	392	419	447	493		



01
• Ottone lucido
verniciato
• Varnished
polished brass



02
• Ottone nichel
nero
• Black nickel
brass



04
• Ottone
argentato
• Silver-plated
brass




36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass


[Ø 30]



Scaglioni



ART. 30M001

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	221	236	251	266	281	296	356	390	421	465	122	50
		39	239	255	273	290	306	323	388	426	460	510	128	53
		20-22	270	292	313	333	355	375	448	496	539	601	137	53
• SUPPORTI LUNGI • LONG BRACKETS		01-36	238	253	268	283	298	314	381	415	446	491	122	58
		39	256	273	290	306	323	340	413	452	486	535	128	61
		20-22	288	309	330	350	372	393	474	522	565	627	137	62
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	360	390	421	451	480	510	608	677	736	827	244	59
		39	390	424	457	491	525	559	664	740	808	908	255	62
		20-22	454	496	539	581	623	665	785	881	966	1.092	275	63
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	206	221	236	251	266	281	332	367	397	442	122	
		39	222	239	256	273	290	307	363	402	435	486	128	
		20-22	259	280	301	322	343	364	430	479	521	584	137	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3011001	FIN.		ART. 3011009	FIN.		ART. 3011016	FIN.		ART. 3012001	FIN.		ART. 3012002	FIN.	
• Finale	01-36	31,58	• Finale	01-36	29,42	• Tappo per doppio profilo	01-36	12,65	• Supporto	01-36	33,53	• Supporto	01-36	42,07
• Finial	39	32,99	• Finial	39	30,83	• Endcap for double profile	39	14,06	• Wall bracket	39	35,58	• Wall bracket	39	44,12
	20-22	35,04		20-22	32,88		20-22	16,98		20-22	36,88		20-22	45,53



01
• Ottone lucido
verniciato
• Varnished
polished brass




20
• Ottone cromato
• Chromed brass




22
• Ottone nichel
satinato
• Nickel matt
brass



36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass



ART. 30M009

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	216	231	247	262	277	292	351	386	416	461	122	48
		39	235	251	268	286	302	319	384	422	455	506	128	51
		20-22	266	288	308	329	350	371	443	492	534	597	137	51
• SUPPORTI LUNGI • LONG BRACKETS		01-36	234	249	264	279	294	309	376	411	441	487	122	56
		39	252	268	286	302	319	335	409	448	481	531	128	58
		20-22	283	305	326	346	368	388	469	518	560	623	137	59
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	356	386	416	447	476	506	603	673	732	823	244	57
		39	386	420	453	487	520	555	660	735	804	904	255	59
		20-22	450	492	534	576	619	661	781	877	961	1.088	275	61
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	201	216	231	246	261	277	328	362	393	438	122	
		39	218	235	252	269	286	302	359	397	431	482	128	
		20-22	254	275	296	317	338	359	426	474	517	580	137	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3012003	FIN.		ART. 3012025	FIN.		ART. 3015001	FIN.		ART. 3013001	FIN.	L max	
• Supporto doppio • Double wall bracket	01-36	45,32	• Supporto soffitto • Ceiling bracket	01-36	25,74	• Anello con guarnizione • Ring with easy-glide insert	01-36	3,14	• Profilo • Profile €/mt	01-36	3,4 mt	43,91
	39	46,72		39	27,36		39	3,90		39	3,4 mt	45,32
	20-22	48,77		20-22	30,93		20-22	4,22		20-22	3-3,4 mt	62,95
											• Spessore 0,75 mm • Thickness 0,75 mm	



ART. 30M038

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	208	223	238	253	267	282	336	371	401	447	122	43
		39	234	251	267	284	301	318	380	417	451	502	128	50
		20-22	270	292	313	333	355	375	447	495	538	600	137	53
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	211	226	241	256	270	286	342	376	406	451	122	45
		39	238	255	271	289	305	322	386	424	457	508	128	52
		20-22	273	294	315	335	357	377	450	499	541	603	137	54
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	353	383	413	442	473	503	597	666	727	817	244	56
		39	398	432	465	499	532	567	674	751	819	919	255	66
		20-22	468	510	553	594	636	678	804	901	984	1.111	275	70
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	203	218	233	248	263	278	329	364	394	439	122	
		39	224	241	258	275	292	308	365	403	437	488	128	
		20-22	262	283	304	325	346	367	433	482	524	587	137	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3011038	FIN.	ART. 3011039	FIN.	ART. 3011016	FIN.	ART. 3012013	FIN.
• Finale	01-36-37	• Finale. Specificare colore legno:	01-36-37	• Tappo per	01-36-37	• Supporto	01-36-37
• Finial	39	faggio, ciliegio, noce, padouk	39	doppio profilo	39	• Wall bracket	39
	20-22	• Finial. Wood's colour to be specified	20-22	• Endcap for	20-22		20-22
		when ordering: beech, cherry, walnut,		double profile			
		padouk					

160


Finiture disponibili
Finishes available



01
• Ottone lucido
verniciato
• Varnished
polished brass



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel
satinato
• Nickel matt
brass



36
• Ottone satinato
opaco
• Matt flat
brass



37
• Ottone satinato
lucido
• Matt bright
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass



ART. 30M039


• SUPPORTI CORTI
• SHORT BRACKETS




• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36-37		198	213	228	243	258	274	327	361	392	437	122	39
	39	218	235	252	268	286	302	363	402	436	486	128	42
	20-22	252	273	294	315	335	357	428	476	518	582	137	43
01-36-37		201	216	231	247	262	277	332	367	397	441	122	40
	39	222	239	256	273	290	306	370	408	441	492	128	44
	20-22	254	275	296	317	337	359	432	479	521	585	137	44
01-36-37		343	373	403	434	463	493	587	656	717	807	244	51
	39	382	415	450	483	517	550	659	735	802	903	255	57
	20-22	449	491	533	575	618	660	785	881	966	1.092	275	61
01-36-37		193	208	223	238	253	268	319	354	384	429	122	
	39	208	225	242	259	276	292	349	387	421	472	128	
	20-22	243	264	285	306	327	348	414	463	505	568	137	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3012014	FIN.		ART. 3012016	FIN.		ART. 3012025	FIN.		ART. 3015001	FIN.		ART. 3013001	FIN.		L max	
• Supporto	01-36-37	29,74	• Supporto	01-36-37	42,83	• Supporto	01-36-37	25,74	• Anello con	01-36-37	3,14	• Profilo	01-36	3,4 mt	43,91	
• Wall bracket	39	34,28	• Supporto	39	49,64	• soffitto	39	27,36	• guarnizione	39	3,90	• Profile	37			
	20-22	36,45	• Double wall	20-22	54,08	• Ceiling	20-22	30,93	• Ring with	20-22	4,22	€/mt	39	3,4 mt	45,32	
			• bracket						• easy-glide insert				20-22	3-3,4 mt	62,95	
												• Spessore 0,75 mm • Tickness 0,75 mm				

60
• Faggio colore naturale
• Beech wood

62
• Ciliegio naturale
• Cherry wood

63
• Noce naturale
• Walnut

64
• Padouk naturale
• Padouk



ART. 30M027

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36-37	234	249	264	278	293	308	377	411	441	486	122	57
	39	264	280	296	313	329	345	423	460	492	541	128	67
	22	304	324	345	366	386	408	494	543	584	647	137	70
• SUPPORTI LUNGI • LONG BRACKETS	01-36-37	238	252	267	282	296	311	383	416	447	491	122	59
	39	269	286	302	318	334	350	430	467	500	548	128	70
	22	310	331	351	372	393	414	504	553	594	656	137	74
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36-37	389	420	449	479	508	539	653	721	781	870	244	76
	39	437	469	502	534	567	599	728	801	866	964	255	89
	22	535	576	619	660	701	743	902	997	1.080	1.206	275	105
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36-37	198	213	227	242	257	272	323	357	387	431	122	
	39	220	237	253	269	285	301	357	394	426	475	128	
	22	261	282	303	324	345	365	432	480	521	584	137	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3011027	FIN.	ART. 3011047	FIN.	ART. 3011016	FIN.	ART. 3012017	FIN.	ART. 3012018	FIN.
• Finale	01-36-37	• Finale	01-36-37	• Tappo per doppio profilo	01-36-37	• Supporto accorciabile	01-36-37	• Supporto accorciabile	01-36-37
• Finial	39	• Finial	39	• Endcap for double profile	39	• Shortenable bracket	39	• Shortenable bracket	39
	22		02-22		02-22		02-22		02-22
	28,44		21,85		12,65		43,69		45,53
	33,96		24,01		14,06		49,32		51,91
	37,10		25,10		16,98		51,91		55,16



01
• Ottone lucido
verniciato
• Varnished
polished brass



02
• Ottone nichel
nero
• Black nickel
brass




22
• Ottone nichel
satinato
• Nickel matt
brass




36
• Ottone satinato
opaco
• Matt flat
brass




37
• Ottone satinato
lucido
• Matt bright
brass





39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 30M047

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
		Anelli Rings	Supporti Brackets											
		Finiture Finishes										Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	221	236	250	265	280	295	363	398	427	472	122	51
		39	244	261	277	293	309	326	402	439	472	520	128	57
		02-22	279	301	321	342	362	384	470	518	560	623	137	58
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	224	239	254	269	283	298	369	403	433	478	122	52
		39	250	266	282	298	315	331	410	448	480	528	128	60
		02-22	286	307	328	348	369	390	480	528	570	633	137	62
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	376	407	436	465	495	525	640	708	768	857	244	70
		39	416	449	481	514	546	579	707	781	846	943	255	79
		02-22	510	553	594	636	677	719	878	973	1.057	1.182	275	93
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	185	199	214	229	244	259	310	344	373	418	122	
		39	200	217	233	249	265	281	337	374	406	455	128	
		02-22	237	258	279	300	321	341	408	456	497	560	137	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3012049	FIN.	ART. 3012025	FIN.	ART. 3015002	FIN.	ART. 3013001	FIN.	L max	
• Supporto accorciabile doppio	01-36-37 64,46	• Supporto soffitto	01-36-37 25,74	• Anello con guarnizione	01-36-37 3,02	• Profilo	01-36-37 3,4 mt	43,91	
• Shortenable double bracket	39 72,89	• Ceiling bracket	39 27,36	• Ring with easy-glide insert	39 3,57	• Profile €/mt	39 3,4 mt	45,32	
	02-22 88,25		02-22 30,93		02-22 4,11		02-22 3-3,4 mt	62,95	
									
						• Spessore 0,75 mm			
						• Tickness 0,75 mm			



ART. 30M034


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGH
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS








• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36-37	218	234	249	263	278	293	362	396	426	470	122	50
	39	241	257	274	290	306	322	399	436	468	517	128	55
	02-22	278	298	319	340	360	382	468	517	558	621	137	57
• SUPPORTI LUNGH • LONG BRACKETS	01-36-37	223	237	252	267	281	296	368	401	432	476	122	52
	39	247	263	279	295	311	328	407	444	477	525	128	58
	02-22	284	305	326	346	367	388	478	527	568	631	137	61
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36-37	374	404	434	464	493	523	638	706	766	854	244	68
	39	413	446	478	510	543	575	704	778	842	940	255	77
	02-22	509	550	593	634	675	717	876	971	1.054	1.180	275	92
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36-37	183	197	212	227	242	257	308	342	371	416	122	
	39	197	213	230	246	262	278	333	370	403	451	128	
	02-22	235	256	277	298	319	340	406	454	495	558	137	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3011034			FIN.			ART. 3011046			FIN.			ART. 3011016			FIN.			ART. 3012017			FIN.			ART. 3012018			FIN.																	
• Finale			01-36-37			20,87			• Finale			01-36-37			25,10			• Tappo per doppio profilo			01-36-37			12,65			• Supporto accorciabile			01-36-37			43,69			• Supporto accorciabile			01-36-37			45,53		
• Finial			39			22,39			• Finial			39			27,57			• Endcap for double profile			39			14,06			• Shortenable bracket			39			49,32			• Shortenable bracket			39			51,91		
			02-22			24,12						02-22			29,63						02-22			16,98						02-22			51,91						02-22			55,16		
																																												



01
• Ottone lucido
verniciato
• Varnished
polished brass



02
• Ottone nichel
nero
• Black nickel
brass



22
• Ottone nichel
satinato
• Nickel matt
brass




36
• Ottone satinato
opaco
• Matt flat
brass



37
• Ottone satinato
lucido
• Matt bright
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 30M046


		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	227	242	256	271	287	302	370	404	434	478	122	54
		39	252	268	284	301	316	332	410	447	479	528	128	61
		02-22	289	309	330	350	372	393	480	528	569	632	137	63
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	230	246	261	276	290	305	375	410	439	485	122	55
		39	256	273	289	305	321	337	417	454	487	535	128	64
		02-22	295	316	336	357	379	399	490	538	579	641	137	66
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	383	413	442	472	502	531	647	715	774	863	244	72
		39	424	456	489	521	554	586	715	788	853	951	255	82
		02-22	520	561	603	645	687	728	887	983	1.066	1.191	275	97
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	191	206	221	236	250	265	316	350	380	424	122	
		39	208	224	240	256	272	289	344	381	413	462	128	
		02-22	246	267	288	309	330	351	417	465	506	569	137	

* 2 pezzi giuntati. 2 split with one connector.


ART. 3012049	FIN.	
• Supporto accorciabile doppio	01-36-37	64,46
	39	72,89
	02-22	88,25
• Shortenable double bracket		



ART. 3012025	FIN.	
• Supporto soffitto	01-36-37	25,74
	39	27,36
	02-22	30,93
• Ceiling bracket		




ART. 3015002	FIN.	
• Anello con guarnizione	01-36-37	3,02
	39	3,57
	02-22	4,11
• Ring with easy-glide insert		





ART. 3013001	FIN.	L max	
• Profilo	01-36-37	3,4 mt	43,91
	39	3,4 mt	45,32
	02-22	3-3,4 mt	62,95
• Profile €/mt			



- Spessore 0,75 mm
- Thickness 0,75 mm







ART. 30M023

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	292	307	321	336	351	366	435	469	499	543	122	87
		39	311	328	344	360	376	393	469	506	539	587	128	91
		02-22	350	371	393	413	434	454	542	589	632	693	137	94
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	295	310	326	340	355	370	440	475	504	548	122	88
		39	317	333	349	366	381	397	477	514	546	595	128	93
		02-22	357	377	399	420	440	461	552	599	641	703	137	97
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	448	477	507	536	567	596	711	779	838	928	244	105
		39	483	516	548	581	613	646	774	848	913	1.010	255	112
		02-22	582	624	665	707	748	791	948	1.045	1.128	1.252	275	129
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	256	271	285	300	315	330	381	415	445	489	122	
		39	267	283	300	316	332	348	404	440	473	521	128	
		02-22	309	329	350	371	392	413	479	527	568	631	137	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3011023			ART. 3011035			ART. 3011016			ART. 3012017		
FIN.			FIN.			FIN.			FIN.		
• Finale vetro. Specificare colore vetro: rosa, azzurro			• Finale			• Tappo per doppio profilo			• Supporto accorciabile		
• Glass finial. Glass colour to be specified when ordering: pink, light blue			• Finial			• Endcap for double profile			• Shortenable bracket		
01-36-37-39			01-36-37			01-36-37			01-36-37		
57,42			23,90			12,65			43,69		
02-22			39			39			39		
60,67			25,20			14,06			49,32		
02-22			29,63			02-22			02-22		
16,98						16,98			51,91		
											



01
• Ottone lucido
verniciato
• Varnished
polished brass



02
• Ottone nichel
nero
• Black nickel
brass



22
• Ottone nichel
satinato
• Nickel matt
brass




36
• Ottone satinato
opaco
• Matt flat
brass



37
• Ottone satinato
lucido
• Matt bright
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass



ART. 30M035


		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	225	240	254	269	284	298	368	402	432	476	122	53
		39	247	263	279	295	311	328	404	442	475	522	128	58
		02-22	289	309	330	350	372	393	480	528	569	632	137	63
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	228	243	258	273	288	303	373	408	437	481	122	54
		39	252	268	284	301	317	333	413	450	482	531	128	61
		02-22	295	316	336	357	379	399	490	538	579	641	137	66
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	381	410	440	469	500	529	643	712	771	861	244	71
		39	420	452	485	517	548	581	709	784	849	945	255	80
		02-22	520	561	603	645	687	728	887	983	1.066	1.191	275	97
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	189	204	218	233	248	263	314	348	377	422	122	
		39	203	219	235	251	268	284	339	376	408	457	128	
		02-22	246	267	288	309	330	351	417	465	506	569	137	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3012018	FIN.	
• Supporto accorciabile • Shortenable bracket	01-36-37	45,53
	39	51,91
	02-22	55,16




ART. 3012049	FIN.	
• Supporto accorciabile doppio • Shortenable double bracket	01-36-37	64,46
	39	72,89
	02-22	88,25



ART. 3012025	FIN.	
• Supporto soffitto • Ceiling bracket	01-36-37	25,74
	39	27,36
	02-22	30,93




ART. 3015002	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36-37	3,02
	39	3,57
	02-22	4,11



ART. 3013001	FIN.	L max	
• Profilo • Profile €/mt	01-36-37	3,4 mt	43,91
	39	3,4 mt	45,32
	02-22	3-3,4 mt	62,95



- Spessore 0,75 mm
- Thickness 0,75 mm



ART. 30M018


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGH
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36-37 39 02-22		594	609	624	638	653	668	738	771	801	846	122	237
		618	634	650	666	682	699	777	813	846	894	128	244
		653	674	694	715	736	757	845	892	933	996	137	244
01-36-37 39 02-22		598	612	627	642	656	672	743	777	807	851	122	239
		623	639	655	672	688	704	784	821	853	902	128	247
		660	680	701	721	743	764	854	902	943	1.006	137	247
01-36-37 39 02-22		749	780	809	839	868	899	1.013	1.082	1.141	1.230	244	255
		791	823	855	888	920	953	1.082	1.155	1.220	1.317	255	266
		885	926	968	1.009	1.051	1.092	1.251	1.348	1.431	1.555	275	279
01-36-37 39 02-22		558	573	588	602	617	632	683	717	747	791	122	
		574	590	606	623	639	655	710	747	780	828	128	
		611	632	653	673	694	715	781	829	871	933	137	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3011018 FIN. - Finale Swarovski 01-36-37 208,51 - Swarovski finial 39 210,79 02-22 211,87	ART. 3011022 FIN. - Finale porcellana 01-36-37 41,31 - bianca 29-39 43,04 - White porcelain 02-22 44,13 - finial	ART. 3011016 FIN. - Tappo per 01-36-37 12,65 - doppio profilo 39 14,06 - Endcap for 02-22 16,98 - double profile	ART. 3012017 FIN. - Supporto 01-36-37 43,69 - accorciabile 39 49,32 - Shortenable 02-22 51,91 - bracket	ART. 3012018 FIN. - Supporto 01-36-37 45,53 - accorciabile 39 51,91 - Shortenable 02-22 55,16 - bracket
--	---	---	--	--



01
• Ottone lucido
verniciato
• Varnished
polished brass



02
• Ottone nichel
nero
• Black nickel
brass




22
• Ottone nichel
satinato
• Nickel matt
brass




36
• Ottone satinato
opaco
• Matt flat
brass



37
• Ottone satinato
lucido
• Matt bright
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 30M022


		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	259	274	289	304	319	334	403	437	466	511	122	69
		39	282	299	315	331	347	363	441	478	510	559	128	76
		02-22	317	338	359	380	401	421	509	557	598	661	138	77
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	263	278	293	308	322	337	408	442	472	516	122	71
		39	288	304	320	336	352	369	448	485	518	566	128	78
		02-22	324	345	366	386	407	428	518	566	608	670	138	80
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	415	445	475	504	534	563	678	746	806	895	244	89
		39	455	487	520	552	585	617	746	819	884	982	255	98
		02-22	549	591	632	674	715	757	916	1.012	1.095	1.220	275	112
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	224	238	253	268	283	298	349	383	412	457	122	
		39	239	255	271	287	303	320	375	412	444	493	128	
		02-22	275	296	317	338	359	380	446	494	535	598	138	

* 2 pezzi giuntati. 2 split with one connector.


ART. 3012049	FIN.	
• Supporto accorciabile doppio • Shortenable double bracket	01-36-37	64,46
	39	72,89
	02-22	88,25



ART. 3012025	FIN.	
• Supporto soffitto • Ceiling bracket	01-36-37	25,74
	39	27,36
	02-22	30,93



ART. 3015002	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36-37	3,02
	39	3,57
	02-22	4,11



ART. 3013001	FIN.	L max	
• Profilo • Profile €/mt	01-36-37	3,4 mt	43,91
	39	3,4 mt	45,32
	02-22	3-3,4 mt	62,95



- Spessore 0,75 mm
- Thickness 0,75 mm



ART. 30M017

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36-37	288	302	317	332	346	361	430	464	494	539	122	84
	39	311	328	344	360	376	393	469	506	539	587	128	91
	02-22	346	367	388	409	429	450	538	585	627	689	137	92
• SUPPORTI LUNGH • LONG BRACKETS	01-36-37	291	306	320	335	350	366	436	470	500	544	122	85
	39	317	333	349	366	381	397	477	514	546	595	128	93
	02-22	353	373	395	415	436	456	547	595	637	699	137	95
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36-37	443	473	503	532	561	592	706	774	834	923	244	103
	39	483	516	548	581	613	646	774	848	913	1.010	255	112
	02-22	578	620	661	703	744	786	944	1.040	1.124	1.248	275	127
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36-37	251	266	281	296	311	325	376	410	440	484	122	
	39	267	283	300	316	332	348	404	440	473	521	128	
	02-22	304	325	346	367	387	408	475	522	564	627	137	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3011017	FIN.	
- Finale porcellana craquelé. Specificare colore craquelé: marrone, blu - Craquelé porcelain finial. Colour of the porcelain to be specified when ordering: brown, light blue	01-36-37	55,16
	39	57,42
	02-22	58,51

ART. 3011019	FIN.	
- Finale marmo. Specificare colore marmo: nero, bianco - Marble finial. Colour of marble to be specified when ordering: black, white	01-36-37	90,52
	39	91,60
	02-22	94,95

ART. 3011016	FIN.	
- Tappo per doppio profilo - Endcap for double profile	01-36-37	12,65
	39	14,06
	02-22	16,98

ART. 3012017	FIN.	
- Supporto accorciabile - Shortenable bracket	01-36-37	43,69
	39	49,32
	02-22	51,91

170


Finiture disponibili
Finishes available



01
• Ottone lucido verniciato
• Varnished polished brass



02
• Ottone nichel nero
• Black nickel brass



22
• Ottone nichel satinato
• Nickel matt brass



36
• Ottone satinato opaco
• Matt flat brass



37
• Ottone satinato lucido
• Matt bright brass



39
• Ottone bronzo graffiato
• Scratched bronze brass



ART. 30M019

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	358	373	387	402	417	433	501	535	565	609	122	119
		39	380	396	412	428	444	461	538	574	607	655	128	124
		02-22	420	440	461	481	502	523	610	659	700	762	137	128
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	361	376	392	407	421	436	506	541	570	615	122	121
		39	385	401	417	434	450	466	545	583	615	663	128	128
		02-22	426	447	467	488	508	530	620	668	709	772	137	131
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	514	544	573	602	633	662	778	846	905	994	244	137
		39	552	584	616	649	681	714	842	916	981	1.078	255	146
		02-22	651	692	734	775	817	859	1.018	1.113	1.196	1.322	275	162
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	322	337	352	366	381	396	447	481	511	555	122	
		39	336	352	368	384	400	417	472	509	541	590	128	
		02-22	377	398	419	440	460	481	547	595	637	699	137	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3012018			FIN.			ART. 3012049			FIN.			ART. 3012025			FIN.			ART. 3015002			FIN.			ART. 3013001			FIN.			L max		
• Supporto accorciabile • Shortenable bracket	01-36-37	45,53	• Supporto accorciabile doppio • Shortenable double bracket	01-36-37	64,46	• Supporto soffitto • Ceiling bracket	01-36-37	25,74	• Anello con guarnizione • Ring with easy-glide insert	01-36-37	3,02	• Profilo • Profile €/mt	01-36-37	3,4 mt	43,91																	
	39	51,91		39	72,89		39	27,36		39	3,57		39	3,4 mt	45,32																	
	02-22	55,16		02-22	88,25		02-22	30,93		02-22	4,11		02-22	3-3,4 mt	62,95																	
															• Spessore 0,75 mm																	
															• Thickness 0,75 mm																	



ART. 30M020

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36-37	358	373	387	402	417	433	501	535	565	609	122	119
	39	380	396	412	428	444	461	538	574	607	655	128	124
	02-22	420	440	461	481	502	523	610	659	700	762	137	128
• SUPPORTI LUNGH • LONG BRACKETS	01-36-37	361	376	392	407	421	436	506	541	570	615	122	121
	39	385	401	417	434	450	466	545	583	615	663	128	128
	02-22	426	447	467	488	508	530	620	668	709	772	137	131
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36-37	514	544	573	602	633	662	778	846	905	994	244	137
	39	552	584	616	649	681	714	842	916	981	1.078	255	146
	02-22	651	692	734	775	817	859	1.018	1.113	1.196	1.322	275	162
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36-37	322	337	352	366	381	396	447	481	511	555	122	
	39	336	352	368	384	400	417	472	509	541	590	128	
	02-22	377	398	419	440	460	481	547	595	637	699	137	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 3011020	FIN.	ART. 3011021	FIN.	ART. 3011016	FIN.	ART. 3012017	FIN.	ART. 3012018	FIN.
• Finale porcellana dipinta a mano	01-36-37	• Finale porcellana stampata	01-36-37	• Tappo per doppio profilo	01-36-37	• Supporto accorciabile	01-36-37	• Supporto accorciabile	01-36-37
• Hand-painted porcelain finial	39	• Printed porcelain finial	39	• Endcap for double profile	39	• Shortenable bracket	39	• Shortenable bracket	39
	02-22		02-22		02-22		02-22		02-22
	90,52		52,99		12,65		43,69		45,53
	91,60		54,08		14,06		49,32		51,91
	94,95		56,34		16,98		51,91		55,16



01
• Ottone lucido verniciato
• Varnished polished brass




02
• Ottone nichel nero
• Black nickel brass




22
• Ottone nichel satinato
• Nickel matt brass



36
• Ottone satinato opaco
• Matt flat brass





37
• Ottone satinato lucido
• Matt bright brass





39
• Ottone bronzo graffiato
• Scratched bronze brass







ART. 30M021






		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	2	2	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	283	297	313	328	342	357	426	460	490	534	122	82
		39	305	321	337	354	369	385	463	500	532	581	128	88
		02-22	342	362	384	404	425	446	533	581	623	685	137	90
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	287	302	316	331	346	361	432	466	495	540	122	83
		39	309	326	342	358	374	390	470	507	540	588	128	90
		02-22	348	369	390	411	432	452	543	590	633	694	137	93
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	439	468	499	528	557	587	702	770	830	918	244	101
		39	477	509	542	574	607	639	768	841	906	1.004	255	109
		02-22	573	615	656	699	740	782	940	1.036	1.119	1.244	275	124
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	247	262	277	291	306	321	372	406	436	480	122	
		39	261	277	293	309	325	342	397	434	466	515	128	
		02-22	300	321	342	362	383	404	470	518	560	622	137	

* 2 pezzi giuntati. 2 split with one connector.

ART. 3012049		FIN.		ART. 3012025		FIN.		ART. 3015002		FIN.		ART. 3013001		FIN.		L max		
• Supporto accorciabile doppio • Shortenable double bracket 		01-36-37		01-36-37		01-36-37		01-36-37		01-36-37		01-36-37		3,4 mt		43,91		
		39		39		39		39		39		39		3,4 mt		45,32		
		02-22		02-22		02-22		02-22		02-22		02-22		3-3,4 mt		62,95		
		88,25		30,93		4,11												
																		

Ø 30 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
 120 70	3011026	01	28,44
	- Finale - Finial		
 130 70	3011028	01	27,36
	- Finale - Finial		
 160 100	3011029	01	27,79
	- Finale - Finial		
 160 65	3011030	01	28,01
	- Finale - Finial		
 35 35	3011016	01-36-37 39 02-22	12,65 14,06 16,98
	- Finale - Finial		
 250 60 100	3012032	01-36-37 39 02-22	91,06 99,28 117,02
	- Supporto accorciabile multiangolo - Adjustable universal corner bracket		
 250 155	3012033	01	61,32
	- Supporto accorciabile con placca - Bracket with plate		
 175 55	3012036	01-36-37 39 02-22	38,83 42,94 46,18
	- Supporto accorciabile - Shortenable bracket		
 245 55	3012037	01-36-37 39 02-22	40,66 45,31 47,69
	- Supporto accorciabile - Shortenable bracket		

	ART.	Finiture Finishes	
 175 55	3012044	01-36-37 02-22	36,23 43,37
	- Supporto accorciabile - Shortenable bracket		
 245 55	3012045	01-36-37 02-22	37,85 45,42
	- Supporto accorciabile - Shortenable bracket		
 75 55	3012026	01	26,50
	- Supporto fisso - Fix bracket		
 75 55	3012025	01-36-37 39 02-22	25,74 27,36 30,93
	- Supporto fisso - Fix bracket		
 255 155	3012034	01	59,59
	- Supporto accorciabile con placca - Shortenable bracket with plate		
 180 60	3012009	01-37 02	43,04 50,07
	- Supporto accorciabile - Shortenable bracket		
 250 60	3012010	01-37 02	44,77 51,91
	- Supporto accorciabile - Shortenable bracket		
 175 55	3012042	01-36-37 02	38,07 45,31
	- Supporto accorciabile - Shortenable bracket		
 245 55	3012043	01-36-37 02	41,75 46,94
	- Supporto accorciabile - Shortenable bracket		



01
• Ottone lucido
verniciato
• Varnished
polished brass



02
• Ottone nichel
nero
• Black nickel
brass



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel
satinato
• Nickel matt
brass



36
• Ottone satinato
opaco
• Matt flat
brass

















37
• Ottone satinato
lucido
• Matt bright
brass









39
• Ottone bronzo
graffiato
• Scratched bronze
brass

Ø 30 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
	3012006	01-36-37	34,61
		02	41,75
• Supporto accorciabile • Shortenable bracket			
	3012007	01-36-37	36,23
		02	43,04
• Supporto accorciabile • Shortenable bracket			
	3012048	01-36-37	62,84
		39	70,84
		22	74,73
• Supporto accorciabile doppio • Shortenable double bracket			
	3012049	01-36-37	64,46
		39	72,89
		22	88,25
• Supporto accorciabile doppio • Shortenable double bracket			
	3012015	01-36-37	40,66
		39	46,40
		20-22	50,83
• Supporto doppio • Double wall bracket			
	3012050	01	59,59
		02	71,49
• Supporto accorciabile doppio • Shortenable double bracket			
	3012051	01	62,94
		02	77,11
• Supporto accorciabile doppio • Shortenable double bracket			
	3012056	01	56,45
		02	68,35
• Supporto accorciabile doppio • Shortenable double bracket			
	3012057	01-37	58,08
		02	70,62
• Supporto accorciabile doppio • Shortenable double bracket			

	ART.	Finiture Finishes	
	3012058	01-37	53,97
		02	66,19
• Supporto accorciabile doppio • Shortenable double bracket			
	3012059	01-37	55,59
		02	68,46
• Supporto accorciabile doppio • Shortenable double bracket			
	3012054	01-37	53,97
		02	66,19
• Supporto accorciabile doppio • Shortenable double bracket			
	3012055	01-37	55,81
		02	68,46
• Supporto accorciabile doppio • Shortenable double bracket			
	3012052	01-36-37	56,56
		39	59,59
		02-22	69,54
• Supporto accorciabile doppio • Shortenable double bracket			
	3012053	01-36-37	58,08
		39	60,67
		02-22	70,62
• Supporto accorciabile doppio • Shortenable double bracket			
	3016002	01-36-37	14,71
		39	16,55
		02-22	18,82
• Rosetta a muro con supporto aperto in plastica • Mount socket with open plastic insert			
	3016001	01-36-37	14,92
		39	16,01
		02-20-22	18,82
• Rosetta a muro aperta • Open mount socket			
	1518200	01-36-37	6,60
		39	6,92
		02-22	7,79
• Attacco per binario in alluminio • Connector for aluminium track			

Ø 30 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
	3014010	01-36-37	L max 3,4 mt 86,41
		39	L max 3,4 mt 90,20
		02-20-22	L max 3 mt 111,50
		• Profilo con binario €/mt • Profile with track €/mt	
	3018102	01-36-37	24,23
		39	26,39
		02-20-22	29,85
		• Coppia incrocio anello tondo • Double overlap with round ring	
	3018101	01-36-37	24,23
		39	26,39
		02-20-22	29,85
		• Coppia incrocio anello piatto • Double overlap with flat ring	
	3015003	01-36-37	3,24
		39	3,89
		02-22	4,22
		• Anello ottone tondo con guarnizione • Flat brass ring with easy-glide insert	
	3012004	01-36	21,95
		39	26,06
		20-22	26,82
		• Prolunga per mensola • Bracket extension	
	2012300	01-20-22-36-37-39	15,00
		• Cannetta Ø 15 - 300 mm • Steam Ø 15 - 300 mm	
	2012500	01-20-22-36-37-39	25,00
		• Cannetta Ø 15 - 500 mm • Steam Ø 15 - 500 mm	
	3018001		4,43
	3018002		14,38
		• Giunzione • Connector	

SCORRITENDA A CORDE CON ANELLI TONDI

PULL CORDED SYSTEM WITH ROUND RINGS


Accessori inclusi

- Profilo
- Anelli ogni 0,1 mt
- Fiocco
- Incrocio

Accessories included

- Profile
- Rings every 0,1 mt
- Overlap
- Cord weight

	Larghezza cm - Width cm						
	160	180	200	220	250	300	340
ART.	3014003	3014004	3014005	3014006	3014007	3014008	3014009
Finiture Finishes							
01-36-37	241	256	271	286	311	346	375
39	257	274	290	306	334	372	404
02-20-22	304	324	346	367	402	450	491



SCORRITENDA A CORDE CON ANELLI PIATTI

PULL CORDED SYSTEM WITH FLAT RINGS


Accessori inclusi

- Profilo
- Anelli ogni 0,1 mt
- Fiocco
- Incrocio

Accessories included

- Profile
- Rings every 0,1 mt
- Overlap
- Cord weight

	Larghezza cm - Width cm						
	160	180	200	220	250	300	340
ART.	3014013	3014014	3014015	3014016	3014017	3014018	3014019
Finiture Finishes							
01-36	243	258	274	289	315	349	380
39	263	280	296	314	343	381	414
20-22	307	328	349	370	406	454	496




- 01
• Ottone lucido verniciato
• Varnished polished brass



- 02
• Ottone nichel nero
• Black nickel brass



- 20
• Ottone cromato
• Chromed brass



- 22
• Ottone nichel satinato
• Nickel matt brass



- 36
• Ottone satinato opaco
• Matt flat brass



- 37
• Ottone satinato lucido
• Matt bright brass



- 39
• Ottone bronzo graffiato
• Scratched bronze brass

[Ø 25]




Scaglioni

Ø 25



ART. 25M083


- SUPPORTI CORTI
- SHORT BRACKETS



- SUPPORTI LUNGI
- LONG BRACKETS



- SUPPORTI DOPPI
- DOUBLE BRACKETS



- SUPPORTI A SOFFITTO
- CEILING BRACKETS



		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340	400 *	
Supporti	Brackets	2	2	2	2	2	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
01-36 39 20-22		204	218	233	247	261	309	332	364	393	435	45
		223	239	255	271	288	340	367	403	436	485	46
		253	274	293	314	334	392	426	473	513	574	48
01-36 39 20-22		222	236	250	264	278	334	358	390	419	461	54
		240	256	273	289	304	364	393	429	462	510	55
		270	291	310	331	351	418	452	499	539	600	56
01-36 39 20-22		361	389	417	446	474	547	595	660	716	800	67
		392	424	456	489	521	601	656	730	795	891	67
		451	492	532	573	613	703	772	865	946	1.069	68
01-36 39 20-22		169	183	197	211	225	271	279	311	339	381	
		187	203	219	235	252	304	314	350	383	431	
		219	239	260	280	300	360	375	422	462	523	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2511083	FIN.		ART. 2511009	FIN.		ART. 2512001	FIN.		ART. 2512002	FIN.		ART. 2512003	FIN.	
• Finale	01-36	26,28	• Finale e tappo	01-36	24,22	• Supporto	01-36	33,53	• Supporto	01-36	42,07	• Supporto	01-36	45,32
• Finial	39	26,93	per doppio profilo	39	24,87	• Wall bracket	39	35,58	• Wall bracket	39	44,12	• Supporto	39	46,72
	20-22	28,34	• Finial and endcap	20-22	26,28		20-22	36,88		20-22	45,53	• Double wall	20-22	48,77
			for double profile									bracket		

Finiture disponibili
Finishes available



- 01 • Ottone lucido verniciato
- Varnished polished brass



- 20 • Ottone cromato
- Chromed brass




- 22 • Ottone nichel satinato
- Nickel matt brass





- 36 • Ottone satinato opaco
- Matt flat brass




- 39 • Ottone bronzo graffiato
- Scratched bronze brass




ART. 25M009

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	3	3	3	3	3		
Finiture	Finishes											Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	200	214	228	242	256	304	329	360	388	430	43
		39	218	235	251	267	283	336	363	400	433	480	44
		20-22	249	269	290	309	330	387	422	468	509	570	45
• SUPPORTI LUNGI • LONG BRACKETS		01-36	217	231	246	260	274	330	354	386	414	456	52
		39	236	252	268	284	301	361	388	425	457	506	53
		20-22	266	287	307	327	347	414	448	494	535	596	54
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	357	385	413	441	469	542	592	655	712	796	65
		39	387	420	452	485	517	596	652	726	791	887	65
		20-22	447	488	528	569	609	699	768	861	943	1.064	66
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	165	179	193	207	221	267	275	307	335	377	
		39	183	199	215	231	248	299	309	346	379	427	
		20-22	215	235	255	276	296	356	371	417	458	519	

* 2 pezzi giuntati. 2 split with one connector.

ART. 2512008	FIN.		ART. 2515001	FIN.		ART. 2513001	FIN.	L max				
• Supporto soffitto • Ceiling bracket	01-36	15,69	• Anello con guarnizione • Ring with easy-glide insert	01-36	3,14	• Profilo • Profile €/mt	01-36	3,4 mt	38,93			
	39	17,73		39	3,68		39	3,4 mt	44,12			
	20-22	19,90		20-22	4,22		20-22	3 mt	59,38			
												
						• Spessore 0,75 mm • Tickness 0,75 mm						







ART. 25M014

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340	400 *	
Supporti	Brackets	2	2	2	2	2	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36	201	215	229	243	257	299	324	356	384	426	43
	39	228	244	261	277	292	340	369	406	438	487	50
	02-20-22	270	291	311	331	351	411	446	492	532	594	56
• SUPPORTI LUNGI • LONG BRACKETS	01-36	204	218	233	247	261	305	329	361	389	432	45
	39	233	249	265	281	297	348	375	412	444	493	52
	02-20-22	277	297	318	339	358	421	455	502	543	603	59
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36	340	368	396	424	452	522	570	634	690	774	56
	39	387	420	451	483	516	595	652	726	791	887	65
	02-20-22	454	494	535	576	616	711	780	873	954	1.076	69
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36	177	191	205	219	233	279	287	319	347	389	
	39	199	215	232	248	264	316	326	363	395	444	
	02-20-22	233	253	274	294	314	374	389	436	476	537	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2511014			ART. 2511016			ART. 2512013			ART. 2512014			ART. 2512016		
		FIN.			FIN.			FIN.			FIN.			FIN.
• Finale	01-36	30,18	• Finale e tappo	01-36	13,41	• Supporto	01-36	28,12	• Supporto	01-36	29,74	• Supporto	01-36	41,53
• Finial	39	33,10	per doppio profilo	39	15,47	• Wall bracket	39	32,01	• Wall bracket	39	34,28	doppio	39	47,48
	02-20-22	35,36	• Finial and endcap for double profile	02-20-22	16,55		02-20-22	38,61		02-20-22	41,96	• Double wall bracket	02-20-22	52,99
														



01
• Ottone lucido
verniciato
• Varnished
polished brass



02
• Ottone nichel
nero
• Black nickel
brass




20
• Ottone cromato
• Chromed brass




22
• Ottone nichel
satinato
• Nickel matt
brass



36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 25M016

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	3	3	3	3	3		
Finiture	Finishes											Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	168	182	196	210	224	266	291	322	350	393	27
		39	193	209	225	241	257	306	333	370	402	451	31
		02-20-22	233	253	274	294	314	373	408	454	494	556	38
• SUPPORTI LUNGI • LONG BRACKETS		01-36	171	185	199	213	227	271	295	328	356	398	28
		39	197	213	229	246	262	312	341	377	410	457	35
		02-20-22	239	260	280	301	320	383	417	464	505	566	41
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	306	334	362	390	419	489	536	600	656	741	39
		39	351	384	416	449	481	561	616	690	755	852	48
		02-20-22	416	457	497	539	579	673	742	835	916	1.038	51
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	143	157	171	185	199	245	253	285	314	356	
		39	164	180	196	213	229	281	291	327	360	408	
		02-20-22	195	216	236	256	277	337	351	398	439	500	

* 2 pezzi giuntati. 2 split with one connector.

ART. 2512008	FIN.	
• Supporto soffitto • Ceiling bracket	01-36	15,69
	39	17,73
	02-20-22	19,90



ART. 2515001	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36	3,14
	39	3,68
	02-20-22	4,22



ART. 2513001	FIN.	L max	
• Profilo • Profile €/mt	01-36	3,4 mt	38,93
	39	3,4 mt	44,12
	02-20-22	3 mt	59,38



- Spessore 0,75 mm
- Thickness 0,75 mm



* 2 pezzi giuntati. 2 split with one connector.

Finiture disponibili
Finishes available






ART. 25M050

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	2	3	3	3	3	3		
Finiture	Finishes											Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	172	185	198	211	224	265	288	318	344	383	32
		39	198	213	228	244	260	308	333	369	399	444	37
		02-20-22	238	257	277	295	315	373	406	449	488	544	44
• SUPPORTI LUNGI • LONG BRACKETS		01-36	178	191	204	217	230	275	297	327	353	392	36
		39	204	220	236	251	266	317	343	379	409	455	40
		02-20-22	244	264	283	302	321	383	415	459	497	554	48
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	324	350	376	402	428	506	549	610	662	740	55
		39	375	406	436	467	497	588	640	711	771	863	64
		02-20-22	434	472	509	547	585	687	752	839	915	1.030	67
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	147	160	173	186	199	244	250	279	305	344	
		39	168	184	199	214	229	280	289	324	354	400	
		02-20-22	199	218	237	256	275	333	346	390	428	485	

* 2 pezzi giuntati. 2 split with one connector.


ART. 2512012	FIN.	
• Supporto accorciabile doppio	01-36	51,81
	39	59,59
	02-20-22	63,70
• Shortenable double bracket		



ART. 2512008	FIN.	
• Supporto soffitto	01-36	15,69
	39	17,73
	02-20-22	19,90
• Ceiling bracket		




ART. 2515002	FIN.	
• Anello con guarnizione	01-36	2,59
	39	3,24
	02-20-22	3,57
• Ring with easy-glide insert		



ART. 2513001	FIN.	L max	
• Profilo	01-36	3,4 mt	38,93
	39	3,4 mt	44,12
	02-20-22	3 mt	59,38
• Profile €/mt			



- Spessore 0,75 mm
- Thickness 0,75 mm



ART. 25M049

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340	400 *	
Supporti	Brackets	2	2	2	2	2	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36	176	189	202	215	228	269	291	321	347	386	35
	39	201	217	233	248	263	311	337	372	402	449	39
• SUPPORTI LUNGH • LONG BRACKETS	01-36	182	195	208	221	234	278	301	331	357	396	38
	39	209	224	239	254	269	320	347	382	413	459	42
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36	328	354	380	406	432	509	554	613	665	743	56
	39	379	409	440	470	501	592	643	714	775	867	66
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36	151	164	176	189	202	247	253	283	309	348	
	39	172	187	203	218	233	284	292	327	358	404	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2511049	FIN.	ART. 2511024	FIN.	ART. 2511016	FIN.	ART. 2512009	FIN.	ART. 2512010	FIN.
• Finale	01-36	• Finale	01-36	• Tappo per doppio profilo	01-36	• Supporto accorciabile	01-36	• Supporto accorciabile	01-36
• Finial	39	• Finial	39	• Endcap for double profile	39	• Shortenable bracket	39	• Shortenable bracket	39
20,44	22,06	21,20	23,25	13,41	15,47	28,34	32,55	31,47	35,91

Finiture disponibili
Finishes available




01
• Ottone lucido
verniciato
• Varnished
polished
brass



36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 25M024

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340	400 *	
Supporti	Brackets	2	2	2	2	2	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36	177	190	203	216	229	270	293	322	348	387	35
	39	204	220	235	250	265	313	340	374	406	451	40
• SUPPORTI LUNGI • LONG BRACKETS	01-36	184	197	210	223	236	280	302	332	358	397	38
	39	211	226	241	256	271	324	349	384	415	461	43
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36	329	355	381	407	433	511	555	614	666	744	57
	39	381	412	442	473	503	594	646	716	778	870	67
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36	152	165	178	191	204	249	255	284	310	349	
	39	174	190	205	220	235	287	295	330	360	406	

* 2 pezzi giuntati. 2 split with one connector.


ART. 2512012 FIN.
• Supporto
accorciabile
doppio
• Shortenable
double bracket



ART. 2512008 FIN.
• Supporto
soffitto
• Ceiling
bracket



ART. 2515002 FIN.
• Anello con
guarnizione
• Ring with
easy-glide insert



ART. 2513001 FIN. L max
• Profilo 01-36 3,4 mt 38,93
• Profile 39 3,4 mt 44,12
€/mt



• Spessore 0,75 mm
• Thickness 0,75 mm



ART. 26M032


- SUPPORTI CORTI
- SHORT BRACKETS



- SUPPORTI LUNGI
- LONG BRACKETS



- SUPPORTI DOPPI
- DOUBLE BRACKETS








- SUPPORTI A SOFFITTO
- CEILING BRACKETS



		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *	
Anelli	Rings	12	14	16	18	20	22	26	30	34	40	
Supporti	Brackets	2	2	2	2	2	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
01-36		317	333	349	364	381	424	451	488	519	567	96
39		340	357	374	392	409	459	488	528	562	614	102
01-36		323	340	355	371	386	433	461	496	529	575	99
39		346	363	381	398	415	469	497	538	572	624	105
01-36		486	517	548	581	612	695	748	821	885	979	119
39		528	562	597	632	666	761	820	899	968	1.072	129
01-36		292	308	324	339	355	403	413	450	481	529	
39		310	327	344	362	379	432	443	483	518	569	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2611032	FIN.		ART. 2611025	FIN.		ART. 2511016	FIN.		ART. 2612021	FIN.		ART. 2612022	FIN.	
• Finale	01-36	82,74	• Finale	01-36	23,57	• Tappo per doppio profilo	01-36	13,41	• Supporto accorciabile	01-36	28,34	• Supporto accorciabile	01-36	31,47
• Finial	39	85,01	• Finial	39	25,41	• Endcap for double profile	39	15,47	• Shortenable bracket	39	32,55	• Shortenable bracket	39	35,91
														

Finiture disponibili
Finishes available



- 01 • Ottone lucido
verniciato
- Varnished
polished brass



- 36 • Ottone satinato
opaco
- Matt flat
brass



- 39 • Ottone bronzo
graffiato
- Scratched bronze
brass



ART. 26M025

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340 *	400 *	
Supporti	Brackets	2	2	2	2	2	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36	199	215	230	247	262	306	333	369	401	448	38
	39	221	238	255	273	289	339	369	408	442	494	42
• SUPPORTI LUNGI • LONG BRACKETS	01-36	205	221	237	253	268	315	343	379	410	457	40
	39	227	244	262	279	296	350	379	419	453	505	45
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36	368	399	430	462	493	577	631	703	766	861	59
	39	409	443	478	513	547	642	701	780	849	953	69
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36	174	189	205	221	237	284	295	331	363	410	
	39	191	208	225	242	260	313	324	364	398	450	

* 2 pezzi giuntati. 2 split with one connector.

ART. 2612024

FIN.

• Supporto accorciabile doppio

• Shortenable double bracket

01-36	51,81
39	59,59

ART. 2512008

FIN.

• Supporto soffitto

• Ceiling bracket

01-36	15,69
39	17,73

ART. 2615004

FIN.

• Anello con guarnizione

• Ring with easy-glide insert

01-36	3,14
39	3,68

ART. 2613001

FIN.

• Profilo

• Profile






€/mt

01-36	L max	47,48
39	3 mt	49,64

• Spessore 1 mm

• Thickness 1 mm

Ø 25 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
	2512011	01-36	48,02
		39	55,16
		02-20-22	60,67
	• Supporto accorciabile doppio • Shortenable double bracket		
	2612023	01-36	48,02
		39	55,16
	• Supporto accorciabile doppio • Shortenable double bracket		
	2512015	01-36	39,80
		39	46,40
		02-20-22	50,83
	• Supporto doppio • Double wall bracket		
	2516001	01-36	14,49
		39	15,57
		02-20-22	17,74
	• Rosetta a muro aperta • Open mount socket		
	2515003	01-36	3,14
		39	3,68
		02-20-22	4,22
	• Anello con guarnizione e occhiolo plastica • Ring with easy-glide insert and plastic hook		
	2512004	01-36	21,95
		39	26,06
		02-20-22	26,82
	• Prolunga per mensola • Bracket extension		
	2518001		4,43
	• Giunzione plastica • Plastic profile connector		
	2518002		14,06
	• Giunzione • Connector		



[Ø 20]




Scaglioni



ART. 20M051


- SUPPORTI CORTI
- SHORT BRACKETS



- SUPPORTI LUNGHI
- LONG BRACKETS



- SUPPORTI DOPPI
- DOUBLE BRACKETS



- SUPPORTI A SOFFITTO
- CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36		292	303	315	326	426	438	456	483	506	540	140	99
39		303	315	327	337	441	453	473	500	523	559	162	102
01-36		328	340	350	362	480	492	510	538	560	594	140	117
39		339	350	362	374	496	507	528	555	579	613	162	120
01-36		420	442	465	488	619	642	680	733	779	847	279	117
39		437	461	483	507	643	666	706	760	808	878	324	119
01-36		146	158	169	180	208	219	238	265	287	321	140	
39		155	167	179	190	220	232	252	279	303	338	162	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2011051	FIN.	ART. 2011052	FIN.	ART. 2011016	FIN.	ART. 2012069	FIN.	ART. 2012070	FIN.
• Finale	01-36	• Finale	01-36	• Tappo per doppio profilo	01-36	• Supporto	01-36	• Supporto	01-36
• Finial	39	• Finial	39	• Endcap for double profile	39	• Wall bracket	39	• Wall bracket	39
	22,71		17,41		9,73		89,00		107,07
	24,12		18,71		11,36		91,60		109,78




01
• Ottone lucido
verniciato
• Varnished
polished brass



36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass



ART. 20M052


- SUPPORTI CORTI
- SHORT BRACKETS




- SUPPORTI LUNGI
- LONG BRACKETS



- SUPPORTI DOPPI
- DOUBLE BRACKETS




- SUPPORTI A SOFFITTO
- CEILING BRACKETS




		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36		281	293	304	316	416	427	446	473	495	529	140	94
	39	292	304	316	327	431	442	462	489	513	548	162	96
01-36		318	329	341	351	469	481	500	527	549	583	140	111
	39	328	340	351	363	485	496	517	544	568	602	162	115
01-36		409	432	454	477	609	632	669	722	768	836	279	111
	39	426	450	473	496	632	655	695	749	797	867	324	114
01-36		136	147	158	170	197	209	228	254	277	311	140	
	39	144	156	168	180	209	221	241	268	292	327	162	

* 2 pezzi giuntati. 2 split with one connector.

- ART. 2012071 FIN.
- Supporto doppio
 - Double wall bracket



- ART. 2012005 FIN.
- Supporto soffitto
 - Ceiling bracket




- ART. 2015001 FIN.
- Anello con guarnizione
 - Ring with easy-glide insert




- ART. 2013001 FIN. L max
- Profilo
 - Profile






- Spessore 0,75 mm
- Thickness 0,75 mm


**ART. 20M099**

			A	Larghezza cm - Width cm									1 rosetta a muro 1 wall mount socket
	Anelli Rings	Rings	120	140	160	180	200	220	250	300	340 *	400 *	
	Supporti Brackets	Brackets	2	2	2	2	3	3	3	3	3	3	
	Finiture Finishes	Finishes											Togliere - Deduct
SUPPORTI CORTI SHORT BRACKETS		01-36 39	284 293	295 300	306 301	318 328	418 431	429 443	448 463	475 490	497 514	531 549	95 97
SUPPORTI LUNGI LONG BRACKETS		01-36 39	320 329	331 341	342 353	354 364	472 486	484 498	502 517	529 545	552 568	586 603	113 114
SUPPORTI DOPPI DOUBLE BRACKETS		01-36 39	412 427	435 451	457 475	480 499	612 633	635 658	673 696	726 752	771 798	838 868	112 114
SUPPORTI A SOFFITTO CEILING BRACKETS		01-36 39	138 145	149 157	161 169	172 181	200 210	211 222	230 242	256 269	279 293	313 328	

* 2 pezzi giuntati. 2 split with one connector.


COMPONENTI • COMPONENTS

ART. 2011009	FIN.		ART. 2011016	FIN.		ART. 2012097	FIN.		ART. 2012069	FIN.		ART. 2012070	FIN.	
• Finale	01-36	18,82	• Tappo per doppio profilo	01-36	9,73	• Supporto	01-36	33,10	• Supporto	01-36	89,00	• Supporto	01-36	107,07
• Finial	39	19,47	• Endcap for double profile	39	11,36	• Wall bracket	39	36,02	• Wall bracket	39	91,60	• Wall bracket	39	109,78
							20-22	38,61						
														



ART. 20M100

- SUPPORTI CORTI
- SHORT BRACKETS



		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *	
Anelli	Rings	12	14	16	18	20	22	26	30	34	40	
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
01-36		135	146	158	169	209	225	243	269	292	327	20
39		143	155	167	178	222	238	257	286	308	344	21
20-22		167	182	196	211	258	279	304	339	368	413	23

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012071

FIN.

• Supporto doppio

01-36109,23

• Double wall bracket

39112,05

509560

60

20

ART. 2012005

FIN.

• Supporto soffitto

01-3616,22

• Ceiling bracket

3917,96

37

25

22

ART. 2015001

FIN.

• Anello con guarnizione

01-361,84

• Ring with easy-glide insert

392,16

20-222,49

34

28

ART. 2013001

FIN.

• Profilo

393 mt37,20

• Profile

01-363 mt38,28

€/mt

20-223 mt49,20

• Spessore 0,75 mm

• Tickness 0,75 mm



* 2 pezzi giuntati. 2 split with one connector.

Finiture disponibili Finishes available	
01 • Ottone lucido verniciato • Varnished polished brass	20 • Ottone cromato • Chromed brass
22 • Ottone nichel satinato • Nickel matt brass	36 • Ottone satinato opaco • Matt flat brass
37 • Ottone satinato lucido • Matt bright brass	39 • Ottone bronzo graffiato • Scratched bronze brass




ART. 20M011


		A Larghezza cm - Width cm										Movimento a corde Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37		1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise		Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	160	171	183	194	235	247	265	292	315	348	140	34
		39	169	181	193	203	246	258	278	306	329	364	162	35
		20-22	191	207	222	237	283	298	323	358	387	432		37
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	169	181	191	203	248	261	279	305	328	362	140	38
		39	177	189	201	213	261	273	292	319	343	379	162	39
		20-22	204	218	234	249	301	317	342	376	406	450		42
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	263	286	308	331	392	414	452	505	550	618	279	38
		39	278	301	324	348	411	435	474	529	575	646	324	40
		20-22	326	355	385	414	485	516	565	634	693	782		43
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	133	144	155	167	194	206	224	251	274	308	140	
		39	142	154	165	177	207	219	238	266	289	324	162	
		20-22	166	181	196	211	245	260	285	320	349	394		

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012003	FIN.	
• Supporto doppio • Double wall bracket	01-36-37	37,63
	39	39,15
	20-22	41,85



ART. 2012005	FIN.	
• Supporto soffitto • Ceiling bracket	01-36-37	16,22
	39	17,96
	20-22	19,69




ART. 2015001	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36-37	1,84
	39	2,16
	20-22	2,49



ART. 2013001	FIN.	L max	
• Profilo • Profile €/mt	39	3 mt	37,20
	01-36-37	3 mt	38,28
	20-22	3 mt	49,20



- Spessore 0,75 mm
- Thickness 0,75 mm



ART. 20M005

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36	167	177	189	200	242	253	271	298	321	355	140	37
	39	176	188	200	211	254	266	286	314	336	372	162	38
	20-22	199	214	229	244	290	306	331	366	395	439		40
• SUPPORTI LUNGI • LONG BRACKETS	01-36	175	187	198	210	255	267	286	311	334	369	140	41
	39	185	197	209	221	269	280	300	327	350	386	162	43
	20-22	212	226	241	256	308	324	349	384	413	457		46
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36	269	292	315	337	398	421	459	512	557	624	279	41
	39	286	308	332	356	419	442	481	536	583	653	324	43
	20-22	333	362	393	422	493	523	572	641	701	790		48
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36	139	151	162	173	201	212	231	257	280	314	140	
	39	149	161	173	185	214	226	246	273	297	332	162	
	20-22	174	189	204	218	253	268	293	327	357	401		

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS


ART. 2011005	FIN.		ART. 2011007	FIN.		ART. 2011016	FIN.		ART. 2012001	FIN.		ART. 2012002	FIN.	
• Finale	01-36	19,14	• Finale	01-36	15,57	• Tappo per doppio profilo	01-36	9,73	• Supporto	01-36	29,74	• Supporto	01-36	34,39
• Finial	39	21,20	• Finial	39	17,08	• Endcap for double profile	39	11,36	• Wall bracket	39	31,26	• Wall bracket	39	35,91
	20-22	22,61		20-22	18,39		20-22	12,87		20-22	32,44		20-22	38,50



01
• Ottone lucido
verniciato
• Varnished
polished brass




20
• Ottone cromato
• Chromed brass



22
• Ottone nichel
satinato
• Nickel matt
brass



36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 20M007


		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340 *	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	159	171	182	194	234	246	264	291	314	347	140	32
		39	168	180	191	203	246	257	278	305	329	363	162	35
		20-22	191	205	221	236	282	297	322	357	386	430		36
• SUPPORTI LUNGI • LONG BRACKETS		01-36	169	180	191	202	248	260	278	305	328	361	140	38
		39	177	189	201	212	260	271	292	319	343	377	162	39
		20-22	203	218	233	248	301	316	341	375	404	449		42
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	263	286	308	331	391	413	451	504	549	618	279	38
		39	277	301	324	347	410	434	474	528	575	646	324	39
		20-22	324	354	384	413	485	515	563	633	692	781		43
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	132	143	155	166	194	205	224	250	273	307	140	
		39	141	153	165	176	206	218	238	265	288	324	162	
		20-22	166	180	195	210	245	259	284	319	348	393		

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012003	FIN.	
• Supporto doppio • Double wall bracket	01-36	37,63
	39	39,15
	20-22	41,85



ART. 2012005	FIN.	
• Supporto soffitto • Ceiling bracket	01-36	16,22
	39	17,96
	20-22	19,69




ART. 2015001	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36	1,84
	39	2,16
	20-22	2,49



ART. 2013001	FIN.	L max	
• Profilo • Profile €/mt	39	3 mt	37,20
	01-36	3 mt	38,28
	20-22	3 mt	49,20



- Spessore 0,75 mm
- Thickness 0,75 mm



ART. 20M015


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340 *	400 *	
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
01-36-37 39 20-22		174	185	197	208	250	261	279	306	329	362	40
		185	197	209	221	264	275	295	322	346	381	43
		209	223	238	253	299	315	340	374	403	448	44
01-36-37 39 20-22		184	195	207	217	262	275	293	320	343	376	44
		195	207	218	229	277	289	309	336	360	395	48
		221	236	250	265	318	333	358	393	422	466	51
01-36-37 39 20-22		277	300	322	345	406	428	466	519	565	633	45
		294	318	342	364	427	451	491	545	593	663	48
		342	371	401	430	503	532	581	650	709	798	51
01-36-37 39 20-22		147	158	170	181	209	220	239	265	288	322	
		158	170	182	194	223	235	255	282	306	341	
		183	198	213	227	262	277	301	336	366	410	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2011015	FIN.	ART. 2011009	FIN.	ART. 2011016	FIN.	ART. 2012001	FIN.	ART. 2012002	FIN.
• Finale	01-36-37	• Finale	01-36	• Tappo per	01-36-37	• Supporto	01-36-37	• Supporto	01-36-37
• Finial	39	• Finial	39	doppio profilo	39	• Wall bracket	39	• Wall bracket	39
	20-22		20-22	• Endcap for	20-22		20-22		20-22
	27,04		20,87	double profile	12,87		32,44		38,50



01
• Ottone lucido
verniciato
• Varnished
polished brass



20
• Ottone cromato
• Chromed brass




22
• Ottone nichel
satinato
• Nickel matt
brass



36
• Ottone satinato
opaco
• Matt flat
brass



37
• Ottone satinato
lucido
• Matt bright
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 20M009


		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	165	177	188	200	241	252	270	297	320	354	36
		39	173	184	196	208	251	263	282	309	333	369	37
		20-22	196	211	226	240	287	303	328	362	392	436	38
• SUPPORTI LUNGH • LONG BRACKETS		01-36	175	186	198	209	255	266	284	311	334	368	41
		39	182	194	205	217	265	277	296	323	347	383	41
		20-22	208	223	238	253	305	321	345	380	410	454	44
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	269	292	315	337	397	420	457	510	556	624	41
		39	281	305	329	353	414	438	478	532	580	650	42
		20-22	330	359	388	419	490	519	569	638	698	786	45
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	139	150	161	173	200	211	230	257	280	314	
		39	146	158	169	181	211	223	242	270	293	329	
		20-22	171	185	200	215	250	264	289	324	353	398	

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012003	FIN.	
• Supporto doppio • Double wall bracket	01-36-37	37,63
	39	39,15
	20-22	41,85



ART. 2012005	FIN.	
• Supporto soffitto • Ceiling bracket	01-36-37	16,22
	39	17,96
	20-22	19,69




ART. 2015001	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36-37	1,84
	39	2,16
	20-22	2,49




ART. 2013001	FIN.	L max	
• Profilo • Profile €/mt	39	3 mt	37,20
	01-36-37	3 mt	38,28
	20-22	3 mt	49,20



- Spessore 0,75 mm
- Thickness 0,75 mm








ART. 20M001

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340 *	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	175	186	198	209	250	261	280	306	329	363	140	40
		39	185	196	208	220	262	275	294	321	345	381	162	42
		20-22	208	223	237	252	299	315	339	373	403	448		44
• SUPPORTI LUNGI • LONG BRACKETS		01-36	184	196	207	218	263	275	294	320	343	377	140	45
		39	194	205	217	229	277	289	308	335	359	395	162	48
		20-22	220	235	250	264	317	332	357	392	422	466		50
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	278	301	323	346	407	429	466	519	565	633	279	45
		39	293	317	341	364	426	450	490	544	592	662	324	48
		20-22	341	371	400	430	502	531	581	650	709	798		52
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	148	159	170	182	209	221	239	266	289	323	140	
		39	158	170	181	193	223	235	254	282	305	340	162	
		20-22	182	197	212	227	261	276	301	335	365	409		

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2011001	FIN.		ART. 2011003	FIN.		ART. 2011016	FIN.		ART. 2012001	FIN.		ART. 2012002	FIN.	
• Finale	01-36	23,36	• Finale	01-36	24,01	• Tappo per doppio profilo	01-36	9,73	• Supporto	01-36	29,74	• Supporto	01-36	34,39
• Finial	39	25,41	• Finial	39	26,06	• Endcap for double profile	39	11,36	• Wall bracket	39	31,26	• Wall bracket	39	35,91
	20-22	26,71		20-22	27,36		20-22	12,87		20-22	32,44		20-22	38,50
														

200


Finiture disponibili
Finishes available



01
• Ottone lucido
verniciato
• Varnished
polished brass



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel
satinato
• Nickel matt
brass



36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 20M003


		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340 *	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	176	187	199	210	252	263	281	308	331	364	140	41
		39	186	198	210	221	264	276	295	323	346	382	162	43
		20-22	209	224	239	253	300	316	341	375	404	449		44
• SUPPORTI LUNGI • LONG BRACKETS		01-36	185	197	208	220	264	277	295	321	344	379	140	45
		39	195	207	218	230	278	290	309	336	360	396	162	48
		20-22	221	236	251	266	318	334	358	393	423	467		51
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	279	302	324	347	408	430	468	521	567	634	279	46
		39	295	318	342	366	428	452	491	546	593	663	324	49
		20-22	343	372	401	432	503	532	582	651	711	799		52
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	149	160	172	183	211	222	241	267	290	324	140	
		39	159	171	183	194	224	236	256	283	306	342	162	
		20-22	184	198	213	228	262	277	302	337	366	411		

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012003	FIN.	
• Supporto doppio • Double wall bracket	01-36	37,63
	39	39,15
	20-22	41,85



ART. 2012005	FIN.	
• Supporto soffitto • Ceiling bracket	01-36	16,22
	39	17,96
	20-22	19,69




ART. 2015001	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36	1,84
	39	2,16
	20-22	2,49



ART. 2013001	FIN.	L max	
• Profilo • Profile €/mt	39	3 mt	37,20
	01-36	3 mt	38,28
	20-22	3 mt	49,20



- Spessore 0,75 mm
- Tickness 0,75 mm



ART. 20M082


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS







• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340 *	400 *	
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36	170	181	193	203	245	256	275	302	324	358	38
	39	180	191	203	214	257	269	289	317	340	375	40
	20-22	204	218	234	249	295	310	335	370	399	443	42
• SUPPORTI LUNGI • LONG BRACKETS	01-36	178	190	201	213	258	270	289	315	337	372	42
	39	188	200	212	224	272	283	303	330	354	389	44
	20-22	216	231	246	261	314	329	354	388	417	462	49
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36	273	295	318	341	401	424	462	515	560	627	43
	39	289	311	335	359	422	446	485	540	586	656	45
	20-22	337	367	397	426	456	528	576	646	705	794	50
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36	142	154	165	177	204	215	234	261	283	317	
	39	153	164	176	188	218	229	249	276	300	335	
	20-22	179	193	208	223	258	272	297	332	361	406	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2011082			ART. 2011081			ART. 2011016			ART. 2012001			ART. 2012002		
FIN.			FIN.			FIN.			FIN.			FIN.		
• Finale	01-36	20,77	• Finale	01-36	19,36	• Tappo per doppio profilo	01-36	9,73	• Supporto	01-36	29,74	• Supporto	01-36	34,39
• Finial	39	22,82	• Finial	39	21,52	• Endcap for double profile	39	11,36	• Wall bracket	39	31,26	• Wall bracket	39	35,91
	20-22	24,87		20-22	23,79		20-22	12,87		20-22	32,44		20-22	38,50
														



01
• Ottone lucido
verniciato
• Varnished
polished brass




20
• Ottone cromato
• Chromed brass




22
• Ottone nichel
satinato
• Nickel matt
brass



36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 20M081


		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	167	178	189	201	242	253	271	298	321	355	37
		39	176	188	200	212	255	267	287	314	337	373	39
		20-22	202	216	231	247	293	308	333	368	397	441	41
• SUPPORTI LUNGI • LONG BRACKETS		01-36	176	187	199	210	256	267	286	313	335	369	41
		39	186	198	210	222	269	281	301	328	351	386	43
		20-22	214	229	243	258	312	327	351	386	415	460	48
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	270	293	316	339	399	421	459	512	557	625	41
		39	286	309	333	357	422	442	482	536	584	654	44
		20-22	335	364	395	424	496	526	574	643	703	792	49
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	140	198	210	222	268	281	301	328	351	386	
		39	150	162	174	185	215	227	247	274	297	333	
		20-22	176	191	206	221	255	270	295	329	359	404	

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012003	FIN.	
• Supporto doppio • Double wall bracket	01-36	37,63
	39	39,15
	20-22	41,85



ART. 2012005	FIN.	
• Supporto soffitto • Ceiling bracket	01-36	16,22
	39	17,96
	20-22	19,69



ART. 2015001	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-36	1,84
	39	2,16
	20-22	2,49



ART. 2013001	FIN.	L max	
• Profilo • Profile €/mt	39	3 mt	37,20
	01-36	3 mt	38,28
	20-22	3 mt	49,20



- Spessore 0,75 mm
- Thickness 0,75 mm



ART. 20M042


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS




		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340 *	400 *	
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
01-36		226	237	249	260	298	310	329	356	379	412	66
20-22		260	275	289	304	354	367	392	426	456	501	70
01-36		229	241	252	264	304	315	334	360	383	417	68
20-22		263	278	292	307	357	372	397	432	461	505	71
01-36		340	362	385	408	471	494	532	585	631	698	77
20-22		409	439	468	497	579	609	658	727	786	875	85
01-36		200	211	223	234	260	271	290	316	339	373	
20-22		225	240	255	270	301	316	341	375	405	449	


* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS


ART. 2011042	FIN.	
• Finale. Specificare finitura parte inferiore	01-20-22-36	51,37
• Finial. Finishing of the bottom side to be specified when ordering		




ART. 2011038	FIN.	
• Finale	01-36	29,53
• Finial	39	32,01
	20-22	35,91



ART. 2011016	FIN.	
• Tappo per doppio profilo	01-36	9,73
• Endcap for double profile	20-22	12,87



ART. 2012013	FIN.	
• Supporto	01-36	27,36
• Wall bracket	39	31,47
	20-22	33,63



Finiture disponibili
Finishes available



01
• Ottone lucido verniciato
• Varnished polished brass




20
• Ottone cromato
• Chromed brass



22
• Ottone nichel satinato
• Nickel matt brass



36
• Ottone satinato opaco
• Matt flat brass



39
• Ottone bronzo graffiato
• Scratched bronze brass



ART. 20M038

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340 *	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	183	194	205	216	254	266	286	311	334	369	140	44
		39	198	210	222	234	277	289	308	335	359	395	162	50
		20-22	228	243	258	273	322	336	361	396	425	469		54
• SUPPORTI LUNGI • LONG BRACKETS		01-36	186	197	209	220	260	271	290	317	340	373	140	46
		39	202	213	225	237	282	294	314	341	364	400	162	51
		20-22	231	247	262	276	326	341	366	400	430	475		56
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	296	319	342	364	428	450	488	541	586	654	279	55
		39	322	346	370	393	463	487	527	581	628	699	324	62
		20-22	379	408	437	467	547	578	627	696	755	845		70

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012014	FIN.		ART. 2012016	FIN.		ART. 2012008	FIN.		ART. 2015001	FIN.		ART. 2013001	FIN.	L max	
• Supporto	01-36	29,10	• Supporto	01-36	40,67	• Supporto	01-36	14,38	• Anello con	01-36	1,84	• Profilo	39	3 mt	37,20
• Wall bracket	39	33,31	• Supporto	39	46,94	• soffitto	39	15,47	• guarnizione	39	2,16	• Profile	01-36	3 mt	38,28
	20-22	35,26	• Double wall	20-22	51,16	• Ceiling	20-22	16,55	• Ring with	20-22	2,49	• €/mt	20-22	3 mt	49,20
			• bracket			• bracket									



ART. 20M043


SUPPORTI CORTI
SHORT BRACKETS



SUPPORTI LUNGI
LONG BRACKETS



SUPPORTI DOPPI
DOUBLE BRACKETS






SUPPORTI A SOFFITTO
CEILING BRACKETS



		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *	
Anelli	Rings	12	14	16	18	20	22	26	30	34	40	
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
01-36		210	221	233	243	282	293	313	339	361	396	58
20-22		248	263	278	293	341	356	381	415	444	489	65
01-36		213	224	236	247	287	298	318	344	367	401	59
20-22		251	266	281	296	345	361	385	420	450	494	66
01-36		323	346	369	392	455	478	515	568	613	681	68
20-22		398	427	457	487	567	597	647	716	775	864	80
01-36		184	195	207	217	243	254	274	300	322	357	
20-22		214	229	244	259	290	305	330	364	393	438	

* 2 pezzi giuntati. 2 split with one connector.


COMPONENTI • COMPONENTS

ART. 2011043	FIN.		ART. 2011039	FIN.		ART. 2011016	FIN.		ART. 2012013	FIN.	
• Finale. Specificare colore legno: faggio, ciliegio, noce, padouk • Finial. Wood's colour to be specified when ordering: beech, cherry, walnut, padouk 	01-36	43,16	• Finale. Specificare colore legno: faggio, ciliegio, noce, padouk • Finial. Wood's colour to be specified when ordering: beech, cherry, walnut, padouk 	01-36	23,25	• Tappo per doppio profilo • Endcap for double profile 	01-36	9,73	• Supporto • Wall bracket 	01-36	27,36
	20-22	45,75		39	24,12		20-22	12,87		39	31,47
				20-22	24,77					20-22	33,63


206

Finiture disponibili
Finishes available

	01 • Ottone lucido verniciato • Varnished polished brass		20 • Ottone cromato • Chromed brass		22 • Ottone nichel satinato • Nickel matt brass		36 • Ottone satinato opaco • Matt flat brass		39 • Ottone bronzo graffiato • Scratched bronze brass
--	--	--	---	--	---	--	--	--	---



ART. 20M039

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340 *	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	170	181	193	203	242	254	273	300	322	356	140	38
		39	183	194	205	217	260	273	292	320	343	379	162	41
		20-22	207	221	236	251	299	314	339	373	402	448		43
• SUPPORTI LUNGI • LONG BRACKETS		01-36	173	185	196	208	247	258	278	304	327	361	140	40
		39	186	198	210	222	266	278	297	326	348	384	162	43
		20-22	210	224	239	254	303	319	344	379	408	452		45
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	283	306	329	351	415	438	476	529	574	641	279	49
		39	306	330	354	377	447	472	510	566	612	682	324	54
		20-22	356	385	415	444	526	555	605	674	733	822		58

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012014	FIN.		ART. 2012016	FIN.		ART. 2012008	FIN.		ART. 2015001	FIN.		ART. 2013001	FIN.	L max	
• Supporto	01-36	29,10	• Supporto	01-36	40,67	• Supporto	01-36	14,38	• Anello con	01-36	1,84	• Profilo	39	3 mt	37,20
• Wall bracket	39	33,31	• Supporto	39	46,94	soffitto	39	15,47	guarnizione	39	2,16	• Profile	01-36	3 mt	38,28
	20-22	35,26	• Double wall	20-22	51,16	• Ceiling	20-22	16,55	• Ring with	20-22	2,49	€/mt	20-22	3 mt	49,20
			bracket			bracket			easy-glide insert						

60

• Faggio colore naturale

• Beech wood

62

• Ciliegio naturale

• Cherry wood

63

• Noce naturale

• Walnut

64

• Padouk naturale

• Padouk







ART. 20M040

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli Rings		12	14	16	18	20	22	26	30	34	40		
Supporti Brackets		2	2	2	2	3	3	3	3	3	3		
Finiture Finishes												Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	201	213	224	235	274	285	304	331	354	388	58
		39	212	220	221	248	291	302	322	350	373	408	64
		20-22	235	250	265	279	328	343	367	402	432	476	67
• SUPPORTI LUNGI • LONG BRACKETS		01-36	205	216	228	239	279	291	310	336	359	393	60
		39	216	228	239	251	296	308	328	355	379	414	68
		20-22	238	253	268	283	333	348	372	407	436	481	69
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	316	339	361	384	448	470	507	560	606	674	82
		39	337	360	384	408	478	502	541	596	642	714	92
		20-22	385	414	444	474	555	584	634	703	762	851	96

* 2 pezzi giuntati. 2 split with one connector.


COMPONENTI • COMPONENTS

ART. 2011040	FIN.		ART. 2011041	FIN.		ART. 2011016	FIN.		ART. 2012013	FIN.	
• Finale. Specificare colore legno: faggio, ciliegio, noce, padouk • Finial. Wood's colour to be specified when ordering: beech, cherry, walnut, padouk	01-36	39,36	• Finale. Specificare colore legno: faggio, ciliegio, noce, padouk • Finial. Wood's colour to be specified when ordering: beech, cherry, walnut, padouk	01-36	39,36	• Tappo per doppio profilo • Endcap for double profile	01-36	9,73	• Supporto • Wall bracket	01-36	27,36
	39	39,36		39	39,36		39	11,36		39	31,47
	20-22	39,36		20-22	39,36		20-22	12,87		20-22	33,63
											






ART. 20M041


		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture Finishes												Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	201	213	224	235	274	285	304	331	354	388	51
		39	212	220	221	248	291	302	322	350	373	408	59
		20-22	235	250	265	279	328	343	367	402	432	476	64
• SUPPORTI LUNGI • LONG BRACKETS		01-36	205	216	228	239	279	291	310	336	359	393	54
		39	216	228	239	251	296	308	328	355	379	414	61
		20-22	238	253	268	283	333	348	372	407	436	481	67
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	316	339	361	384	448	470	507	560	606	674	75
		39	337	360	384	408	478	502	541	596	642	714	88
		20-22	385	414	444	474	555	584	634	703	762	851	95

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012014	FIN.
• Supporto	01-36 29,10
• Wall bracket	39 33,31
	20-22 35,26



ART. 2012016	FIN.
• Supporto	01-36 40,67
• Supporto doppio	39 46,94
• Double wall bracket	20-22 51,16



ART. 2015001	FIN.
• Anello con guarnizione	01-36 1,84
• Ring with easy-glide insert	39 2,16
	20-22 2,49



ART. 2013001	FIN.	L max
• Profilo	39	3 mt 37,20
• Profile	01-36	3 mt 38,28
€/mt	20-22	3 mt 49,20



- Spessore 0,75 mm
- Thickness 0,75 mm

60
• Faggio colore naturale
• Beech wood

62
• Ciliegio naturale
• Cherry wood

63
• Noce naturale
• Walnut

64
• Padouk naturale
• Padouk



ART. 20M012


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37	1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340 *	400 *		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36-37 29-39 02-08-20-22		170	183	196	208	253	265	287	316	341	379	140	35
		181	193	205	217	266	278	300	328	353	390	162	39
		212	228	244	261	316	332	360	397	430	479		42
01-36-37 29-39 02-08-20-22		177	189	202	215	262	275	296	326	350	388	140	38
		187	199	212	224	277	288	309	337	362	400	162	42
		217	234	250	266	323	340	368	406	438	487		44
01-36-37 29-39 02-08-20-22		300	324	350	375	449	475	517	575	626	702	279	49
		317	342	367	392	472	497	540	596	646	720	324	55
		376	409	441	475	566	599	654	729	795	892		61
01-36-37 29-39 02-08-20-22		136	148	161	173	200	213	235	264	289	327	140	
		139	152	164	177	205	217	238	267	292	329	162	
		168	184	200	217	249	266	294	331	364	413		

* 2 pezzi giuntati. 2 split with one connector.


COMPONENTI • COMPONENTS

ART. 2011012	FIN.	ART. 2011014	FIN.	ART. 2011016	FIN.	ART. 2012017	FIN.	ART. 2012018	FIN.
• Finale • Finial	01-36-37 29-39 02-08-20-22	• Finale • Finial	01-36-37 29-39 02-08-20-22	• Tappo per doppio profilo • Endcap for double profile	01-36-37 29-39 02-08-20-22	• Supporto accorciabile • Shortenable bracket	01-36-37 29-39 02-08-20-22	• Supporto accorciabile • Shortenable bracket	01-36-37 29-39 02-08-20-22
	15,25 16,76 18,06		13,52 14,92 16,22		9,73 11,36 12,87		31,69 35,91 38,61		35,04 39,15 41,20

210


Finiture disponibili
Finishes available

	01 • Ottone lucido verniciato • Varnished polished brass		02 • Ottone nichel nero • Black nickel brass		08 • Ottone nichel nero opaco • Dull black nickel brass		20 • Ottone cromato • Chromed brass		22 • Ottone nichel satinato • Nickel matt brass		29 • Ottone bronzato antico • Antique bronze brass		36 • Ottone satinato opaco • Matt flat brass
--	--	--	--	--	---	--	---	--	---	--	--	--	--



ART. 20M014


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS





• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36-37		167	180	193	204	249	262	283	313	337	375	140	32
29-39		176	189	201	214	262	275	295	324	349	386	162	37
02-08-20-22		208	225	241	257	313	329	356	394	426	476		40
01-36-37		173	186	199	211	259	271	293	322	347	385	140	36
29-39		183	196	208	221	273	284	305	334	359	396	162	40
02-08-20-22		213	229	246	263	320	336	364	401	434	483		42
01-36-37		296	321	346	372	446	470	514	572	623	699	279	46
29-39		314	339	363	388	469	493	535	593	642	717	324	54
02-08-20-22		373	406	438	470	562	595	651	726	791	889		58
01-36-37		132	145	157	170	197	210	231	260	285	323	140	
29-39		136	148	161	173	201	213	234	263	288	325	162	
02-08-20-22		164	180	197	213	246	262	290	327	360	409		

* 2 pezzi giuntati. 2 split with one connector.


ART. 2012020	FIN.		ART. 2012008	FIN.		ART. 2015002	FIN.		ART. 2013001	FIN.	L max	
• Supporto accorciabile doppio • Shortenable double bracket	01-36-37	48,67	• Supporto soffitto • Ceiling bracket	01-36-37	14,38	• Anello con guarnizione • Ring with easy-glide insert	01-29-36	2,49	• Profilo • Profile €/mt	29-39	3 mt	37,20
	29-39	55,69		29-39	15,47		37-39			01-36	3 mt	38,28
	02-08-20-22	59,05		02-08-20-22	16,55		02-08-20-22	3,24		37		
									02-08 20-22	3 mt	49,20	
												
									• Spessore 0,75 mm • Tickness 0,75 mm			

37

• Ottone satinato lucido
• Matt bright brass

39

• Ottone bronzo graffiato
• Scratched bronze brass



ART. 20M027


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduce
01-36-37		182	194	207	220	263	276	297	327	353	390	140	40
29-39		195	207	220	231	280	292	314	342	367	404	162	45
01-36-37		188	201	213	226	274	287	308	336	362	400	140	43
29-39		201	213	226	238	291	302	323	351	376	414	162	49
01-36-37		310	336	361	386	461	486	529	586	637	713	279	54
29-39		331	356	381	406	486	512	554	610	660	734	324	63
01-36-37		147	159	172	185	212	224	246	275	300	338	140	
29-39		154	166	178	191	219	231	252	281	306	343	162	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2011027	FIN.	ART. 2011047	FIN.	ART. 2011016	FIN.	ART. 2012017	FIN.	ART. 2012018	FIN.
• Finale	01-36-37	• Finale	01-36	• Tappo per doppio profilo	01-36-37	• Supporto accorciabile	01-36-37	• Supporto accorciabile	01-36-37
• Finial	29-39	• Finial	39	• Endcap for double profile	29-39	• Shortenable bracket	29-39	• Shortenable bracket	29-39
	20,87		11,57		9,73		31,69		35,04
	23,79		12,22		11,36		35,91		39,15
			13,63		12,87		38,61		41,20

212


Finiture disponibili
Finishes available



01
• Ottone lucido
verniciato
• Varnished
polished brass



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel
satinato
• Nickel matt
brass




29
• Ottone bronzato
antico
• Antique bronze
brass



36
• Ottone satinato
opaco
• Matt flat
brass



37
• Ottone satinato
lucido
• Matt bright
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass



ART. 20M047

		A Larghezza cm - Width cm										Movimento a corde Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37		1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *			
Anelli	Rings	12	14	16	18	20	22	26	30	34	40			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise		Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS		01-36	163	175	188	201	245	257	279	308	333	371	140	30
		39	171	184	196	209	257	269	290	319	344	381	162	34
		20-22	203	220	236	252	307	323	351	388	421	470		37
• SUPPORTI LUNGI • LONG BRACKETS		01-36	170	182	195	208	255	268	289	318	344	382	140	34
		39	177	190	202	215	267	279	300	329	354	390	162	37
		20-22	208	225	241	257	315	331	359	396	429	478		40
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	292	317	343	368	442	467	509	568	619	694	279	44
		39	308	333	358	383	464	488	530	587	637	712	324	51
		20-22	368	400	433	465	558	589	646	720	786	884		55
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	128	141	153	166	193	206	227	256	282	319	140	
		39	130	143	155	168	196	208	229	258	282	320	162	
		20-22	159	175	191	208	241	257	285	322	355	404		

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012020

FIN.

• Supporto accorciabile doppio

• Shortenable double bracket

01-36-37	48,67
29-39	55,69
20-22	59,05

240

65

50

ART. 2012008

FIN.

• Supporto soffitto

• Ceiling bracket

01-36-37	14,38
29-39	15,47
20-22	16,55

40

35

ART. 2015002

FIN.

• Anello con guarnizione

• Ring with easy-glide insert

01-29-36	2,49
37-39	
20-22	3,24

38

28

ART. 2013001

FIN.

• Profilo


• Profile

€/mt

29-39	3 mt	37,20
01-36-37	3 mt	38,28
20-22	3 mt	49,20

• Spessore 0,75 mm

• Thickness 0,75 mm



ART. 20M024


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37	1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340 *	400 *		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36-37	165	178	191	203	248	261	282	311	336	374	140	32
	29-39	176	188	201	213	262	274	295	323	348	386	162	37
	02-08-20-22	208	224	240	257	313	328	356	394	426	475		40
	04	239	258	279	298	361	381	414	461	501	560		42
• SUPPORTI LUNGI • LONG BRACKETS	01-36-37	172	185	198	210	258	270	292	321	346	384	140	36
	29-39	183	195	208	220	273	283	305	333	358	396	162	40
	02-08-20-22	213	229	246	262	319	336	363	401	434	483		42
	04	246	265	286	305	371	390	424	470	510	570		45
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36-37	295	320	345	371	445	469	513	571	622	698	279	46
	29-39	313	337	362	387	468	493	535	592	641	716	324	53
	02-08-20-22	372	406	438	470	562	595	650	726	791	889		58
	04	434	474	514	554	660	700	768	860	940	1.060		64
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36-37	131	144	156	169	196	209	230	259	284	322	140	
	29-39	135	148	160	172	200	213	234	262	287	325	162	
	02-08-20-22	164	180	196	213	246	262	290	327	360	409		
	04	188	208	228	248	284	304	338	384	424	484		

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2011024	FIN.		ART. 2011013	FIN.		ART. 2011016	FIN.		ART. 2012017	FIN.		ART. 2012018	FIN.	
• Finale • Finial	01-36-37	12,98	• Finale • Finial	01-36-37	12,87	• Tappo per doppio profilo • Endcap for double profile	01-36-37	9,73	• Supporto accorciabile • Shortenable bracket	01-36-37	31,69	• Supporto accorciabile • Shortenable bracket	01-36-37	35,04
	29-39	14,60		29-39	14,28		29-39	11,36		29-39	35,91		29-39	39,15
	02-08-20-22	16,12		02-08-20-22	15,69		02-08-20-22	12,87		02-08-20-22	38,61		02-08-20-22	41,20
	04	17,08					04	13,95		04	42,07		04	45,32

214

Finiture disponibili
Finishes available

	01 • Ottone lucido verniciato • Varnished polished brass		02 • Ottone nichel nero • Black nickel brass		04 • Ottone argentato • Silver-plated brass		08 • Ottone nichel nero opaco • Dull black nickel brass		20 • Ottone cromato • Chromed brass		22 • Ottone nichel satinato • Nickel matt brass		29 • Ottone bronzato antico • Antique bronze brass
--	--	--	--	--	---	--	---	--	---	--	---	--	--



ART. 20M013


SUPPORTI CORTI
SHORT BRACKETS



SUPPORTI LUNGI
LONG BRACKETS



SUPPORTI DOPPI
DOUBLE BRACKETS




SUPPORTI A SOFFITTO
CEILING BRACKETS




		A Larghezza cm - Width cm										Movimento a corde	1 rosetta
		120	140	160	180	200	220	250	300	340 *	400 *	Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37	a muro 1 wall mount socket
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36-37		165	178	190	203	248	261	281	310	336	374	140	32
29-39		175	188	200	213	261	274	294	323	348	385	162	36
02-08-20-22		207	224	240	256	312	328	355	393	425	475		39
01-36-37		172	185	198	210	258	270	292	321	346	384	140	36
29-39		182	195	207	220	271	283	304	333	358	395	162	39
02-08-20-22		212	228	244	262	319	335	363	400	433	482		42
01-36-37		294	320	345	371	445	469	513	571	621	696	279	46
29-39		313	337	362	387	467	492	534	592	641	716	324	53
02-08-20-22		372	404	437	469	561	594	650	725	790	888		57
01-36-37		131	143	156	169	196	208	230	259	284	322	140	
29-39		135	147	159	172	200	212	233	262	287	324	162	
02-08-20-22		163	179	196	212	245	261	289	326	359	408		

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012020	FIN.	
• Supporto accorciabile doppio	01-36-37	48,67
	29-39	55,69
	02-08-20-22	59,05
• Shortenable double bracket	04	65,87



ART. 2012008	FIN.	
• Supporto soffitto	01-36-37	14,38
	29-39	15,47
	02-04	16,55
• Ceiling bracket	08-20-22	




ART. 2015002	FIN.	
• Anello con guarnizione	01-29-36	2,49
	37-39	
	02-08-20-22	3,24
• Ring with easy-glide insert	04	4,00




ART. 2013001	FIN.	L max	
• Profilo • Profile €/mt	29-39	3 mt	37,20
	01-36	3 mt	38,28
	37		
	02-08	3 mt	49,20
	20-22		
	04	2,5 mt	59,91




- Spessore 0,75 mm
- Thickness 0,75 mm






ART. 20M036

		A Larghezza cm - Width cm										Movimento a corde Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37		1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340 *	400 *				
Anelli	Rings	12	14	16	18	20	22	26	30	34	40				
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3				
Finiture	Finishes											Aumentare - Rise		Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36-37	172	184	197	210	254	266	288	317	342	380	140	35	
		39	182	195	207	220	267	280	301	330	355	392	162	39	
		02	214	230	247	263	318	334	362	399	432	481		42	
		04	244	264	284	304	366	386	421	466	506	567		45	
• SUPPORTI LUNGI • LONG BRACKETS		01-36-37	178	190	203	216	263	277	297	327	353	390	140	38	
		39	188	201	213	226	278	290	310	340	364	401	162	42	
		02	218	236	252	268	325	342	370	407	440	489		45	
		04	251	270	291	310	376	396	430	476	516	576		49	
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36-37	301	326	351	376	450	476	518	576	627	703	279	49	
		39	319	344	369	394	473	499	541	598	648	722	324	56	
		02	379	411	443	476	568	600	656	731	797	894		61	
		04	440	480	520	560	665	705	773	865	945	1.065		67	
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36-37	137	150	162	175	202	214	236	265	290	328			
		39	141	153	166	178	206	219	240	268	293	330			
		02	170	186	202	219	251	268	295	333	366	415			
		04	193	213	233	253	290	310	344	390	430	490			

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2011036			ART. 2011034			ART. 2011016			ART. 2012017			ART. 2012018		
FIN.			FIN.			FIN.			FIN.			FIN.		
• Finale	01-36-37	15,90	• Finale	01-36-37	16,33	• Tappo per doppio profilo	01-36-37	9,73	• Supporto accorciabile	01-36-37	31,69	• Supporto accorciabile	01-36-37	35,04
• Finial	39	17,52	• Finial	29-39	17,96	• Endcap for double profile	39	11,36	• Shortenable bracket	29-39	35,91	• Shortenable bracket	29-39	39,15
	02	19,04		02-20-22	19,57		02	12,87		02-20-22	38,61		02-20-22	41,20
	04	19,90					04	13,95		04	42,07		04	45,32
														



ART. 20M034


SUPPORTI CORTI
SHORT BRACKETS



SUPPORTI LUNGI
LONG BRACKETS



SUPPORTI DOPPI
DOUBLE BRACKETS




SUPPORTI A SOFFITTO
CEILING BRACKETS




		A Larghezza cm - Width cm										Movimento a corde	1 rosetta
		120	140	160	180	200	220	250	300	340 *	400 *	Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37	a muro 1 wall mount socket
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36-37		172	185	198	210	255	267	289	318	343	381	140	36
29-39		183	195	208	220	269	281	302	330	355	393	162	40
02-20-22		215	231	248	264	319	335	363	400	433	482		43
01-36-37		180	191	204	217	264	277	298	328	353	390	140	39
29-39		189	201	214	226	279	291	311	340	364	402	162	43
02-20-22		220	237	253	269	327	343	371	408	441	490		46
01-36-37		302	327	353	377	451	477	519	578	628	704	279	50
29-39		319	344	369	394	475	500	542	599	649	722	324	57
02-20-22		380	412	444	477	569	601	658	732	798	895		62
01-36-37		138	150	163	176	203	215	237	266	291	329	140	
29-39		142	154	167	179	207	219	241	269	294	331	162	
02-20-22		171	187	203	220	252	269	297	334	367	416		

* 2 pezzi giuntati. 2 split with one connector.


ART. 2012020	FIN.	
• Supporto accorciabile doppio	01-36-37	48,67
	29-39	55,69
	02-20-22	59,05
• Shortenable double bracket	04	65,87



ART. 2012008	FIN.	
• Supporto soffitto	01-36-37	14,38
	29-39	15,47
	02-04	16,55
• Ceiling bracket	20-22	



ART. 2015002	FIN.	
• Anello con guarnizione	01-29-36	2,49
	37-39	
	02-20-22	3,24
• Ring with easy-glide insert	04	4,00



ART. 2013001	FIN.	L max	
• Profilo	29-39	3 mt	37,20
	01-36	3 mt	38,28
	37		
	02-20	3 mt	49,20
	22		
• Profile €/mt	04	2,5 mt	59,91




- Spessore 0,75 mm
- Thickness 0,75 mm



37
• Ottone satinato lucido
• Matt bright brass



39
• Ottone bronzo graffiato
• Scratched bronze brass



ART. 20M023


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGH
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37	1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340 *	400 *		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36-37	197	210	223	235	280	292	314	343	368	406	140	48
	29-39	209	221	234	246	294	307	328	356	381	419	162	53
	02-08-20-22	240	256	273	289	344	360	388	425	457	507		55
	04	270	291	310	331	392	413	447	493	533	593		58
• SUPPORTI LUNGH • LONG BRACKETS	01-36-37	204	216	229	242	289	302	323	353	377	415	140	51
	29-39	215	227	240	252	305	317	337	366	390	428	162	56
	02-08-20-22	244	262	278	294	351	368	396	433	466	515		58
	04	277	297	317	337	402	423	456	503	543	602		62
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36-37	327	351	377	402	476	502	544	602	653	729	279	62
	29-39	345	370	395	420	500	526	568	625	675	748	324	70
	02-08-20-22	404	437	469	502	594	626	682	757	823	920		74
	04	466	506	546	586	692	732	800	892	972	1.091		80
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36-37	163	175	188	201	228	240	262	291	316	354	140	
	29-39	168	180	193	205	233	245	267	295	320	357	162	
	02-08-20-22	196	212	228	244	277	294	321	359	392	441		
	04	220	240	260	280	316	336	370	416	456	516		

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2011019	FIN.	ART. 2011035	FIN.	ART. 2011016	FIN.	ART. 2012017	FIN.
• Finale vetro. Specificare colore vetro: rosa, azzurro	01-36-37 28,77 29-39 30,93	• Finale	01-36-37 16,22 39 17,96	• Tappo per doppio profilo	01-36-37 9,73 29-39 11,36	• Supporto accorciabile	01-36-37 31,69 29-39 35,91
• Glass finial. Glass colour to be specified when ordering: pink, light blue	02-08-20-22 32,01 04 33,10	• Finial	02-20-22 19,04 04 20,33	• Endcap for double profile	02-08-20-22 12,87 04 13,95	• Shortenable bracket	02-08-20-22 38,61 04 42,07

Finiture disponibili
Finishes available

	01 • Ottone lucido verniciato • Varnished polished brass		02 • Ottone nichel nero • Black nickel brass		04 • Ottone argentato • Silver-plated brass		08 • Ottone nichel nero opaco • Dull black nickel brass		20 • Ottone cromato • Chromed brass		22 • Ottone nichel satinato • Nickel matt brass		29 • Ottone bronzato antico • Antique bronze brass
--	--	--	--	--	---	--	---	--	---	--	---	--	--



ART. 20M035


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS




• SUPPORTI A SOFFITTO
• CEILING BRACKETS




		A Larghezza cm - Width cm										Movimento a corde	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *	Non disponibile per FIN. 29 e 37	
		Pull corded system										Not available for FIN. 29 and 37	
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36-37		172	185	198	210	255	267	289	318	343	381	140	36
39		183	195	208	220	269	281	302	330	355	393	162	40
02-20-22		214	230	247	263	318	334	362	399	432	481		42
04		246	265	286	305	368	387	421	467	507	567		45
01-36-37		178	191	204	216	264	277	298	328	353	390	140	39
39		189	201	214	226	279	291	311	340	364	402	162	43
02-20-22		218	236	252	268	325	342	370	407	440	489		45
04		252	271	292	311	377	397	430	477	517	576		49
01-36-37		302	327	351	377	451	476	519	578	628	704	279	50
39		319	344	369	394	475	500	542	599	649	722	324	57
02-20-22		379	411	443	476	568	600	656	731	797	894		61
04		440	480	520	560	666	706	774	866	946	1.066		68
01-36-37		138	150	163	175	202	215	237	266	291	329	140	
39		142	154	167	179	207	219	241	269	294	331	162	
02-20-22		170	186	202	219	251	268	295	333	366	415		
04		194	214	234	254	291	311	345	391	431	490		

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012018	FIN.	
• Supporto accorciabile • Shortenable bracket	01-36-37	35,04
	29-39	39,15
	02-08-20-22	41,20
	04	45,32



ART. 2012020	FIN.	
• Supporto accorciabile doppio • Shortenable double bracket	01-36-37	48,67
	29-39	55,69
	02-08-20-22	59,05
	04	65,87



ART. 2012008	FIN.	
• Supporto soffitto • Ceiling bracket	01-36-37	14,38
	29-39	15,47
	02-04 08-20-22	16,55




ART. 2015002	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-29-36	2,49
	37-39	
	02-08-20-22	3,24
	04	4,00




ART. 2013001	FIN.	L max	
• Profilo • Profile €/mt	29-39	3 mt	37,20
	01-36	3 mt	38,28
	37		
	02-08	3 mt	49,20
	20-22		
	04	2,5 mt	59,91



- Spessore 0,75 mm
- Tickness 0,75 mm





ART. 20M018


• SUPPORTI CORTI • SHORT BRACKETS



• SUPPORTI LUNGI • LONG BRACKETS



• SUPPORTI DOPPI • DOUBLE BRACKETS



• SUPPORTI A SOFFITTO • CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37	1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340 *	400 *		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36-37	246	258	270	283	301	341	361	390	416	454	140	72
	29-39	255	267	280	292	341	353	374	402	427	465	162	76
	02-08-20-22	286	303	319	335	390	407	434	472	504	554		79
	04	317	337	357	377	439	460	493	540	580	639		82
• SUPPORTI LUNGI • LONG BRACKETS	01-36-37	252	265	278	290	338	350	372	401	426	464	140	76
	29-39	262	274	287	298	351	362	384	412	437	475	162	79
	02-08-20-22	291	307	323	341	398	414	442	479	512	561		81
	04	323	344	363	384	448	469	503	549	589	649		85
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36-37	374	400	425	451	525	549	593	651	701	777	279	87
	29-39	392	416	441	466	547	572	614	671	720	795	324	93
	02-08-20-22	451	483	516	548	640	673	729	804	868	967		97
	04	513	553	593	633	739	779	847	939	1.019	1.138		103
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36-37	211	223	236	249	276	288	310	339	364	402	140	
	29-39	214	227	239	251	279	292	313	341	366	403	162	
	02-08-20-22	242	258	274	291	324	340	368	405	438	487		
	04	266	286	306	326	363	383	417	463	503	562		

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2011018	FIN.	ART. 2011022	FIN.	ART. 2011016	FIN.	ART. 2012017	FIN.	ART. 2012018	FIN.
• Finale swarovski	01-36-37 52,89	• Finale porcellana	01-36-37 23,25	• Tappo per doppio profilo	01-36-37 9,73	• Supporto accorciabile	01-36-37 31,69	• Supporto accorciabile	01-36-37 35,04
• Swarovski finial	29-39 54,08	• Porcelain finial	29-39 24,44	• Endcap for double profile	29-39 11,36	• Shortenable bracket	29-39 35,91	• Shortenable bracket	29-39 39,15
	02-08-20-22 55,16		02-08-20-22 25,41		02-08-20-22 12,87		02-08-20-22 38,61		02-08-20-22 41,20
	04 56,34		04 26,61		04 13,95		04 42,07		04 45,32

220

Finiture disponibili Finishes available



01
• Ottone lucido verniciato
• Varnished polished brass



02
• Ottone nichel nero
• Black nickel brass




04
• Ottone argentato
• Silver-plated brass



08
• Ottone nichel nero opaco
• Dull black nickel brass



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel satinato
• Nickel matt brass



29
• Ottone bronzato antico
• Antique bronze brass



ART. 20M022


SUPPORTI CORTI
SHORT BRACKETS



SUPPORTI LUNGI
LONG BRACKETS



SUPPORTI DOPPI
DOUBLE BRACKETS



SUPPORTI A SOFFITTO
CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *	Non disponibile per FIN. 29 e 37	
		Pull corded system										Not available for FIN. 29 and 37	
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36-37		186	199	212	224	269	281	303	332	357	395	140	42
29-39		196	208	221	233	282	294	315	343	368	406	162	47
02-08-20-22		226	243	260	276	331	347	374	412	444	494		49
04		257	278	297	318	379	400	434	480	520	580		52
01-36-37		193	205	218	230	278	291	313	342	367	404	140	45
29-39		202	214	227	239	292	304	324	353	377	415	162	50
02-08-20-22		231	248	264	281	338	355	383	420	452	502		52
04		264	284	304	324	389	410	443	490	530	589		55
01-36-37		316	341	366	392	465	490	533	592	642	718	279	56
29-39		332	357	382	407	488	513	555	612	662	735	324	64
02-08-20-22		392	424	456	489	580	613	669	744	809	907		67
04		453	493	533	573	679	719	787	879	959	1.078		74
01-36-37		152	164	177	189	216	229	251	280	305	343	140	
29-39		155	167	180	192	220	232	254	282	307	344	162	
02-08-20-22		182	199	215	231	264	280	308	346	378	427		
04		207	227	247	267	303	323	357	403	443	503		

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012020	FIN.		ART. 2012008	FIN.		ART. 2015002	FIN.		ART. 2013001	FIN.		L max		
• Supporto accorciabile doppio • Shortenable double bracket	01-36-37	48,67	• Supporto soffitto • Ceiling bracket	01-36-37	14,38	• Anello con guarnizione • Ring with easy-glide insert	01-29-36	2,49	• Profilo • Profile €/mt	29-39	3 mt	37,20		
	29-39	55,69		29-39	15,47		37-39			01-36	3 mt	38,28		
	02-08-20-22	59,05		02-04	16,55		02-08-20-22	3,24		37				
	04	65,87		08-20-22			04	4,00		02-08	3 mt	49,20		
												04	2,5 mt	59,91
									• Spessore 0,75 mm • Thickness 0,75 mm					

36


• Ottone satinato opaco
• Matt flat brass

37

• Ottone satinato lucido
• Matt bright brass

39

• Ottone bronzo graffiato
• Scratched bronze brass



ART. 20M017


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGH
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS






• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36-37		207	220	233	244	289	302	323	353	377	415	140	53
29-39		217	230	242	255	303	316	336	366	390	427	162	57
02-08-20-22		247	263	279	295	350	367	395	432	465	514		59
04		278	297	318	337	399	420	453	500	540	599		62
01-36-37		214	226	239	252	299	311	333	362	387	425	140	56
29-39		224	237	249	262	314	326	346	375	400	437	162	61
02-08-20-22		252	268	284	301	358	374	402	440	473	521		62
04		284	304	324	344	408	429	463	509	549	609		65
01-36-37		336	361	387	412	486	512	554	612	663	739	279	67
29-39		355	380	404	429	509	534	576	634	684	758	324	75
02-08-20-22		411	443	476	509	601	634	689	764	830	927		78
04		473	513	553	593	699	739	807	899	979	1.099		83
01-36-37		172	185	198	210	237	250	271	300	326	364	140	
29-39		177	189	202	214	242	254	275	304	329	366	162	
02-08-20-22		202	219	235	251	284	300	328	366	398	447		
04		226	246	266	286	323	343	377	423	463	523		

* 2 pezzi giuntati. 2 split with one connector.


COMPONENTI • COMPONENTS

ART. 2011017		FIN.		ART. 2011019		FIN.		ART. 2011016		FIN.		ART. 2012017		FIN.	
- Finale porcellana craquelé. Specificare colore craquelé: marrone, blu - Craquelé porcelain finial. Colour of the porcelain to be specified when ordering: brown, light blue	01-36-37	33,63	- Finale marmo. Specificare colore marmo: nero, bianco - Marble finial. Colour of marble to be specified when ordering: black, white	01-36-37	75,05	- Tappo per doppio profilo - Endcap for double profile	01-36-37	9,73	- Supporto accorciabile - Shortenable bracket	01-36-37	31,69				
	02-08-20	35,36		29-39	77,22		29-39	11,36		29-39	35,91				
	22-29-39			02-08-20-22	78,41		02-08-20-22	12,87		02-08-20-22	38,61				
	04	36,45		04	79,48		04	13,95		04	42,07				
															

222

Finiture disponibili
Finishes available

	01 • Ottone lucido verniciato • Varnished polished brass		02 • Ottone nichel nero • Black nickel brass		04 • Ottone argentato • Silver-plated brass		08 • Ottone nichel nero opaco • Dull black nickel brass		20 • Ottone cromato • Chromed brass		22 • Ottone nichel satinato • Nickel matt brass		29 • Ottone bronzato antico • Antique bronze brass
--	--	--	--	--	---	--	---	--	---	--	---	--	--



ART. 20M019


• SUPPORTI CORTI
• SHORT BRACKETS



• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS




		A Larghezza cm - Width cm										Movimento a corde Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli	Rings	12	14	16	18	20	22	26	30	34	40		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
		290	303	315	328	373	385	406	435	461	499	140	94
		302	314	327	339	386	399	421	449	474	510	162	99
		332	349	366	382	437	453	480	518	550	600		102
		363	384	403	424	485	505	540	585	625	686		105
		296	309	322	334	382	395	416	446	470	508	140	97
		308	320	333	345	397	409	430	459	483	520	162	103
		337	354	370	387	444	461	489	526	558	608		105
		370	390	410	430	495	515	549	595	635	695		108
		419	444	469	495	569	594	637	695	745	821	279	108
		438	463	488	513	594	618	660	717	767	841	324	116
		497	530	562	595	686	719	775	850	915	1.013		120
		559	599	639	679	785	825	892	984	1.064	1.184		127
		255	268	280	293	320	333	354	383	409	446	140	
		260	273	285	298	326	338	359	388	412	450	162	
		288	305	321	337	370	386	414	452	484	533		
		312	332	352	372	409	429	463	509	549	609		

* 2 pezzi giuntati. 2 split with one connector.


ART. 2012018	FIN.	
• Supporto accorciabile • Shortenable bracket	01-36-37	35,04
	29-39	39,15
	02-08-20-22	41,20
	04	45,32



ART. 2012020	FIN.	
• Supporto accorciabile doppio • Shortenable double bracket	01-36-37	48,67
	29-39	55,69
	02-08-20-22	59,05
	04	65,87



ART. 2012008	FIN.	
• Supporto soffitto • Ceiling bracket	01-36-37	14,38
	29-39	15,47
	02-04 08-20-22	16,55




ART. 2015002	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-29-36	2,49
	37-39	
	02-08-20-22	3,24
	04	4,00



ART. 2013001	FIN.	L max	
• Profilo • Profile €/mt	29-39	3 mt	37,20
	01-36	3 mt	38,28
	37		
	02-08	3 mt	49,20
	20-22		
	04	2,5 mt	59,91




- Spessore 0,75 mm
- Thickness 0,75 mm



36
• Ottone satinato opaco
• Matt flat brass



37
• Ottone satinato lucido
• Matt bright brass



39
• Ottone bronzo graffiato
• Scratched bronze brass



ART. 20M020


SUPPORTI CORTI
SHORT BRACKETS



SUPPORTI LUNGH
LONG BRACKETS



SUPPORTI DOPPI
DOUBLE BRACKETS



SUPPORTI A SOFFITTO
CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde Non disponibile per FIN. 29 e 37 Pull corded system Not available for FIN. 29 and 37	1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340 *	400 *		
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3		
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
SUPPORTI CORTI SHORT BRACKETS	01-36-37	264	276	289	302	346	358	380	409	434	472	140	81
	29-39	275	288	300	313	360	373	394	423	448	485	162	85
	02-08-20-22	306	322	339	355	410	426	454	491	525	573		89
	04	337	357	377	397	458	479	513	559	599	659		92
SUPPORTI LUNGH LONG BRACKETS	01-36-37	270	282	295	308	355	369	389	419	444	482	140	84
	29-39	281	294	306	319	371	383	403	433	457	494	162	89
	02-08-20-22	311	328	344	360	417	434	462	500	532	581		91
	04	344	363	384	403	468	489	522	569	609	668		95
SUPPORTI DOPPI DOUBLE BRACKETS	01-36-37	393	417	443	468	542	568	610	668	719	795	279	95
	29-39	412	437	462	487	566	592	634	691	741	815	324	103
	02-08-20-22	470	503	535	569	660	693	748	823	889	986		107
	04	532	572	612	652	758	798	866	958	1.038	1.158		112
SUPPORTI A SOFFITTO CEILING BRACKETS	01-36-37	229	241	254	267	294	306	328	357	382	420	140	
	29-39	234	246	259	271	299	312	333	361	386	423	162	
	02-08-20-22	262	278	294	311	344	360	388	425	458	507		
	04	286	306	326	346	382	402	436	482	522	582		

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 2011020	FIN.		ART. 2011021	FIN.		ART. 2011016	FIN.		ART. 2012017	FIN.		ART. 2012018	FIN.	
• Finale porcellana dipinta a mano	01-36-37	61,87	• Finale porcellana stampata	01-36-37	30,18	• Tappo per doppio profilo	01-36-37	9,73	• Supporto accorciabile	01-36-37	31,69	• Supporto accorciabile	01-36-37	35,04
• Hand-painted porcelain finial	29-39	64,03	• Printed porcelain finial	29-39	32,01	• Endcap for double profile	29-39	11,36	• Shortenable bracket	29-39	35,91	• Shortenable bracket	29-39	39,15
	02-08-20-22	65,11		02-08-20-22	33,10		02-08-20-22	12,87		02-08-20-22	38,61		02-08-20-22	41,20
	04	66,19		04	34,28		04	13,95		04	42,07		04	45,32

224

Finiture disponibili
Finishes available



01
• Ottone lucido verniciato
• Varnished polished brass



02
• Ottone nichel nero
• Black nickel brass



04
• Ottone argentato
• Silver-plated brass



08
• Ottone nichel nero opaco
• Dull black nickel brass




20
• Ottone cromato
• Chromed brass



22
• Ottone nichel satinato
• Nickel matt brass



29
• Ottone bronzato anticato
• Antique bronze brass



ART. 20M021


SUPPORTI CORTI
SHORT BRACKETS



SUPPORTI LUNGI
LONG BRACKETS



SUPPORTI DOPPI
DOUBLE BRACKETS




SUPPORTI A SOFFITTO
CEILING BRACKETS



		A Larghezza cm - Width cm										Movimento a corde	1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300	340 *	400 *	Non disponibile per FIN. 29 e 37	
		Pull corded system										Not available for FIN. 29 and 37	
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct
01-36-37		200	213	225	238	283	295	316	345	371	409	140	50
29-39		211	223	236	248	297	309	330	358	383	421	162	54
02-08-20-22		242	258	275	291	346	362	390	427	460	509		56
04		274	293	314	333	395	415	449	495	535	595		59
01-36-37		207	220	233	244	292	305	327	356	381	419	140	53
29-39		217	229	242	254	307	319	340	368	393	430	162	57
02-08-20-22		247	264	280	296	354	370	398	435	468	517		59
04		280	300	320	340	404	425	459	505	545	605		63
01-36-37		329	355	380	406	479	504	547	606	655	731	279	64
29-39		347	372	397	422	503	528	570	627	677	751	324	71
02-08-20-22		407	439	472	504	597	628	685	759	825	923		75
04		468	508	548	588	694	734	802	894	974	1.094		81
01-36-37		165	178	191	203	230	243	264	294	319	357	140	
29-39		170	182	195	207	235	248	269	297	322	359	162	
02-08-20-22		198	214	230	247	280	296	324	361	394	443		
04		222	242	262	282	319	339	372	418	458	518		


* 2 pezzi giuntati. 2 split with one connector.

ART. 2012020	FIN.	
• Supporto accorciabile doppio • Shortenable double bracket	01-36-37	48,67
	29-39	55,69
	02-08-20-22	59,05
	04	65,87
		

ART. 2012008	FIN.	
• Supporto soffitto • Ceiling bracket	01-36-37	14,38
	29-39	15,47
	02-04	16,55
	08-20-22	
		

ART. 2015002	FIN.	
• Anello con guarnizione • Ring with easy-glide insert	01-29-36	2,49
	37-39	
	02-08-20-22	3,24
	04	4,00
		

ART. 2013001	FIN.	L max	
• Profilo • Profile €/mt	29-39	3 mt	37,20
	01-36	3 mt	38,28
	37		
	02-08 20-22	3 mt	49,20
	04	2,5 mt	59,91
			
• Spessore 0,75 mm • Thickness 0,75 mm			



ART. 21M032


- SUPPORTI CORTI
- SHORT BRACKETS



- SUPPORTI LUNGI
- LONG BRACKETS



- SUPPORTI DOPPI
- DOUBLE BRACKETS



- SUPPORTI A SOFFITTO
- CEILING BRACKETS




		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket
Anelli	Rings	120	140	160	180	200	220	250	300	340 *	400 *	
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3	
Finiture	Finishes											Togliere - Deduct
01-36		309	323	337	351	395	409	433	464	492	533	101
39		327	342	356	371	419	435	460	493	522	566	105
01-36		316	330	344	358	405	419	442	474	502	543	104
39		331	346	360	375	425	440	465	499	528	572	107
01-36		447	474	502	529	605	633	679	743	798	880	115
39		477	506	535	565	648	677	727	794	852	940	122
01-36		278	291	305	319	347	361	385	416	444	485	
39		289	304	318	333	363	378	403	436	465	509	


* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS


ART. 2111032	FIN.	
• Finale	01-36	82,74
• Finial	39	85,01




ART. 2111025	FIN.	
• Finale	01-36	12,98
• Finial	39	14,60




ART. 2011016	FIN.	
• Tappo per doppio profilo	01-36	9,73
• Endcap for double profile	39	11,36



ART. 2112021	FIN.	
• Supporto accorciabile	01-36	30,39
• Shortenable bracket	39	34,50



ART. 2112022	FIN.	
• Supporto accorciabile	01-36	33,63
• Shortenable bracket	39	36,45



01
• Ottone lucido verniciato
• Varnished polished brass




36
• Ottone satinato opaco
• Matt flat brass



39
• Ottone bronzo graffiato
• Scratched bronze brass



ART. 21M025

		A Larghezza cm - Width cm										1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300	340 *	400 *		
Anelli Rings		12	14	16	18	20	22	26	30	34	40		
Supporti Brackets		2	2	2	2	3	3	3	3	3	3		
Finiture Finishes												Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	170	184	198	212	256	269	293	324	353	394	30
		39	186	201	215	230	278	294	319	353	382	425	35
• SUPPORTI LUNGI • LONG BRACKETS		01-36	176	190	204	218	265	279	303	334	362	403	34
		39	190	204	220	234	285	300	324	358	387	432	37
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	307	334	362	389	465	493	540	603	659	741	45
		39	335	364	394	423	506	535	586	652	711	798	52
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	138	152	166	179	208	221	245	277	304	346	
		39	148	163	178	192	222	237	262	295	324	368	

* 2 pezzi giuntati. 2 split with one connector.

ART. 2112024

FIN.

• Supporto accorciabile doppio

• Shortenable double bracket

01-36	47,69
39	54,08

240

65

50

ART. 2012008

FIN.

• Supporto soffitto

• Ceiling bracket

01-36	14,38
39	15,47

40

35

ART. 2115004

FIN.

• Anello con guarnizione

• Ring with easy-glide insert

01-36	2,92
39	3,14

39

27

ART. 2113001

FIN.

• Profilo

• Profile

€/mt

01-36	L max	39,80
39	3 mt	41,64

Spessore 1 mm

Thickness 1 mm



* 2 pezzi giuntati. 2 split with one connector.

Finiture disponibili Finishes available	01 • Ottone lucido verniciato • Varnished polished brass	36 • Ottone satinato opaco • Matt flat brass	39 • Ottone bronzo graffiato • Scratched bronze brass
--	--	--	---



ART. 20M004

		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)		
		120	140	160	180	200	220	250	300	340 *	400 *					
		Scorrevoli Supporti	Roller Brackets	12	14	16	18	20	22	26	30				34	40
		Finiture Finishes												Aumentare - Rise	Togliere - Deduct	Aumentare - Rise
• SUPPORTI CORTI • SHORT BRACKETS		01-36		213	230	249	266	313	331	357	401	436	489	43	41	10 / mt.
		39		233	252	271	291	341	361	392	440	479	538	43	43	10 / mt.
• SUPPORTI LUNGI • LONG BRACKETS		01-36		223	240	257	275	327	345	371	415	450	503	43	45	10 / mt.
		39		242	262	281	301	356	375	406	454	493	552	43	48	10 / mt.
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36		354	389	424	459	532	567	620	707	778	882	87	46	
		39		388	427	467	506	584	623	682	780	859	976	87	49	
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36		186	204	221	239	273	290	317	360	396	448	43		10 / mt.
		39		206	226	245	265	302	322	352	400	439	498	43		10 / mt.

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012003

FIN.

• Supporto doppio

• Double wall bracket

70

60

50

20

01-36	37,63
39	39,15

ART. 2012005

FIN.

• Supporto soffitto

• Ceiling bracket

37

25

22

01-36	16,22
39	17,96

ART. 0055005

• Scorrevole

• Glide roller

0,12

ART. 2013020

FIN.

L max

• Profilo

• Profile

€/mt

01-36

3 mt

84,46

39


3 mt

94,63



* 2 pezzi giuntati. 2 split with one connector.

Finiture disponibili Finishes available	01 • Ottone lucido verniciato • Varnished polished brass	36 • Ottone satinato opaco • Matt flat brass	39 • Ottone bronzo graffiato • Scratched bronze brass
--	---	---	--










ART. 20M006






		A Larghezza cm - Width cm										Movimento a corde Pull corded system	1 rosetta a muro 1 wall mount socket	Onda (Solo a strappo) Wave (W/o pulling system)
Scorrevoli	Roller	120	140	160	180	200	220	250	300	340 *	400 *			
Supporti	Brackets	2	2	2	2	3	3	3	3	3	3			
Finiture	Finishes											Aumentare - Rise	Togliere - Deduct	Aumentare - Rise
• SUPPORTI CORTI • SHORT BRACKETS	01-36	203	221	239	256	304	321	347	392	426	479	43	37	10 / mt.
	39	223	242	262	281	332	351	382	430	469	528	43	38	10 / mt.
• SUPPORTI LUNGI • LONG BRACKETS	01-36	213	230	248	265	317	335	361	406	440	493	43	41	10 / mt.
	39	233	252	271	291	346	366	396	444	483	542	43	43	10 / mt.
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36	344	380	414	449	523	557	610	698	768	873	87	41	
	39	377	417	456	495	573	613	672	769	847	965	87	43	
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36	177	194	212	229	263	281	307	351	386	438	43		10 / mt.
	39	196	216	236	255	293	312	342	391	430	488	43		10 / mt.

* 2 pezzi giuntati. 2 split with one connector.

ART. 2012003	FIN.	ART. 2012005	FIN.	ART. 0055005	ART. 2013020	FIN.	L max
• Supporto doppio	01-36	• Supporto soffitto	01-36	• Scorrevole	• Profilo	01-36	3 mt
• Double wall bracket	39	• Ceiling bracket	39	• Glide roller	• Profile €/mt	39	3 mt
	37,63		16,22	0,12			84,46
	39,15		17,96				94,63

Ø 20 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
	2011001	01-36-39	12,22
		20-22	12,22
• Finale legno per tubo • Wood finial for rod			
	2011003	01-36-39	12,22
		20-22	12,22
• Finale legno per tubo • Wood finial for rod			
	2011005	01-36-39	12,22
		20-22	12,22
• Finale legno per tubo • Wood finial for rod			
	2011007	01-36-39	12,22
		20-22	12,22
• Finale legno per tubo • Wood finial for rod			
	2011002	01-36-39	12,22
• Finale legno per profilo alluminio • Wood finial for aluminium profile			
	2011004	01-36-39	12,22
• Finale legno per profilo alluminio • Wood finial for aluminium profile			
	2011006	01-36-39	12,22
• Finale legno per profilo alluminio • Wood finial for aluminium profile			
	2011008	01-36-39	12,22
• Finale legno per profilo alluminio • Wood finial for aluminium profile			
• Attenzione: indicare tipo di legno • Wood's type to be specified when ordering			
60 • Faggio • Beech wood 61 • Faggio colore ciliegio • Beech wood painted cherry 65 • Faggio colore wengé • Beech wood painted wengé			

	ART.	Finiture Finishes	
	2011026	01	22,50
		• Finale • Finial	
	2011028	01	15,68
		• Finale • Finial	
	2011029	01	17,95
		• Finale • Finial	
	2011030	01	18,49
		• Finale • Finial	
	2011033	01	77,20
		• Finale cesellato a mano • Hand-chiselled pineapple finial	
	2011044	01	25,31
		22	31,58
	2011016	01-36-37	9,74
		39	11,25
	2011010	02-08-20-22	9,95
		04	11,00
	2012004	01-36-37	17,30
		39	18,71
		20-22	19,36
		• Prolunga • Bracket extension	

Finiture disponibili
Finishes available



01
• Ottone lucido verniciato
• Varnished polished brass



02
• Ottone nichel nero
• Black nickel brass




04
• Ottone argentato
• Silver-plated brass



08
• Ottone nichel nero opaco
• Dull black nickel brass



20
• Ottone cromato
• Chromed brass
















22
• Ottone nichel satinato
• Nickel matt brass



29
• Ottone bronzato anticato
• Antique bronze brass




Ø 20 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES




	ART.	Finiture Finishes	
	2012104	01-36	15,47
		39	17,20
		20-22	17,74
		• Prolunga per mensola • Brass bracket extension	
	2012032	01-36-37	84,47
		39	92,68
		02-20-22	97,12
		04	100,47
		• Supporto accorciabile multiangolo • Adjustable universal corner bracket	
	2012009	01-36-37	30,39
		39	34,61
		02-08-20-22	37,53
		04	40,88
		• Supporto accorciabile • Shortenable bracket	
	2012010	01-36-37	33,53
		39	36,45
		02-08-20-22	39,80
		04	49,64
		• Supporto accorciabile • Shortenable bracket	
	2012006	01-36-37	24,77
		39	28,77
		02-08-20-22	30,93
		04	35,37
		• Supporto accorciabile • Shortenable bracket	
	2012007	01-36-37	27,90
		39	32,01
		02-08-20-22	34,28
		04	38,61
		• Supporto accorciabile • Shortenable bracket	
	2012026	01-36-37	25,09
		39	25,96
		20-22	30,93
		• Supporto fisso • Fix bracket	
	2012025	01-36-37	21,52
		39	22,71
		20-22	26,50
		• Supporto fisso • Fix bracket	
	2012019	01-36-37	45,53
		39	52,45
		02-08-20-22	56,02
		04	62,94
		• Supporto accorciabile doppio • Shortenable double bracket	

	ART.	Finiture Finishes	
	2112023	01-36	44,1252
		39	50,8305
	• Supporto accorciabile doppio • Shortenable double bracket		
	2012015	01-36	39,04
		39	45,31
		20-22	49,42
• Supporto doppio • Double wall bracket			
	2012011	01-36-37	44,23
		39	50,83
		02-08-20-22	55,16
		04	61,86
• Supporto accorciabile doppio • Shortenable double bracket			
	2012012	01-36-37	47,69
		39	54,08
		02-08-20-22	58,51
		04	65,11
• Supporto accorciabile doppio • Shortenable double bracket			
	1518200	01-36-37	6,60
		39	6,92
		02-08-20-22	7,79
		04	9,08
• Attacco per binario in alluminio • Connector for aluminium track			
	2012029	01-36-37	39,37
		39	39,37
		20-22	39,37
• Supporto fisso • Fix bracket			
	2012030	01-36-37	44,67
		39	44,67
		20-22	44,67
• Supporto fisso • Fix bracket			
	2012031	01-36-37	47,05
		39	47,05
		20-22	47,05
• Supporto fisso • Fix bracket			
• Attenzione: indicare tipo di legno • Wood's type to be specified when ordering			
   			
60 • Faggio • Beech wood 62 • Ciliegio • Cherry wood 63 • Noce • Walnut 64 • Padouk • Padouk			

	36 • Ottone satinato opaco • Matt flat brass		37 • Ottone satinato lucido • Matt bright brass		39 • Ottone bronzo graffiato • Scratched bronze brass
---	--	---	---	---	---

Ø 20 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes		
	2016002	01-36-37	14,17	
		39	15,47	
		02-08-20-22	16,22	
		04	17,74	
- Rosetta a muro con supporto aperto in plastica - Mount socket with open plastic insert				
	2016001	01-36-37	12,55	
		39	14,06	
		02-08-20-22	14,92	
		04	16,55	
- Rosetta a muro aperta - Open mount socket				
	2018210	01	16,33	
		- Supporto per profilo e per fermatenda - Bracket for profile and for holdback		
	2014010	01-36	L max 3 mt	85,11
		39	L max 3 mt	95,17
- Profilo alluminio galvanizzato ottone con fori per corde €/mt - Galvanized brass aluminium profile with holes for corded system €/mt				
	2018102	01-36	27,04	
		39	27,79	
- Coppia incrocio anello tondo - Double overlap with round ring				
	2018101	01-36	25,09	
		39	25,42	
- Coppia incrocio anello piatto - Double overlap with flat ring				
	2015003	01-36-37	2,60	
		39	2,81	
		02-20-22	3,14	
- Anello con guarnizione e occhiolo plastica - Ring with easy-glide insert and plastic hook				
	2012300	01-20-22-36-37-39		15,00
		- Cannetta Ø 15 - 300 mm - Steam Ø 15 - 300 mm		
	2012500	01-20-22-36-37-39		25,00
		- Cannetta Ø 15 - 500 mm - Steam Ø 15 - 500 mm		

	ART.	
	2018002	14,06
		- Giunzione plastica per profilo - Plastic connector for profile
	2018001	4,43
		- Giunzione plastica per profilo - Plastic connector for profile
	2048001	4,43
		- Giunzione plastica per profilo - Plastic connector for profile
	0055060	10,00
		- Corda con scorrevoli tondi girevoli, passo 60 mm - Cord with round, pivoting gliders, spacing 60 mm €/mt
	0055080	10,00
		- Corda con scorrevoli tondi girevoli, passo 80 mm - Cord with round, pivoting gliders, spacing 80 mm €/mt



01
• Ottone lucido verniciato
• Varnished polished brass



02
• Ottone nichel nero
• Black nickel brass




04
• Ottone argentato
• Silver-plated brass



08
• Ottone nichel nero opaco
• Dull black nickel brass



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel satinato
• Nickel matt brass



29
• Ottone bronzato antico
• Antique bronze brass

SCORRITENDA A CORDE CON ANELLI TONDI

PULL CORDED SYSTEM WITH ROUND RINGS


Accessori inclusi

- Profilo alluminio galvanizzato ottone
- Anelli con occhio fuso ogni 0,1 mt
- Fiocco
- Incrocio

Accessories included

- Galvanized brass aluminium profile
- Rings with fixed eyelt every 0,1 mt
- Cord weight
- Overlap

	Larghezza cm - Width cm					
	160	180	200	220	250	300
ART.	2014003	2014004	2014005	2014006	2014007	2014008
Finiture Finishes						
01-36	241	254	266	279	301	330
39	263	276	288	300	320	349



SCORRITENDA A CORDE CON ANELLI PIATTI

PULL CORDED SYSTEM WITH FLAT RINGS

Accessori inclusi

- Profilo alluminio galvanizzato ottone
- Anelli piatti con gancetti in plastica ogni 0,1 mt
- Fiocco
- Incrocio

Accessories included

- Galvanized brass aluminium profile
- Flat rings with plastic hook every 0,1 mt
- Cord weight
- Overlap

	Larghezza cm - Width cm					
	160	180	200	220	250	300
ART.	2014013	2014014	2014015	2014016	2014017	2014018
Finiture Finishes						
01-36	231	241	254	265	283	310
39	257	268	280	292	311	340



SCORRITENDA A CORDE CON SCORREVOLI

PULL CORDED SYSTEM WITH GLIDER HOOKS

Accessori inclusi

- Profilo alluminio galvanizzato ottone
- Scorrevoli
- Fiocco
- Incrocio

Accessories included

- Galvanized brass aluminium profile
- Glider hooks
- Cord weight
- Overlap

	Larghezza cm - Width cm					
	160	180	200	220	250	300
ART.	2014023	2014024	2014025	2014026	2014027	2014028
Finiture Finishes						
01-36	184	201	218	237	264	307
39	201	221	240	260	289	337




[Ø 15]




Scaglioni

Ø 15







ART. 15M005

		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300 *		
Anelli	Rings	12	14	16	18	20	22	26	30		
Supporti	Brackets	2	2	2	2	3	3	3	3		
Finiture	Finishes									Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	145	155	164	174	209	218	235	256	35
		39	159	169	180	190	228	239	257	281	38
		20-22	175	188	200	213	255	267	289	317	40
• SUPPORTI LUNGI • LONG BRACKETS		01-36	149	159	169	178	215	225	241	263	37
		39	163	174	184	195	236	247	264	289	40
		20-22	180	193	204	217	261	274	295	323	41
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	224	242	262	280	329	347	380	423	37
		39	246	266	288	309	361	383	419	467	39
		20-22	274	298	323	348	406	432	474	531	41
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	130	140	149	159	186	196	212	234	
		39	140	151	162	172	201	212	230	254	
		20-22	155	168	180	193	225	237	259	287	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 1511005	FIN.	ART. 1511007	FIN.	ART. 1511016	FIN.	ART. 1512001	FIN.	ART. 1512002	FIN.
• Finale	01-36	• Finale	01-36	• Tappo per	01-36	• Supporto	01-36	• Supporto	01-36
• Finial	39	• Finial	39	doppio profilo	39	• Wall bracket	39	• Wall bracket	39
	20-22		20-22	• Endcap for	20-22		20-22		20-22
	20,33		13,52	double profile	8,55		29,74		31,79
									

238

Finiture disponibili
Finishes available



01
• Ottone lucido
verniciato
• Varnished
polished brass



20
• Ottone cromato
• Chromed brass




22
• Ottone nichel
satinato
• Nickel matt
brass





36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 15M007


		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300 *		
Anelli	Rings	12	14	16	18	20	22	26	30		
Supporti	Brackets	2	2	2	2	3	3	3	3		
Finiture	Finishes									Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	133	143	151	161	196	205	222	243	28
		39	145	156	167	177	215	226	244	268	30
		20-22	162	174	187	199	241	254	275	304	32
• SUPPORTI LUNGI • LONG BRACKETS		01-36	137	147	157	165	203	213	228	251	31
		39	149	160	171	182	222	233	251	275	32
		20-22	165	178	190	203	248	260	281	309	35
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	211	230	249	268	316	335	367	411	30
		39	231	253	275	295	347	369	406	454	32
		20-22	260	284	309	334	393	417	460	517	34
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	118	127	137	146	174	183	200	221	
		39	127	138	148	159	188	198	217	241	
		20-22	142	154	167	179	211	224	245	274	

* 2 pezzi giuntati. 2 split with one connector.

ART. 1512003	FIN.	
• Supporto doppio • Double wall bracket	01-36	28,88
	39	30,93
	20-22	32,88



ART. 1512005	FIN.	
• Supporto soffitto • Ceiling bracket	01-36	18,06
	39	18,49
	20-22	19,69




ART. 2015001	FIN.	
• Anello con guarnizione • Ring with easy glide insert	01-36	1,84
	39	2,16
	20-22	2,49




ART. 1513001	FIN.	L max	
• Profilo • Profile €/mt	01-36	2,5 mt	29,10
	39	2,5 mt	31,47
	20-22	2,5 mt	37,42



- Spessore 0,75 mm
- Thickness 0,75 mm








ART. 15M001

		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300 *		
Anelli	Rings	12	14	16	18	20	22	26	30		
Supporti	Brackets	2	2	2	2	3	3	3	3		
Finiture	Finishes									Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	147	156	165	175	210	220	236	257	36
		39	160	171	182	193	230	241	260	283	38
		20-22	180	193	204	217	260	273	293	322	42
• SUPPORTI LUNGI • LONG BRACKETS		01-36	151	161	170	180	217	226	242	264	38
		39	164	175	186	197	237	248	266	290	40
		20-22	184	197	209	222	266	278	300	328	44
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	225	244	263	282	330	349	381	425	37
		39	247	268	290	310	362	384	421	469	40
		20-22	278	303	328	353	411	436	478	535	43
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	132	141	151	160	188	197	213	235	
		39	142	153	163	174	203	214	232	256	
		20-22	160	172	185	197	229	242	263	292	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 1511001	FIN.	ART. 1511003	FIN.	ART. 1511016	FIN.	ART. 1512001	FIN.	ART. 1512002	FIN.
• Finale	01-36	• Finale	01-36	• Tappo per	01-36	• Supporto	01-36	• Supporto	01-36
• Finial	39	• Finial	39	doppio profilo	39	• Wall bracket	39	• Wall bracket	39
	20-22		20-22	• Endcap for	20-22		20-22		20-22
	22,61		19,90	double profile	8,55		29,74		31,79
									

240

Finiture disponibili
Finishes available



01
• Ottone lucido
verniciato
• Varnished
polished brass



20
• Ottone cromato
• Chromed brass




22
• Ottone nichel
satinato
• Nickel matt
brass



36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass



ART. 15M003

		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300 *		
Anelli	Rings	12	14	16	18	20	22	26	30		
Supporti	Brackets	2	2	2	2	3	3	3	3		
Finiture	Finishes									Togliere - Deduct	
• SUPPORTI CORTI • SHORT BRACKETS		01-36	145	154	163	173	208	217	234	255	35
		39	158	169	180	190	228	239	257	281	37
		20-22	174	187	199	212	254	267	288	317	39
• SUPPORTI LUNGI • LONG BRACKETS		01-36	149	159	168	177	215	224	240	262	37
		39	162	173	184	195	235	246	264	288	39
		20-22	178	191	203	216	261	273	294	322	41
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-36	223	242	261	280	328	347	379	423	36
		39	244	266	288	308	360	382	419	467	39
		20-22	273	297	322	347	406	430	473	530	40
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-36	130	139	149	158	186	195	211	233	
		39	140	150	161	172	201	211	230	254	
		20-22	154	167	179	192	224	236	258	286	

* 2 pezzi giuntati. 2 split with one connector.

ART. 1512003		FIN.	ART. 1512005		FIN.	ART. 2015001		FIN.	ART. 1513001		FIN.	L max
• Supporto doppio • Double wall bracket	01-36	28,88	• Supporto soffitto • Ceiling bracket	01-36	18,06	• Anello con guarnizione • Ring with easy glide insert	01-36	1,84	• Profilo • Profile €/mt	01-36	2,5 mt	29,10
	39	30,93		39	18,49		39	2,16		39	2,5 mt	31,47
	20-22	32,88		20-22	19,69		20-22	2,49		20-22	2,5 mt	37,42
											• Spessore 0,75 mm • Thickness 0,75 mm	



ART. 15M057

		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300 *	
Anelli	Rings	12	14	16	18	20	22	26	30	
Supporti	Brackets	2	2	2	2	3	3	3	3	
Finiture	Finishes									Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01-36	133	143	151	161	196	205	222	243	28
	39	145	156	167	177	215	226	244	268	30
	20-22	162	174	187	199	241	254	275	304	32
• SUPPORTI LUNGI • LONG BRACKETS	01-36	137	147	157	165	203	213	228	251	31
	39	149	160	171	182	222	233	251	275	32
	20-22	165	178	190	203	248	260	281	309	34
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-36	195	213	230	248	292	310	339	380	30
	39	231	253	275	295	347	369	406	454	32
	20-22	260	284	309	334	393	417	460	517	33
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-36	117	127	137	146	174	183	199	221	
	39	127	138	148	159	188	198	217	241	
	20-22	142	154	167	179	211	224	245	274	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 1511057	FIN.		ART. 1511016	FIN.		ART. 1512097	FIN.		ART. 1512001	FIN.		ART. 1512002	FIN.	
• Finale	01-36	12,12	• Tappo per doppio profilo	01-36	7,35	• Supporto	01-36	28,77	• Supporto	01-36	25,53	• Supporto	01-36	27,79
• Finial	39	12,87	• Endcap for double profile	39	8,11	• Bracket	39	31,47	• Wall bracket	39	27,57	• Wall bracket	39	29,85
	20-22	13,52		20-22	8,55		20-22	34,28		20-22	29,74		20-22	31,79



01
• Ottone lucido
verniciato
• Varnished
polished brass



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel
satinato
• Nickel matt
brass



36
• Ottone satinato
opaco
• Matt flat
brass




39
• Ottone bronzo
graffiato
• Scratched bronze
brass



ART. 15M100

- SUPPORTI CORTI
- SHORT BRACKETS



		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300 *	
Anelli	Rings	12	14	16	18	20	22	26	30	
Supporti	Brackets	2	2	2	2	3	3	3	3	
Finiture	Finishes									Togliere - Deduct
01-36		115	124	134	144	182	191	208	229	19
39		128	137	148	159	201	212	230	254	21
20-22		144	157	169	182	228	240	262	290	23

* 2 pezzi giuntati. 2 split with one connector.

ART. 1512003

FIN.

• Supporto doppio

39

28,88

• Double wall bracket

20-22

32,88

ART. 1512005

FIN.

• Supporto soffitto

01-36

18,06

• Ceiling bracket

39

18,49

• Ceiling bracket

20-22

19,69

ART. 2015001

FIN.

• Anello con guarnizione

01-36

1,84

• Ring with easy glide insert

39

2,16

• Ring with easy glide insert

20-22

2,49

ART. 1513001

FIN.

L max

• Profilo

01-36

2,5 mt

29,10

• Profile

39

2,5 mt

31,47

€/mt


20-22

2,5 mt

37,42

• Spessore 0,75 mm

• Tickness 0,75 mm




ART. 15M012

• SUPPORTI LUNGI
• LONG BRACKETS



• SUPPORTI DOPPI
• DOUBLE BRACKETS



• SUPPORTI A SOFFITTO
• CEILING BRACKETS



		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300 *	
Anelli	Rings	12	14	16	18	20	22	26	30	
Supporti	Brackets	2	2	2	2	3	3	3	3	
Finiture	Finishes									Togliere - Deduct
• SUPPORTI LUNGI • LONG BRACKETS	01-12-36	112	121	130	137	167	175	189	209	22
	39	125	134	144	152	186	195	210	231	25
	20-22	140	150	161	172	209	220	237	262	28
• SUPPORTI DOPPI • DOUBLE BRACKETS	01-12-36	196	213	229	247	293	309	337	376	29
	39	218	237	255	273	327	345	374	417	37
	20-22	242	264	284	305	364	385	420	469	37
• SUPPORTI A SOFFITTO • CEILING BRACKETS	01-12-36	107	116	124	133	159	168	182	201	
	39	114	123	132	142	169	178	193	215	
	20-22	126	136	147	157	188	198	215	240	

* 2 pezzi giuntati. 2 split with one connector.

COMPONENTI • COMPONENTS

ART. 1511012	FIN.		ART. 1511014	FIN.		ART. 1511016	FIN.		ART. 1512006	FIN.		ART. 1512017	FIN.	
• Finale	01-12-36	10,16	• Finale	01-12-36	10,16	• Tappo per doppio profilo	01-12-36	7,35	• Supporto accorciabile	01-12-36	20,55	• Supporto accorciabile	01-12-36	29,63
• Finial	39	11,04	• Finial	39	11,04	• Endcap for double profile	39	8,11	• Shortenable bracket	39	24,01	• Shortenable doppio	39	35,15
	20-22	11,47		20-22	11,47		20-22	8,55		20-22	26,71	• Shortenable double bracket	20-22	37,85

244

Finiture disponibili
Finishes available




01
• Ottone lucido
verniciato
• Varnished
polished brass



12
• Bianco lucido
• Polished white



20
• Ottone cromato
• Chromed brass




22
• Ottone nichel
satinato
• Nickel matt
brass




36
• Ottone satinato
opaco
• Matt flat
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass




ART. 15M014

		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	300 *	
		Anelli Rings	Supporti Brackets							
		2	2	2	2	3	3	3	3	
Finiture Finishes										Togliere - Deduct
• SUPPORTI LUNGI • LONG BRACKETS		01-12-36								
		39								
		20-22								
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-12-36								
		39								
		20-22								
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-12-36								
		39								
		20-22								

* 2 pezzi giuntati. 2 split with one connector.

ART. 1512005	FIN.	
• Supporto soffitto • Ceiling bracket	01-36	18,06
	39	18,49
	20-22	19,69



ART. 1515002	FIN.	
• Anello • Ring	01-12-36	1,30
	39	1,41
	20-22	1,51



ART. 1513001	FIN.	L max	
• Profilo • Profile €/mt	01-12-36	2,5 mt	29,10
	39	2,5 mt	31,47
	20-22	2,5 mt	37,42



- Spessore 0,75 mm
- Tickness 0,75 mm




* 2 pezzi giuntati. 2 split with one connector.

39


- Ottone bronzo graffiato
- Scratched bronze brass








ART. 15M016






		A Larghezza cm - Width cm								1 rosetta a muro 1 wall mount socket	
		120	140	160	180	200	220	250	300 *		
Anelli	Rings	12	14	16	18	20	22	26	30		
Supporti	Brackets	2	2	2	2	3	3	3	3		
Finiture	Finishes									Togliere - Deduct	
• SUPPORTI LUNGI • LONG BRACKETS		01-12-36	106	115	123	132	161	169	183	203	18,40
		39	119	128	137	146	179	188	204	225	22,70
		20-22	134	144	155	165	202	213	230	255	25,00
• SUPPORTI DOPPI • DOUBLE BRACKETS		01-12-36	190	207	223	240	287	304	331	371	26,00
		39	212	230	249	267	320	338	369	411	31,40
		20-22	236	257	278	299	358	379	413	463	33,50
• SUPPORTI A SOFFITTO • CEILING BRACKETS		01-12-36	101	110	118	127	153	162	175	195	
		39	108	117	126	135	163	172	187	208	
		20-22	120	130	141	151	181	192	209	234	

* 2 pezzi giuntati. 2 split with one connector.

ART. 1515002	FIN.		ART. 1513001	FIN.	L max	
• Anello • Ring	01-12-36	1,30	• Profilo	01-12-36	2,5 mt	29,10
	39	1,41	• Profile	39	2,5 mt	31,47
	20-22	1,51	• €/mt	20-22	2,5 mt	37,42
						
			• Spessore 0,75 mm • Tickness 0,75 mm			

Ø 15 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
	1511001	01-36-39	9,30
		20-22	9,30
• Finale legno • Wood finial			
	1511003	01-36-39	9,30
		20-22	9,30
• Finale legno • Wood finial			
	1511005	01-36-39	9,30
		20-22	9,30
• Finale legno • Wood finial			
	1511057	01-36-39	9,30
		20-22	9,30
• Finale legno • Wood finial			
	1511007	01-36-39	9,30
		20-22	9,30
• Finale legno • Wood finial			
• Attenzione: indicare tipo di legno • Wood's type to be specified when ordering			
 60 • Faggio • Beech wood  61 • Faggio colore ciliegio • Beech wood painted cherry			

	ART.	Finiture Finishes	
	1512008	01-36-12	11,36
		39	12,44
		20-22	14,06
	• Supporto soffitto • Ceiling bracket		
	1512004	01-36	11,14
		39	12,00
		20-22	12,65
	• Prolunga • Bracket extension		
	1512104	01-36	10,06
		39	10,82
		20-22	11,46
	• Prolunga • Bracket extension		
	1516001	01-36-12	8,98
		39	9,73
		20-22	10,49
	• Rosetta a muro aperta • Open mount socket		
	1518002		12,98
	• Giunzione plastica • Plastic connector		
	1518001		4,43
	• Giunzione plastica • Plastic connector		




01
• Ottone lucido
verniciato
• Varnished
polished brass



12
• Bianco lucido
• Polished white



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel
satinato
• Nickel matt
brass




36
• Ottone satinato
opaco
• Matt flat
brass




39
• Ottone bronzo
graffiato
• Scratched bronze
brass

[Ø 13]



Scaglioni



ART. 13M001

		A Larghezza cm - Width cm							1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	
Anelli	Rings	12	14	16	18	20	22	26	
Supporti	Brackets	2	2	2	3	3	3	3	
Finiture Finishes									Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01	128	135	144	181	188	197	211	31
	20-22	156	167	177	222	233	243	262	37
• SUPPORTI LUNGH • LONG BRACKETS	01	134	143	150	190	199	207	222	35
	20-22	163	174	184	231	242	253	271	40
• SUPPORTI DOPPI • DOUBLE BRACKETS	01	213	230	247	297	314	330	359	43
	20-22	261	282	304	364	386	408	444	49

COMPONENTI • COMPONENTS

ART. 1311001	FIN.	ART. 1311007	FIN.	ART. 1312001	FIN.	ART. 1312002	FIN.	ART. 1312003	FIN.
• Finale	01	• Finale e tappo	01	• Supporto	01	• Supporto	01	• Supporto	01
• Finial	20-22	per doppio profilo	20-22	• Wall bracket	20-22	• Wall bracket	20-22	doppio	20-22
		• Finial and endcap						• Double wall	
		for double profile						bracket	

250


Finiture disponibili
Finishes available




01
• Ottone lucido
verniciato
• Varnished
polished brass



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel
satinato
• Nickel matt
brass



ART. 13M007

		A Larghezza cm - Width cm							1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	
Anelli	Rings	12	14	16	18	20	22	26	
Supporti	Brackets	2	2	2	3	3	3	3	
Finiture	Finishes								Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01	131	140	147	184	191	200	214	34
	20-22	160	171	182	226	237	248	266	39
• SUPPORTI LUNGH • LONG BRACKETS	01	137	146	154	194	202	210	225	37
	20-22	168	178	188	236	247	257	276	42
• SUPPORTI DOPPI • DOUBLE BRACKETS	01	216	234	250	301	317	334	362	44
	20-22	265	287	308	369	390	412	449	51

ART. 2015001

FIN.

- Anello con guarnizione
- Ring with easy glide insert

01

1,84

20-22

2,49



ART. 1313001

FIN.

L max

- Profilo
- Profile
- €/mt

01

2,5 mt

23,25

20-22

2,5 mt

28,77



- Spessore 0,75 mm
- Thickness 0,75 mm

EUREKA ART. 13M024




- SUPPORTI CORTI
- SHORT BRACKETS



		A Larghezza cm - Width cm						
		120	140	160	180	200	220	250
Anelli	Rings	12	14	16	18	20	22	26
Supporti	Brackets	2	2	2	3	3	3	3
Finiture	Finishes							
01		84	87	94	112	120	128	140
20-22		94	104	112	134	143	151	167

ASTREA ART. 13M049



- SUPPORTI CORTI
- SHORT BRACKETS



		A Larghezza cm - Width cm						
		120	140	160	180	200	220	250
Anelli	Rings	12	14	16	18	20	22	26
Supporti	Brackets	2	2	2	3	3	3	3
Finiture	Finishes							
01		91	93	101	119	127	134	146
20-22		101	109	118	141	149	158	172

BACCO ART. 13M035




- SUPPORTI CORTI
- SHORT BRACKETS



		A Larghezza cm - Width cm						
		120	140	160	180	200	220	250
Anelli	Rings	12	14	16	18	20	22	26
Supporti	Brackets	2	2	2	3	3	3	3
Finiture	Finishes							
01		79	87	94	112	120	128	140
20-22		94	104	112	134	143	151	167

CARENA ART. 13M064



- SUPPORTI CORTI
- SHORT BRACKETS



		A Larghezza cm - Width cm						
		120	140	160	180	200	220	250
Anelli	Rings	12	14	16	18	20	22	26
Supporti	Brackets	2	2	2	3	3	3	3
Finiture	Finishes							
01		72	80	87	108	116	123	135
20-22		85	94	103	129	137	146	160



- 01
- Ottone lucido verniciato
- Varnished polished brass









- 20
- Ottone cromato
- Chromed brass



- 22
- Ottone nichel satinato
- Nickel matt brass

Ø 13 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes		
	1311049	01	8,98	
		20-22	10,38	
		• Finale • Finial		
	1311024	01	5,62	
		20-22	7,35	
		• Finale • Finial		
	1312064	01	14,28	
		20-22	16,22	
		• Supporto accorciabile cieco • Shortenable blind bracket		
	1312065	01	14,60	
		20-22	16,55	
		• Supporto accorciabile cieco • Shortenable blind bracket		
	1312008	01	11,90	
		20-22	13,30	
		• Supporto ottone fisso • Fix bracket		
	1316001	01	6,81	
		20-22	8,44	
		• Rosetta a muro aperta • Open mount socket		
	1316002	01	4,43	
		20-22	5,95	
		• Rosetta a muro chiusa • Closed mount socket		
	1313001	01	L max 2,5 mt	23,25
		20-22	L max 2,5 mt	28,77
		• Profilo spessore 0,75 mm - €/mt • Profile, thickness 0,75 mm - €/mt		
	1315006	01-20-22		1,08
		• Gancio "S" • "S" hook		

		ART.	Finiture Finishes	
		1515002	01	1,30
			20-22	1,51
		• Anello • Ring		

[Ø 10 - 8 - 7]



Scaglioni

Ø 10 - 8 - 7



ART. 10M012

		A Larghezza cm - Width cm							1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	
Anelli	Rings	12	14	16	18	20	22	26	
Supporti	Brackets	2	2	2	3	3	3	3	
Finiture Finishes									Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01	101	106	111	145	150	157	165	28
	20-22	121	129	135	176	183	190	201	34
• SUPPORTI LUNGH • LONG BRACKETS	01	107	112	118	155	161	167	176	31
	20-22	128	135	142	186	193	200	212	37
• SUPPORTI DOPPI • DOUBLE BRACKETS	01	152	163	175	220	231	242	262	32
	20-22	184	198	212	265	279	293	317	39

COMPONENTI • COMPONENTS

ART. 1011012	FIN.		ART. 1011013	FIN.		ART. 1011010	FIN.		ART. 1012001	FIN.		ART. 1012002	FIN.	
• Finale	01	4,87	• Finale	01	4,55	• Finale e tappo	01	3,24	• Supporto	01	27,90	• Supporto	01	31,26
• Finial	20-22	5,94	• Finial	20-22	5,63	per doppio profilo	20-22	4,22	• Wall bracket	20-22	33,42	• Wall bracket	20-22	36,77




01
• Ottone lucido
verniciato
• Varnished
polished brass



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel
satinato
• Nickel matt
brass




ART. 10M013

		A Larghezza cm - Width cm							1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	
Anelli	Rings	12	14	16	18	20	22	26	
Supporti	Brackets	2	2	2	3	3	3	3	
Finiture	Finishes								Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01	100	105	110	144	150	156	165	27
	20-22	121	128	135	175	183	189	201	34
• SUPPORTI LUNGI • LONG BRACKETS	01	106	111	118	155	160	165	175	31
	20-22	128	134	142	185	193	199	211	37
• SUPPORTI DOPPI • DOUBLE BRACKETS	01	151	163	174	220	230	242	261	31
	20-22	183	197	211	265	279	293	316	38


ART. 1012003 FIN.

- Supporto doppio
- Double wall bracket



ART. 1015001 FIN.

- Anello con guarnizione
- Ring with easy glide insert



ART. 1013002 FIN. L max

- Profilo
- Profile
- €/mt






- Spessore 0,75 mm
- Thickness 0,75 mm



ART. 10M014

		A Larghezza cm - Width cm							1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	
		Anelli Rings	Supporti Brackets	Supporti Brackets	Supporti Brackets	Supporti Brackets	Supporti Brackets	Supporti Brackets	
		Finiture Finishes	Finiture Finishes	Finiture Finishes	Finiture Finishes	Finiture Finishes	Finiture Finishes	Finiture Finishes	Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01	101	106	111	145	150	157	165	28
	20-22	121	129	135	176	183	190	201	34
• SUPPORTI LUNGH • LONG BRACKETS	01	107	112	118	155	161	167	176	31
	20-22	128	135	142	186	193	200	212	37
• SUPPORTI DOPPI • DOUBLE BRACKETS	01	152	163	175	220	231	242	262	32
	20-22	184	198	212	265	279	293	317	39

COMPONENTI • COMPONENTS																																
ART. 1011014			FIN.			ART. 1011010			FIN.			ART. 1012001			FIN.			ART. 1012002			FIN.			ART. 1012003			FIN.					
• Finale			01			• Finale e tappo			01			• Supporto			01			• Supporto			01			• Supporto			01					
• Finial			20-22			per doppio profilo			20-22			• Wall bracket			20-22			• Wall bracket			20-22			• Wall bracket			doppio			20-22		
			4,87						3,24						27,90						31,26						33,75					
			5,94			• Finial and endcap			4,22						33,42						36,77						• Double wall			39,26		
						for double profile																					bracket					
																																




01
• Ottone lucido
verniciato
• Varnished
polished brass



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel
satinato
• Nickel matt
brass



ART. 10M010

		A Larghezza cm - Width cm							1 rosetta a muro 1 wall mount socket
		120	140	160	180	200	220	250	
Anelli	Rings	12	14	16	18	20	22	26	
Supporti	Brackets	2	2	2	3	3	3	3	
Finiture	Finishes								Togliere - Deduct
• SUPPORTI CORTI • SHORT BRACKETS	01	97	103	108	142	147	154	162	26
	20-22	118	125	132	172	180	186	198	32
• SUPPORTI LUNGH • LONG BRACKETS	01	104	109	115	151	158	163	173	30
	20-22	124	132	138	183	189	197	209	36
• SUPPORTI DOPPI • DOUBLE BRACKETS	01	149	160	172	216	228	239	258	30
	20-22	181	195	209	262	276	290	313	37

ART. 1015001

FIN.

- Anello con guarnizione
- Ring with easy glide insert

01

20-22

0,98

1,08



ART. 1013002

FIN.

L max

- Profilo
- Profile
- €/mt

01

20-22

2,5 mt

2,5 mt

18,61

24,34



- Spessore 0,75 mm
- Thickness 0,75 mm

SLIM ART. 1012910

- Attacco per infisso senza forare per aste estensibili Ø 10 mm
- Bracket for frame without drilling for extensible rod Ø 10 mm



Finiture	Finishes	
01-22		35,00 Coppia - Pair 2 st.



DEA ART. 10M099

- Asta estensibile completa
- Extensible rod with: 2 finials, 2 clutch holders, rings every 50 mm

Ø 10 mm



		Larghezza cm - Width cm					
		40→60	50→70	60→80	80→100	100→120	120→140
Finiture	Finishes						
01-37		22,28	25,20	28,77	33,74	39,26	45,21
20-22		29,42	34,50	38,39	45,96	54,72	66,62

DIANA ART. 10M101

- Asta estensibile senza anelli
- Extensible rod with: 2 finials, 2 clutch holders, without rings

Ø 10 mm



		Larghezza cm - Width cm					
		40→60	50→70	60→80	80→100	100→120	120→140
Finiture	Finishes						
01		15,36	16,44	18,28	19,68	21,74	24,23
20-22		19,47	22,06	23,68	26,17	30,07	37,10

NAOS ART. 10M098

- Asta estensibile senza anelli
- Extensible rod with: 2 finials, 2 clutch holders, without rings

Ø 10 mm



		Larghezza cm - Width cm					
		40→60	50→70	60→80	80→100	100→120	120→140
Finiture	Finishes						
01-37		15,36	16,44	18,28	19,68	21,74	24,23
20-22		19,47	22,06	23,68	26,17	30,07	37,10
39		17,84	18,82	20,76	22,60	24,98	27,36

SONIA ART. 10M102

- Asta estensibile senza anelli
- Extensible rod with: 2 finials, 2 clutch holders, without rings

Ø 10 mm



		Larghezza cm - Width cm					
		40→60	50→70	60→80	80→100	100→120	120→140
Finiture	Finishes						
01		15,36	16,44	18,28	19,68	21,74	24,23



01
• Ottone lucido verniciato
• Varnished polished brass



02
• Ottone nichel nero
• Black nickel brass



12
• Bianco lucido
• Polished white



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel satinato
• Nickel matt brass



37
• Ottone satinato lucido
• Matt bright brass



39
• Ottone bronzo graffiato
• Scratched bronze brass

TILO ART. 10M111

- Asta estensibile plastica, pomoli ottone
- White plastic extensible rod with: 2 brass finials, 2 clutch holders, without rings

		Larghezza cm - Width cm			
		40→60	60→80	80→100	100→120
Finiture	Finishes				
01		8,11	8,54	8,98	9,30
20		8,65	9,19	9,52	9,84

Ø 10 mm



AVE ART. 10M093

- Asta fissa completa
- Fix rod with: 2 Swarovski finials, 2 brackets, rings every 50 mm

		Larghezza cm - Width cm					
		40	50	60	80	100	120
Finiture	Finishes						
01		51,05	53,43	55,91	60,46	65,00	69,86

Ø 10 mm



DORA ART. 10M094

- Asta fissa completa
- Fix rod with: 2 finials, 2 brackets, rings every 50 mm

		Larghezza cm - Width cm					
		40	50	60	80	100	120
Finiture	Finishes						
01-37		28,23	30,61	32,99	37,53	42,07	46,94
20-22		34,72	38,93	42,18	48,34	55,59	65,43

Ø 10 mm



TANIA ART. 10M095

- Asta fissa completa
- Fix rod with: 2 finials, 2 brackets, rings every 50 mm

		Larghezza cm - Width cm					
		40	50	60	80	100	120
Finiture	Finishes						
01		27,36	29,74	32,12	36,77	41,31	46,18

Ø 10 mm



OLGA ART. 10M096

- Asta fissa completa
- Fix rod with: 2 finials, 2 brackets, rings every 50 mm

		Larghezza cm - Width cm					
		40	50	60	80	100	120
Finiture	Finishes						
01		27,36	29,74	32,12	36,77	41,31	46,18

Ø 10 mm



DEIMOS ART. 10M091

- Asta fissa completa
- Fix rod with: 2 bracket-finials, 2 clutch holders, rings every 50 mm

		Larghezza cm - Width cm					
		40	50	60	80	100	120
Finiture	Finishes						
01-37		25,42	28,23	30,93	36,23	41,53	47,15
20-22		33,09	36,66	40,23	47,05	53,97	63,59

Ø 10 mm



AURA ART. 10M097

- Asta estensibile a molla
- Extensible rod with spring

		Larghezza cm - Width cm						
		40→60	50→70	60→80	80→100	100→120	120→140	
Finiture	Finishes							
01		24,44	25,63	26,71	28,88	30,93	33,31	
20-22		28,66	31,26	32,77	35,37	39,26	46,29	

Ø 10 mm



SABA ART. 07M050

- Bris-bris estensibile
- Extensible rod with: 2 finials, 2 hooks

Ø 7 mm

		Larghezza cm - Width cm					
		30→50	40→60	50→70	60→80	80→100	100→120
Finiture	Finishes						
01-37		7,25	8,11	9,19	10,06	11,46	13,19
02-20-22		10,17	11,79	13,41	15,25	17,09	20,12
39		8,44	8,65	10,27	11,03	13,19	14,82



SIRIA ART. 07M052

- Bris-bris estensibile a molla
- Extensible rod with: 2 brass finials, spring

Ø 7 mm

		Larghezza cm - Width cm				
		30→50	40→60	50→70	60→80	70→90
Finiture	Finishes					
01		7,79	8,76	9,95	10,92	12,55
12		6,71	7,35	8,44	9,08	10,82



COSMO ART. 07M061

- Bris-bris estensibile
- Extensible rod with: 2 finials, 2 hooks

Ø 7 mm

		Larghezza cm - Width cm					
		30→50	40→60	50→70	60→80	80→100	100→120
Finiture	Finishes						
01		7,25	8,11	9,19	10,06	11,46	13,19



EOLO ART. 07M060

- Bris-bris estensibile
- Extensible rod with: 2 finials, 2 hooks

Ø 7 mm

		Larghezza cm - Width cm					
		30→50	40→60	50→70	60→80	80→100	100→120
Finiture	Finishes						
01		7,25	8,11	9,19	10,06	11,46	13,19



PALMA ART. 07M054

- Bris-bris plastica + pomoli ottone, estensibile
- Extensible plastic rod with: 2 brass finials, 2 hooks

Ø 8 mm

		Larghezza cm - Width cm			
		40→60	50→70	60→80	80→100
Finiture	Finishes				
01		4,00	4,11	4,22	4,33
20		4,87	4,97	5,08	5,19



01
• Ottone lucido verniciato
• Varnished polished brass



02
• Ottone nichel nero
• Black nickel brass



12
• Bianco lucido
• Polished white



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel satinato
• Nickel matt brass















37
• Ottone satinato lucido
• Matt bright brass




39
• Ottone bronzo graffiato
• Scratched bronze brass

Ø 10 - 8 - 7 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes	
	1011012	01	4,87
		20-22	5,95
• Finale • Finial Ø 10 mm			
	1011013	01	4,54
		20-22	5,62
• Finale • Finial Ø 10 mm			
	1011014	01	4,87
		20-22	5,95
• Finale • Finial Ø 10 mm			
	1011010	01	3,24
		20-22	4,22
• Finale • Finial Ø 10 mm			
	1011018	01	16,33
		20-22	17,41
• Finale Swarovski • Swarovski finial Ø 10 mm			
	1011034	01-12-37	3,14
		39	3,79
		20-22	3,46
• Finale • Finial Ø 10 mm			
	1011047	01	2,60
		20-22	3,24
• Finale • Finial Ø 10 mm			
	1011036	01	2,70
• Finale • Finial Ø 10 mm			

	ART.	Finiture Finishes	
	1011024	01	2,70
		20-22	3,35
• Finale • Finial Ø 10 mm			
	1012065	01	13,30
		20-22	15,36
• Supporto accorciabile passante • Shortenable loop bracket Ø 10 mm			
	1012064	01	13,09
		20-22	15,14
• Supporto accorciabile cieco • Shortenable blind bracket Ø 10 mm			
	1012069	01-12-37	4,87
		39	5,62
		20-22	5,30
• Terminale supporto per asta • Bracket-finial for profile Ø 10 mm			
	1012066	01	4,87
• Supporto fisso • Fix bracket Ø 10 mm			
	1012067	01	4,87
• Supporto fisso • Fix bracket Ø 10 mm			
	1012068	01-12-37	4,87
		39	5,19
		20-22	5,62
• Supporto fisso • Fix bracket Ø 10 mm			
	1016001	01-12-37	4,76
		39	5,08
		20-22	5,41
• Rosetta a muro • Open mount socket Ø 10 mm			

Ø 10 - 8 - 7 ACCESSORI OPZIONALI • OPTIONAL ACCESSORIES

	ART.	Finiture Finishes		
	1013002	01-37	L max 2,5 mt	18,60
		39	L max 2,5 mt	19,68
		20-22	L max 2,5 mt	24,33
		12	L max 2,5 mt	4,00
		• Profilo spessore 0,75 mm - €/mt • Profile, thickness 0,75 mm - €/mt Ø 10 mm		
	1015002	01-12-37		0,98
		39		1,19
		20-22		1,41
		• Anello con occhio fuso • Ring with fix eyelet		
	0718902	01		0,43
		• Pinzetta per bris-bris • Clip for extensible profile Ø 7 mm		
	0718901	01-20		0,11
		• Gancetto per bris-bris • Hook for extensible profile Ø 7 mm		
	1018900			0,20
		• Supporto in plastica per astine Ø 10 mm • Screw for extensible rod Ø 10 mm		



01
• Ottone lucido verniciato
• Varnished polished brass



12
• Bianco lucido
• Polished white



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel satinato
• Nickel matt brass




37
• Ottone satinato lucido
• Matt bright brass










39
• Ottone bronzo graffiato
• Scratched bronze brass


ACCESSORI PER SCALE
ACCESSORIES FOR STAIRS, HOTELS & CONTRACT



Scaglioni





Ø 30 ACCESSORI PER SCALE • ACCESSORIES FOR STAIRS, HOTELS & CONTRACT


	ART.	Finiture Finishes	
	3012901	01	32,55
	- Supporto corrimano curvo - Curved bracket for hand-rail		
	3012902	01	27,04
	- Supporto corrimano dritto - Bracket for hand-rail		
	3012904	01	19,68
	- Supporto fine - Bracket		
	3012905	01	20,22
	- Supporto fine - Bracket		
	3012907	01	24,55
	- Supporto curvo fine - Curved bracket		
	3012903	01 20-22	18,28 22,71
	- Passacordone - Bracket for rope		
	3012911	01	29,96
	- Passacordone per angolo interno - Bracket for rope, internal corner		
	3012912	01	30,28
	- Passacordone per angolo esterno - Bracket for rope, external corner		
	3011913	01 20-22	17,52 19,58
	- Tappo esterno per cordone - End-cap for rope		

	ART.	Finiture Finishes	
	3011914	01 20-22	23,79 29,85
	- Tappo esterno con moschettone - End-cap for rope with spring catch		
	3011048	01	20,66
	- Finale per corrimano - Finial for hand-rail		
	3011010	01	10,17
	- Tappo interno per profilo - Inner stopper for profile		
	3011916	01 20-22	12,65 17,41
	- Tappo esterno per cordone - End-cap for rope		
	3013001	01	L max 3,4 mt 43,91
	- Profilo spessore 0,75 mm - €/mt - Profile, thickness 0,75 mm - €/mt - Ø 30 mm		
			
	- Cordone Ø 30 - Rope Ø 30		
	3063901	€/mt	26,71
	- Confezione a rotoli da mt 25 - Supplied in rolls of mt 25		
	3063902	€/mt	31,80
	- A taglio in metratura - Cut pieces by meter		
	Colori disponibili: Colours available: 1 giallo oro 1 gold 2 bordeaux 2 bordeaux 3 yuta 3 yuta 4 azzurro 4 light blue 5 rosa antico 5 antique pink 6 verde 6 green		
	3063920		44,34
	- Fiocco per cordone Ø 30 - Per colori vedi art. 3063901 - Tassel tieback Ø 30 - For colours available see art. 3063901		










Ø 35 ACCESSORI PER SCALE • ACCESSORIES FOR STAIRS, HOTELS & CONTRACT

	ART.	Finiture Finishes	
	3512901	01	38,07
	• Supporto corrimano curvo • Curved bracket for hand-rail		
	3512902	01	32,55
	• Supporto corrimano dritto • Bracket for hand-rail		
	3512904	01	20,01
	• Supporto fine • Bracket		
	3512905	01	20,55
	• Supporto fine • Bracket		
	3512907	01	24,98
	• Supporto curvo fine • Curved bracket		
	3512903	01 20-22	18,71 23,25
	• Passacordone • Bracket for rope		
	3512911	01	29,96
	• Passacordone per angolo interno • Bracket for rope, internal corner		
	3512912	01	30,28
	• Passacordone per angolo esterno • Bracket for rope, external corner		
	3511913	01 20-22	19,58 21,63
	• Tappo esterno per cordone • End-cap for rope		

	ART.	Finiture Finishes	
	3511049	01	20,66
	• Finale per corrimano • Finial for hand-rail		
	3511010	01	11,25
	• Tappo interno • Internal stopper		
	3511916	01 20-22	13,74 18,49
	• Tappo esterno per cordone • End-cap for rope		
	3513001	01	L max 3,4 mt 51,48
	• Profilo spessore 0,75 mm - €/mt • Profile, thickness 0,75 mm - €/mt - Ø 35 mm		
	• Cordone Ø 35 • Rope Ø 35		
	3563901	€/mt	33,09
	• Confezione a rotoli da mt 25 • Supplied in rolls of mt 25		
	3563902	€/mt	38,18
	• A taglio in metratura • Cut pieces by meter		
	Colori disponibili: Colours available: 1 giallo oro 1 gold 2 bordeaux 2 bordeaux 3 yuta 3 yuta 4 azzurro 4 light blue 5 rosa antico 5 antique pink 6 verde 6 green		
	3561920		52,13
	• Fiocco per cordone Ø 35 - Per colori vedi art. 3563901 • Tassel tieback Ø 35 - For colours available see art. 3563901		

ACCESSORI PER SCALE • ACCESSORIES FOR STAIRS, HOTELS & CONTRACT

	ART.	Finiture Finishes	
	1313728	01	30,93
		20-22	38,39
- Asta fermatappeto completa - Carpet-holder profile with: 2 finials, 2 brackets Ø 13 mm L = 0,8 mt			
	1313729	01	35,58
		20-22	44,13
- Asta fermatappeto completa - Carpet-holder profile with: 2 finials, 2 brackets Ø 13 mm L = 1,0 mt			
	1312915	01	4,33
		20-22	5,41
- Occhiolo per asta fermatappeto - Fixing eyelet for carpet-holder			
	1311917	01	1,84
		20-22	2,27
- Finale per asta fermatappeto - Finial for carpet-holder rod			
	1313001	01	L max 2,5 mt 23,25
		20-22	L max 2,5 mt 28,77
- Profilo spessore 0,75 mm - €/mt - Profile, thickness 0,75 mm - €/mt Ø 13 mm			
	3012910	01	21,20
- Supporto curvo concavo per profilo tondo - Curved bracket round hand-rail			
	3012909	01	20,55
- Supporto curvo piano per corrimano legno - Curved bracket for wooden hand-rail			
	9013934	01	10,38
- Tappo per corrimano - Endcap for hand-rail			
	9013933	63	€/mt 55,59
- Corrimano legno lunghezza 4,0 mt. Colore noce naturale. - Wood hand-rail length 4,0 mt. Colour natural walnut.			


	ART.	Finiture Finishes	
	9013930	01	227,33
		20-22	293,52
- Colonnina con ganci e pomolo - Column with hooks and knob			
	9013931	01	217,38
		20-22	271,46
- Colonnina con passacordone Ø 30 - Column for rope Ø 30			
	9013932	01	217,38
		20-22	271,46
- Colonnina con passacordone Ø 35 - Column for rope Ø 35			



01
• Ottone lucido
verniciato
• Varnished
polished brass



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel
satinato
• Nickel matt
brass







63
• Noce
naturale
• Walnut





FERMATENDA E ACCESSORI
HOLDBACKS AND ACCESSORIES



Scaglioni

FERMATENDA • HOLDBACKS

		ART.	mm	Finiture Finishes				
				01	02	04		
		9019049	120	151,19	158,87	164,39		
		9019050	220	152,28	161,14	166,66		
		- Fermatenda Swarovski - Swarovski holdback						
				01-36-37	02-22	04	39	
		5019051	110	101,55	108,15	111,50	104,80	
		5019052	220	102,63	110,31	113,67	105,99	
		- Fermatenda Swarovski - Swarovski holdback						
				01-36-37	20-22	39		
		2019053	100	29,20	31,36	30,28		
		2019054	200	30,71	32,88	31,80		
		- Fermatenda Swarovski - Swarovski holdback						
				01-36-37	02-22	04	39	
		5019026	110	35,26	41,31	45,53	38,61	
		5019027	160	35,91	42,07	46,29	39,26	
		5019028	210	36,66	42,94	47,05	40,02	
		5019029	260	37,53	43,69	47,91	40,88	
		- Fermatenda porcellana craquelé, colori: azzurro, marrone - Porcelain holdback, colours available: light blue, brown						
				01-36-37	02-22	04	39	
		5019030	110	73,33	79,17	83,06	76,57	
		5019031	160	73,97	79,81	83,82	77,22	
		5019032	210	74,62	80,46	84,47	77,98	
		5019033	260	75,49	81,33	85,33	78,84	
		- Fermatenda marmo colori bianco, rosso, nero - Marble holdback colours available: white, red, black						
				01-36-37	02-22	04	39	
		5019034	110	52,34	59,48	64,24	55,59	
		5019035	160	53,10	60,24	65,00	56,45	
		5019036	210	53,97	61,10	65,86	57,32	
		5019037	260	54,94	62,19	66,94	58,29	
		- Fermatenda porcellana dipinta a mano - Hand-painted porcelain holdback						
				01-36-37	02-22	04	39	
		5019038	110	33,90	40,00	44,10	37,10	
		5019039	160	34,50	40,77	44,88	37,74	
		5019040	210	35,37	41,42	45,64	38,61	
		5019041	260	36,12	42,29	46,40	39,47	
		- Fermatenda porcellana stampata - Printed porcelain holdback						

		ART.	mm	Finiture Finishes			
				01-36-37	02-22	04	39
		5019042	110	30,39	36,55	40,77	33,74
		5019043	160	31,04	37,20	41,42	34,39
		5019044	210	31,80	37,96	42,18	35,15
		5019045	260	32,66	38,83	43,04	36,01
- Fermatenda porcellana bianca - White porcelain holdback							
				01	02	04	
		7019048	70	20,44	25,85	27,47	
- Fermatenda barocco piccolo - Baroque holdback small size							
				01-36	29-39		
		7019005	110	19,68	21,74		
		7019006	160	20,44	22,50		
		7019007	210	21,20	23,36		
		7019008	260	21,85	24,12		
- Fermatenda corda - Holdback							
				01-36-37	02-20-22	04	29-39
		7019010	100	20,33	26,50	30,61	22,39
		7019011	150	20,98	27,15	31,36	23,14
		7019012	200	21,74	28,01	32,12	23,90
		7019013	250	22,71	28,88	32,99	24,66
- Fermatenda - Holdback							
				01			
		7019022	100	19,00			
		7019023	150	19,58			
		7019024	200	20,33			
		7019025	250	21,20			
- Fermatenda rosa - Holdback							
				01-36	22	39	
		5519014	110	19,58	21,74	20,66	
		5519015	160	20,33	22,50	21,41	
		5519016	210	21,09	23,36	22,17	
		5519017	260	21,95	24,23	23,14	
- Fermatenda - Holdback							
				01-36	22	39	
		4019018	110	18,17	20,33	19,25	
		4019019	160	18,82	20,98	19,90	
		4019020	210	19,68	21,85	20,76	
		4019021	260	20,55	22,82	21,63	
- Fermatenda - Holdback							



01
• Ottone lucido verniciato
• Varnished polished brass




02
• Ottone nichel nero
• Black nickel brass



04
• Ottone argentato
• Silver-plated brass



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel satinato
• Nickel matt brass







29
• Ottone bronzato antico
• Antique bronze brass



36
• Ottone satinato opaco
• Matt flat brass

FERMATENDA • HOLDBACKS

	ART.	mm	Finiture Finishes		
			01-36-37	20-22	29-39
	2619001	100	14,71	17,20	16,01
	2619002	150	15,36	18,17	16,76
	2619003	200	16,11	18,60	17,63
	2619004	250	16,98	20,01	18,39
• Fermatenda • Holdback					
	7019055	150	01 15,14	22 21,31	
	• Fermatenda accorciabile stella • "Star" shortenable holdback				
	7019056	150	01 15,14	22 21,31	
	• Fermatenda accorciabile cammeo • "Cameo" shortenable holdback				
	7019058		01 20,01	02 29,74	04 33,85
	• Raccoglitora a filo • Tieback				
	7019059		01 20,01	02 29,74	04 33,85
	• Porta drappoggio a filo singolo • Tieback				
	7019060		01 23,68	02 35,69	04 40,12
	• Porta drappoggio a filo doppio • Double tieback				
	7019061		01 19,36	02 27,90	04 31,58
	• Porta drappoggio a filo a soffitto • Ceiling curtain holder				

	ART.	Finiture Finishes		
		01	02	04
	5019310	86,09	88,25	90,52
	- Rosetta Swarovski - Swarovski rosette			
		01		
	2019311	20,33		
	- Rosetta Swarovski - Swarovski rosette			
		01	02	04
	5019312	25,09	27,36	28,55
	- Rosetta porcellana craquelé. Colori disponibili: azzurro, marrone - Craquelé porcelain rosette. Colours available: light blue, brown			
		01	02	04
	5019300	61,00	62,94	64,35
	- Rosetta marmo. Colori disponibili: bianco, rosso, nero - Marble rosette. Colours available: white, red, black			
		01	02	04
	5019301	37,42	39,91	41,53
	- Rosetta porcellana dipinta a mano - Hand-painted porcelain rosette			
		01	02	04
	5019302	24,01	26,39	27,90
	- Rosetta porcellana stampata - Printed porcelain rosette			
		01	02	04
	5019303	19,90	22,28	24,01
	- Rosetta porcellana bianca - White porcelain rosette			
		01		
	7019306	7,89		
	- Rosetta “Corda” “Decorated” rosette			







37
• Ottone satinato
lucido
• Matt bright
brass



39
• Ottone bronzo
graffiato
• Scratched bronze
brass

FERMATENDA • HOLDBACKS

	ART.	mm	Finiture Finishes		
			01	02	04
70 	7019304		8,33	10,38	11,79
	- Rosetta disco - Plain rosette				
			01		
70 	7019305		7,25		
	- Rosetta "Rosa" "Flower" rosette				
			01		
55 	5519307		9,95		
	- Rosetta - Rosette				
			01		
40 	4019308		4,87		
	- Rosetta - Rosette				
			01		
26 	2619309		4,43		
	- Rosetta - Rosette				
			01	20	
70 	7519314		1,73	2,16	
	- Gancio fermacavo - Hook cleat				
			01	20-22	36-39
	1619062	16	1,73		
	2019063	20	2,05	2,05	2,05
	2419064	24	2,38		
	3019065	30	2,38	2,70	2,70
- Gancio tondo - Tieback hook					
			01-36	20-22	39
28 	2819313		1,62	1,95	1,62
	- Rosetta per gancio - Plate for tieback hook				

	ART.	Finiture Finishes	
		01	
	4219066	3,68	
	• Gancio decorato con rosetta • Decorative tieback hook with rosette		
		01	
	3019067	2,92	
	• Gancio decorato con rosetta • Decorative tieback hook with rosette		
		01-20-22-36-39	
	1319068	1,08	
	• Gancio • Hook ring		
		01-36-39	20-22
	2019400	29,85	33,53
	• Fermatenda magnetico • “Almond” magnetic holdback		
		01-36-39	20-22
	2019401	29,85	33,53
	• Fermatenda magnetico • “Almond” magnetic holdback		
		01-36-39	20-22
	2019402	29,85	33,53
	• Fermatenda magnetico • “Almond” magnetic holdback		
		01-36-39	20-22
	1519403	22,39	24,87
	• Fermatenda magnetico • “Almond” magnetic holdback		



01
• Ottone lucido verniciato
• Varnished polished brass



02
• Ottone nichel nero
• Black nickel brass




04
• Ottone argentato
• Silver-plated brass



12
• Bianco lucido
• Polished white



20
• Ottone cromato
• Chromed brass



22
• Ottone nichel satinato
• Nickel matt brass



29
• Ottone bronzato antico
• Antique bronze brass



36

- Ottone satinato opaco
- Matt flat brass



37


- Ottone satinato lucido
- Matt bright brass



39

- Ottone bronzo graffiato
- Scratched bronze brass

ESPOSITORI PER PUNTO VENDITA • DISPLAYS FOR STORES

	ART.	
	A10000	50,00 Netto - Net price
	• Guide in alluminio verniciato per 10 tavolette • Power coated aluminium guides for 10 sample boards	
	A59100	10,00 Netto - Net price
	• Tavoletta con perni per guide • Sample boards with pin	
	A59900	50,00 Netto - Net price
	• Valigetta • Suitcase	
	A05100	35,00 Netto - Net price
	• Espositore • Display	
	A05200	10,00 Netto - Net price
	• Espositore vuoto con fori Ø 30 • Empty display with holes for Ø 30	

	ART.	
	A59200	10,00 Netto - Net price
	• Tavoletta da appoggio • Table sample board	
	A59210	6,50 Netto - Net price
	• Piedini da appoggio per tavoletta • Foot-stall for sample board	
	A59300	10,00 Netto - Net price
	• Tavoletta con fori per attacco parete e per totem • Sample board with holes suitable for wall display and totem	
	A59310	5,00 Netto - Net price
	• Supporto a muro per tavoletta • Wall bracket for sample board	
	A59500	100,00 Netto - Net price
	• Totem vuoto per 10 tavolette con fori • Empty totem display for n. 10 sample boards with holes	

FINITURE DISPONIBILI • FINISHES AVAILABLE



- 01**
- Ottone lucido
 - Polished brass




- 02**
- Ottone nichel nero
 - Black nickel brass



- 04**
- Ottone argentato
 - Silver-plated brass



- 08**
- Ottone nichel nero opaco
 - Matt black nickel brass



- 09**
- Nero opaco sfumato oro
 - Matt black, gold shaded



- 10**
- Nero opaco sfumato argento
 - Matt black, silver shaded



- 11**
- Grigio micaceo
 - Micaceous grey



- 12**
- Bianco lucido RAL 9010
 - Polished white RAL 9010



- 13**
- Nero martellato rame
 - Black, copper hammered



- 14**
- Blu martellato oro
 - Blue, gold hammered



- 15**
- Rosso porpora sfumato oro
 - Red purple, gold shaded



- 16**
- Verde veneziano sfumato oro
 - Venetian green, gold shaded



- 17**
- Nero opaco RAL 9005
 - Matt black RAL 9005




- 18**
- Nero opaco sfumato rame
 - Matt black, copper shaded



- 19**
- Avorio sfumato oro
 - Ivory, gold shaded



- 20**
- Ottone cromato
 - Chromed brass



- 22**
- Ottone nichel satinato
 - Satin nickel brass



- 28**
- Ferro naturale cerato a mano
 - Handmade waxed iron



- 29**
- Ottone bronzato antico
 - Antique bronze brass



- 36**
- Ottone satinato opaco
 - Satin matt brass



- 37**
- Ottone satinato lucido
 - Satin bright brass



- 39**
- Ottone bronzo graffiato
 - Scratched bronze brass



- 40**
- Bianco opaco RAL 9003
 - Matt white RAL 9003




- 41**
- Beige
 - Beige



- 42**
- Grigio antracite
 - Anthracite grey



- 43**
- Bianco opaco sfumato argento
 - Matt white, silver shaded



- 44**
- Bianco perla RAL 9001
 - Pearl white RAL 9001



- 45**
- Grigio perla
 - Pearl grey



- 46**
- Oro
 - Gold



- 47**
- Nero spugnato oro ruggine
 - Black, gold-rust sponged



- 50**
- Acciaio inox lucido
 - Polished stainless steel



- 51**
- Acciaio inox satinato
 - Matt stainless steel



- 70**
- Silver
 - Silver




- 71**
- Rame
 - Copper



- 72**
- Alluminio satinato verniciato lucido
 - Satin aluminium, polished coated



- 73**
- Alluminio satinato verniciato opaco
 - Satin aluminium, matt coated



- 75**
- Alluminio lucido verniciato
 - Polished coated aluminium



- 76**
- Alluminio satinato verniciato acciaio
 - Satin aluminium, steel effect



- 91**
- Ruggine
 - Rust



- 92**
- Bronzo
 - Bronze



- 93**
- Avorio RAL 1013
 - Ivory RAL 1013



- 94**
- Avorio sfumato rame
 - Ivory, copper shaded

CONDIZIONI GENERALI DI VENDITA • TERMS & CONDITIONS

- Il presente catalogo-listino annulla e sostituisce ogni precedente edizione
- SCAGLIONI SRL si riserva il diritto di adeguare in qualsiasi momento i prezzi del presente listino
- SCAGLIONI SRL si riserva di apportare in qualsiasi momento, modifiche ai propri articoli e/o di eliminarli dalla produzione senza nessun preavviso
- Eventuali reclami devono pervenire per ISCRITTO alla SCAGLIONI SRL entro 8 gg. dal ricevimento dell'ordine
- Nessun reso di merce verrà accettato se non PREVENTIVAMENTE autorizzato da SCAGLIONI SRL
- Non si accettano resi per merce erroneamente ordinata.
In caso di accettazione il reso dovrà essere effettuato in PORTO FRANCO e verrà dedotto il 20% del valore della merce per spese di ripristino imballi e lavorazioni (solo ed esclusivamente per materiale non trasformato)
- In caso di ritardato pagamento verranno calcolati gli interessi di mora al tasso vigente
- La merce viaggia sempre a rischio e pericolo dell'acquirente, SCAGLIONI SRL non si assume nessun tipo di responsabilità per danni che possono verificarsi durante il trasporto
- La merce è resa in PORTO FRANCO per importi superiori a euro 500,00 netti. In caso di importi inferiori a tale cifra, verranno addebitati euro 12,00 a spedizione (euro 17,00 per le isole e Calabria)
- Per spedizione tubi lunghi oltre 4 mt
euro 30,00 a spedizione
euro 35,00 a spedizione (per le isole e Calabria)
consegna 5/7 gg lavorativi
In alternativa ritiro a carico del cliente

- Taglio profilo su misura
euro 3,00 netto
Es.: tubo confezionato Ø 20 cm. 150 = prezzo del tubo da 160 cm.
- PLS • Prezzo lavorazioni speciali (variazioni misure supporti fuori standard)
consegna 15 gg lavorativi
euro 25,00 netto
- PVS • Prezzo verniciature fuori serie (solo con i colori della nostra collezione)
consegna 15 gg lavorativi
euro 25,00 netto

- Per ogni contestazione è competente il foro di Brescia

- This catalogue-price list replaces all previous editions
- SCAGLIONI SRL reserves the right to adjust the price list at any time without notice
- SCAGLIONI SRL reserves the right to modify its articles or remove them from production at any time without notice
- WRITTEN notification of any shortages, damage or other discrepancies must be reported within 8 days from receipt of consignment
- No returned goods will be accepted without prior written authorization by SCAGLIONI SRL
- No returned goods will be accepted if wrongly ordered by customer.
In case of acceptance goods must be delivered DDP and a deduction of 20% will be applied as charges for resetting parcels and manufacturing (only for goods which have not been modified)
- Penalty on delayed payments will be calculated according to the interest in force
- Shipping is always at client's own risk, SCAGLIONI SRL is not liable for damages resulting during transport
- Delivery terms for abroad: goods are delivered ex works

- Charges for cut to measure profile
euro 3,00 net price
Ex.: Requested length is cm. 150 = price of standard length cm. 160
- PLS • Charges for special manufacturing (brackets with non-standard sizes)
forecast delivery 15 working days
euro 25,00 net price
- PVS • Charges for special painting (only with colours available in our collection)
forecast delivery 15 working days
euro 25,00 net price

- All disputes shall be subjected and binding under the lawcourt of Brescia